
Holding appendix: all 12 scenes and complete dose ranges


Corrected 10-second midpoint results • same common D scale • times UTC+08 • dashed lines mark archived cutoffs

Order 1 · Order 2 · Order 3 · Order 4 · Order 5 · Mean of available orders · × Rejected D fit (bottom marks)


1 Sep 01, 09:00 | N = 32
full range 0–32; median order ρ = 0.293




2 Sep 04, 16:00 | N = 40
full range 0–40; median order ρ = 0.828




3 Sep 07, 18:00 | N = 29
full range 0–29; median order ρ = NA




4 Sep 10, 14:00 | N = 36
full range 0–36; median order ρ = 0.184




5 Sep 12, 23:00 | N = 26
full range 0–26; median order ρ = NA




6 Sep 15, 14:00 | N = 46
full range 0–46; median order ρ = -0.104




7 Sep 18, 08:00 | N = 31
full range 0–31; median order ρ = -0.991




8 Sep 20, 12:00 | N = 33
full range 0–33; median order ρ = 0.200




9 Sep 23, 18:00 | N = 25
full range 0–25; median order ρ = NA




10 Sep 26, 07:00 | N = 31
full range 0–31; median order ρ = -0.045



11 Sep 28, 15:00 | N = 34
full range 0–34; median order ρ = 0.625



12 Sep 30, 23:00 | N = 21
full range 0–21; median order ρ = NA



Full-range correlations: 25/35 positive; median ρ = 0.220. Rejected fits are bottom marks, not zero-valued dimensions.

Source-hour aircraft selection only; complete synthetic tails are retained. No new estimation, sample selection, cutoff selection or threshold change.