

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	1	1	0	0	1 m 5.082 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To destory the ChequeBook Record	destory the ChequeBook Record	6	6	0	0	1 m 5.077 s

(F)- To destory the ChequeBook Record

PASSED	DURATION - 1 m 5.082 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 3:49:12.123 PM	1 // 3:50:17.205 PM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


(S)- destory the ChequeBook Record




#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	36.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.603 s
	screenshot		
2	And Click the ChequeBook request under CSM application	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click the to be destory button under ChequeBook request	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot		
4	And search a existing checkbook record	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot]	
5	Then double click the approve option	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
6	And click the todestory button	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		

EXPANDED SECTION -- 6 --



EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --

