Cucumber Report

| Start : Apr 22, 4:02:53.992 pm	End : Apr 22, 4:03:39.293 pm	Duration : 45.301 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 6

#	Feature Name	T	P	F	S	Duration
1	*To verify the functionality of chequebook under receive from provider*	*1*	*0*	*1*	*0*	*45.301 s*

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	checking if the user is abel to reverse a chequebook - short process	14	7	1	6	45.291 s

(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 45.301 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 4:02:53.992 pm // 4:03:39.293 pm /		Pass - 0	1	Pass - 7	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- checking if the user is abel to reverse a chequebook - short process

| FAILED	DURATION - 45.291 s		Steps	
/ 4:02:54.002 pm // 4:03:39.293 pm /			Total - 14	
To verify the functionality of chequebook under receive from provider			Pass - 7	14
			Fail - 1	
@CHB_009			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given user login as csm core application	PASSED	17.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
2	And user click the chequebook request button	PASSED	1.635 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click the to be reversed chequebook screen	PASSED	1.793 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.419 s
	screenshot		
4	And user click the checkbook code in to be reversed chequebook screen	PASSED	7.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
5	And user enter the value in chequebook code	PASSED	0.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
6	And user click the to be reversed button	PASSED	6.519 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
7	Then user click the ok button to validate the confiem message popup	PASSED	2.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
8	**And user click the reverse chequebook screen**	FAILED	1.251 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (82, 856). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=112.0.5615.138) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d78b566e3677133c5b3c79dc62e1a80d, clickElement {id=a1b9dd8c-bb8c-422f-bb34-1a01960fd810}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55440}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55440/devtoo. .., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d78b566e3677133c5b3c79dc62e1a80d)] -> xpath: //span[text()='Reverse Chequebook']] Session ID: d78b566e3677133c5b3c79dc62e1a80d
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_the_reverse_chequebook_screen(CSM_ChequeBookRequest_Screen. java:283)
	    at ?.user click the reverse chequebook screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:50)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
9	And user click the chequebook code in reverse chequebook screen	SKIPPED	0.000 s
10	And user enter the value in chequebook code under reverse chequebook screen	SKIPPED	0.000 s
11	And user click the reverse button under reverse chequebook screen	SKIPPED	0.000 s
12	And user click the maintenance screen under chequebook request	SKIPPED	0.000 s
13	And user enter the cheque code for reverse chequebook	SKIPPED	0.000 s
14	Then user validate the status record present in the maintenance screen for reverse chequebook	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is abel to reverse a chequebook - short process

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) checking if the user is abel to reverse a chequebook - short process

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) checking if the user is abel to reverse a chequebook - short process	
(F) To verify the functionality of chequebook under receive from provider	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) checking if the user is abel to reverse a chequebook - short process	
(F) To verify the functionality of chequebook under receive from provider	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) checking if the user is abel to reverse a chequebook - short process

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) checking if the user is abel to reverse a chequebook - short process

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) checking if the user is abel to reverse a chequebook - short process

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) checking if the user is abel to reverse a chequebook - short process

(F) To verify the functionality of chequebook under receive from provider