


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	1	0	1	0	10.972 s




7	# Feature Name	Scenario Name	T	P	F	S	Duration
	Checking Cash Withdrawal Transaction	To check whether transfer is possible with particular amount	21	0	0	21	10.966 s
	Amount Lower than Limit	lower than limit					

DETAILED SECTION -- 4 --

(F)- Checking Cash Withdrawal Transaction Amount Lower than Limit

FAILED	DURATION - 10.972 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:15:58.826 A	M // 11:16:09.798 AM /	Pass - 0	1	Pass - 0	21
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 21	

(S)- To check whether transfer is possible with particular amount lower than limit



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	10.858 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: uniqueContextld not found (Session info: chrome=114.0.5735.110) Host info: host: 'DESKTOP-PSK9T3J', ip: '10.81.234.46' Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities={browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:157)	FAILED	10.858 s
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:71)</init></init></init>		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:29)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:45)		
1	Given navigate to CSM param application and login with valid credentials	SKIPPED	0.000 s
2	And User update test data for test case number Param_097	SKIPPED	0.000 s
3	And Click the Parameters Flag	SKIPPED	0.000 s
4	Then Click the System Parameters Flag	SKIPPED	0.000 s
5	And User_604 Click the User Flag	SKIPPED	0.000 s
6	Then User_604 Click the update after approve option	SKIPPED	0.001 s
7	And User_604 Click the User ID grid in Update after approve	SKIPPED	0.001 s
8	Then User_604 Select the searched user id	SKIPPED	0.002 s
9	And User_604 Click the CIF type flag	SKIPPED	0.000 s
10	Then User_604 Select the code type	SKIPPED	0.009 s
11	And User_604 Click the checkbox icon	SKIPPED	0.002 s
12	Then User_604 Click the Ok button	SKIPPED	0.008 s
13	And User_604 Click the Update after approve button to save the record	SKIPPED	0.000 s
14	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.000 s
15	Then User_604 Click the Ok button finally	SKIPPED	0.000 s
16	And User_604 Click the approve flag	SKIPPED	0.001 s
17	Then User_604 Click the User ID grid approve	SKIPPED	0.006 s
18	Then User_604 Select the searched user id	SKIPPED	0.002 s
19	And User_604 Click the Approve button to save the record	SKIPPED	0.001 s
20	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.001 s
21	Then User_604 Click the Ok button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:72)		