

# Cucumber Report

17-May-2023, 12:56:16 pm

**Start : May 17, 12:55:35.015 pm**

**End : May 17, 12:56:14.510 pm**

**Duration : 39.495 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**



**FAILED - 1**

**SKIPPED - 0**

**PASSED - 13**


**FAILED - 1**

**SKIPPED - 10**







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	39.495 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	24	13	1	10	39.490 s

**(F)- To verify the functionality of transaction on staff account**

<b>FAILED</b>	<b>DURATION - 39.495 s</b>	Scenarios		Steps	
/ 12:55:35.015 pm // 12:56:14.510 pm /		Total - 1		Total - 24	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	


**(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating**

<div>FAILED</div> <div>DURATION - 39.490 s</div>		<div>Steps</div> <div>Total - 24</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 10</div>	
<div>/ 12:55:35.020 pm // 12:56:14.510 pm /</div>			
<div>To verify the functionality of transaction on staff account</div>			
<div>@TSA_016</div>			

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	15.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
4	And user click user submenu	PASSED	0.540 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
			
5	And user click populate user submenu	PASSED	1.888 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	1.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	6.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
			
14	And user click and enter the value in branch code field	FAILED	1.415 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input role="livesearch" type="text" id="new_1684308372027_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt_tab2_GridTbl_Id_E000POMT" class="liveSearchText liveSearchCompSize ui-widget-content liveSearchInputCorner" name="lookupTxt_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE" prevvalue="" value="" dependency="branchesvo.BRANCH_CODE:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt,branchesvo.BRIEF_DESC_ENG:hiddenBranch,BRANCH_STATUS:B_STATUS" dependencysrc="/imal_csm_params_imal145_qc_o18/path/param/populateTeller/PopulateTellerDependencyAction_dependencyForCtstellerPopulate4" params="USER_ID:hiddenUserId,destinationBranchCode:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt,criteria.		

#	Step / Hook Details	Status	Duration
	<p>branchCode:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt" afterdepevent="" leadzeros="" mode="number" nbformat="" colmodel="[object Object]" maxlength="4" gridid="tab2_GridTbl_Id_E000POMT" editrowid="new_1684308372027" required="required"&gt; is not clickable at point (368, 433). Other element would receive the click: &lt;div class="progBarContent" style="left: 0px;"&gt;...&lt;/div&gt; (Session info: chrome=113.0.5672.126) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b637a62622d1904014326bf315f9191d, clickElement {id=02487EB35D135DA6FA8959282856FF22_element_255}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:50841}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50841/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b637a62622d1904014326bf315f9191d)] -&gt; xpath: //input[@name='lookupTxt_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE']] Session ID: b637a62622d1904014326bf315f9191d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)  at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22)  at stepdefinitions.CSM_TransactionOnStaffAccount_Steps.  user_click_and_enter_the_value_in_branch_code_field(CSM_TransactionOnStaffAccount_Steps.java:137)  at ?.user click and enter the value in branch code field(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:18)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in new user template field	SKIPPED	0.001 s
16	And user click save button under populate user	SKIPPED	0.000 s
17	And user click confirm message ok button	SKIPPED	0.000 s
18	And user click success message ok button	SKIPPED	0.000 s
19	And user click approve screen under populate user	SKIPPED	0.000 s
20	And user click and enter the value in cheque code under approve screen	SKIPPED	0.001 s
21	And user click approve button	SKIPPED	0.000 s
22	And user click populate screen	SKIPPED	0.000 s
23	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
24	And user click populate button	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

Menu Options

- Parameters
  - CIP Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ADD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
- User
  - Maintenance
    - Approve
    - Update after Approve
    - Suspend
    - Reactivate
    - List
    - TELLER AYS LIST
    - Populate User
  - Maintenance
    - Approve
    - Update after Approve
    - Populate
    - Reject
    - List
  - ADD Categories
  - Status
  - Changes
  - Transaction Type
  - Swift Rule
  - Lost Documents
  - Cards
  - Evaluation Recommendation
  - Cards Status Reason
  - Template Entries
  - Cleaning House
  - Bill Type
  - Reasons
  - Memo

Parameters / System Parameters / User / Populate User / Maintenance

Code \* 157 Status

Brief Description \* test157

Long Description \* test

User Code \* 1

User ID

Brief Description

Destination Branches

Branch Code	Branch Name	New User Template
No records to view		

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametization 14.7.0.0 Build 195 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

Menu Options

- Parameters
  - CIP Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ADD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
- User
  - Maintenance
    - Approve
    - Update after Approve
    - Suspend
    - Reactivate
    - List
    - TELLER AYS LIST
    - Populate User
  - Maintenance
    - Approve
    - Update after Approve
    - Populate
    - Reject
    - List
  - ADD Categories
  - Status
  - Changes
  - Transaction Type
  - Swift Rule
  - Lost Documents
  - Cards
  - Evaluation Recommendation
  - Cards Status Reason
  - Template Entries
  - Cleaning House
  - Bill Type
  - Reasons
  - Memo

Parameters / System Parameters / User / Populate User / Maintenance

Code \* 157 Status

Brief Description \* test157

Long Description \* test

User Code \* 1

User ID

Brief Description

Destination Branches

Branch Code	Branch Name	New User Template
No records to view		

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametization 14.7.0.0 Build 195 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is for user '157' with a brief description 'test157' and a long description 'test'. The user code is 'longArabic' and the user ID is '226963'. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is for user '157' with a brief description 'test157' and a long description 'test'. The user code is 'longArabic' and the user ID is '226963'. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

Menu Options

- Parameters
  - CIP Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ADD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
- User
  - Maintenance
    - Approve
    - Update after Approve
    - Suspend
    - Reactivate
    - List
  - TELLER AYS LIST
  - Populate User
  - Maintenance
    - Approve
    - Update after Approve
    - Populate
    - Reject
    - List
- ADD Categories
- Status
- Changes
- Transaction Type
- Swift Rule
- Lost Documents
- Cards
- Evaluation Recommendation
- Cards Status Reason
- Template Entries
- Cleaning House
- Bill Type
- Reasons
- Memo

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

Menu Options

- Parameters
  - CIP Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ADD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
- User
  - Maintenance
    - Approve
    - Update after Approve
    - Suspend
    - Reactivate
    - List
  - TELLER AYS LIST
  - Populate User
  - Maintenance
    - Approve
    - Update after Approve
    - Populate
    - Reject
    - List
- ADD Categories
- Status
- Changes
- Transaction Type
- Swift Rule
- Lost Documents
- Cards
- Evaluation Recommendation
- Cards Status Reason
- Template Entries
- Cleaning House
- Bill Type
- Reasons
- Memo