Cucumber Report

| Start : May 22, 6:21:14.894 pm	End : May 22, 6:22:03.594 pm	Duration : 48.700 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 15

Features: 1

Scenarios: 1

Steps: 30

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 46 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of transaction on staff account	1	0	1	0	48.700 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of transaction on staff account	Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	30	14	1	15	48.692 s

(F)- To verify the functionality of transaction on staff account

FAILED	DURATION - 48.700 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 6:21:14.894 pm // 6:22:03.594 pm /		Pass - 0	1	Pass - 14	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating

FAILED	DURATION - 48.692 s		Steps	
/ 6:21:14.902 pm // 6:22:03.594 pm /			Total - 30	
To verify the functionality of transaction on staff account			Pass - 14	30
			Fail - 1	
@TSA_016			Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	22.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
2	And user click parameters menu	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click system parameters submenu	PASSED	0.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
4	And user click user submenu	PASSED	2.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
5	And user click populate user submenu	PASSED	1.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
6	And user click maintenance under populate user submenu	PASSED	1.897 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
7	And user click and enter the value in code under maintenance screen	PASSED	7.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	+		
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		
	+		
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
	+		
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
12	And user click and enter the value in user code field	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
13	And user click add icon in destination branches	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
14	And user click and enter the value in branch field	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
15	And user randomly click in destination branches	FAILED	1.284 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (319, 378). Other element would receive the click: <div class="ui-widget-shadow progBarBackGound"></div> (Session info: chrome=113.0.5672.127) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [da5009e60c8a007e551d766e28eb5a19, clickElement {id=20601A28FB11297B7C5892225549FAEE_element_254}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63560}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63560/devtoo. .., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (da5009e60c8a007e551d766e28eb5a19)] -> id: populateTeller_tab_1_E000POMT] Session ID: da5009e60c8a007e551d766e28eb5a19
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	    at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22)
	    at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_randomly_click_in_destination_branches(CSM_TransactionOnStaffAccount_Steps.java:138)
	    at ?.user randomly click in destination branches(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:19)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s

#	Step / Hook Details	Status	Duration
	screenshot +		
16	And user click and enter the value in new user template field	SKIPPED	0.000 s
17	And user click save button under populate user	SKIPPED	0.000 s
18	And user click confirm message ok button	SKIPPED	0.000 s
19	And user click success message ok button	SKIPPED	0.000 s
20	And user click approve screen under populate user	SKIPPED	0.000 s
21	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
22	And user click approve button	SKIPPED	0.000 s
23	And user click confirm message ok button	SKIPPED	0.000 s
24	And user click success message ok button	SKIPPED	0.000 s
25	And user click populate screen	SKIPPED	0.000 s
26	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
27	And user click populate button	SKIPPED	0.000 s
28	And user click confirm message ok button	SKIPPED	0.001 s
29	And user click success message ok button	SKIPPED	0.000 s
30	And user logout from the csm params application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating	
(F) To verify the functionality of transaction on staff account	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating

(F) To verify the functionality of transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating

(F) To verify the functionality of transaction on staff account

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking if all the new profiles are created as "Active" in the branches set in the "Destination Branch" after populating

(F) To verify the functionality of transaction on staff account