

Cucumber Report

19-May-2023, 2:56:02 pm

Start : May 19, 2:55:23.245 pm

End : May 19, 2:56:00.577 pm

Duration : 37.332 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 17







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	37.332 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	31	13	1	17	37.324 s



(F)- To verify the functionality of transaction on staff account

FAILED	DURATION - 37.332 s	Scenarios		Steps	
/ 2:55:23.245 pm // 2:56:00.577 pm /		Total - 1		Total - 31	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating


<div>FAILED</div> <div>DURATION - 37.324 s</div>		<div>Steps</div> <div>Total - 31</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 17</div>	
<div>/ 2:55:23.253 pm // 2:56:00.577 pm /</div>			
<div>To verify the functionality of transaction on staff account</div>			
<div>@TSA_016</div>			

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	14.408 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
4	And user click user submenu	PASSED	2.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
			
5	And user click populate user submenu	PASSED	1.898 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	1.903 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	4.955 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.355 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
14	And user click search icon	FAILED	1.296 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (441, 433). Other element would receive the click: <div class="progBarContent" style="left: 0px;">...</div> (Session info: chrome=113.0.5672.126) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		


#	Step / Hook Details	Status	Duration
	<p>[cfcd3903afac744d6032732ab613d082, clickElement {id=6663C3B71494580C6A0F4D7AF92EA30F_element_253}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:54421}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54421/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (cfcd3903afac744d6032732ab613d082)] -> xpath: (//span[@role='button'])[2]] Session ID: cfcd3903afac744d6032732ab613d082</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps.user_click_search_icon(CSM_TransactionOnStaffAccount_Steps.java:138) at ?.user click search icon(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.278 s
15	And user click branch code under destination branches	SKIPPED	0.000 s
16	And user enter the value in branch code and doubleclick the branch code	SKIPPED	0.000 s
17	And user click and enter the value in new user template field	SKIPPED	0.000 s
18	And user click save button under populate user	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
19	And user click confirm message ok button	SKIPPED	0.000 s
20	And user click success message ok button	SKIPPED	0.000 s
21	And user click approve screen under populate user	SKIPPED	0.000 s
22	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
23	And user click approve button	SKIPPED	0.000 s
24	And user click confirm message ok button	SKIPPED	0.000 s
25	And user click success message ok button	SKIPPED	0.000 s
26	And user click populate screen	SKIPPED	0.000 s
27	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
28	And user click populate button	SKIPPED	0.000 s
29	And user click confirm message ok button	SKIPPED	0.001 s
30	And user click success message ok button	SKIPPED	0.000 s
31	And user logout from the csm params application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The main area displays the 'Populate User' form for user '157'. The form includes fields for Code, Status, Brief Description, Long Description, User Code, User ID, and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns for Branch Code, Branch Name, and New User Template. The table is currently empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' form for user '157' is displayed. The 'User Code' field is now populated with the value '226963'. The 'Destination Branches' table remains empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is titled 'Parameters / System Parameters / User / Populate User / Maintenance'. It contains fields for 'Code' (157), 'Status', 'Brief Description' (test157), 'Long Description' (test), 'User Code' (20561), 'User ID' (320561), and 'Brief Description' (Adebayo Riyad Latoundi). There is a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table is currently empty. The bottom of the screen shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is titled 'Parameters / System Parameters / User / Populate User / Maintenance'. It contains fields for 'Code' (157), 'Status', 'Brief Description' (test157), 'Long Description' (test), 'User Code' (20561), 'User ID' (320561), and 'Brief Description' (Adebayo Riyad Latoundi). There is a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns 'Branch Code', 'Branch Name', and 'New User Template'. The table is currently empty. The bottom of the screen shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.