Cucumber Report

| Start : May 15, 12:44:04.684 PM	End : May 15, 12:46:35.139 PM	Duration : 2 m 30.455 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 12

Features: 1

Scenarios: 1

Steps: 27

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 51 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	1	0	1	0	2 m 30.455 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to *	27	14	1	12	2 m 30.400 s

The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of Chequebook request module

FAILED	DURATION - 2 m 30.455 s	Scenarios		Steps	
		Total - 1		Total - 27	
/ 12:44:04.684 PM // 12:46:35.139 PM /		Pass - 0	1	Pass - 14	27
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

FAILED	DURATION - 2 m 30.400 s		Steps
/ 12:44:04.739 PM // 12:46:35.139 PM /			Total - 27
To verify the functionality of Chequebook request module			Pass - 14
			Fail - 1
@CHB_186			Skip - 12

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	24.671 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
	+		
2	And user click the parameters menu	PASSED	1.818 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.569 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click the system parameters submenu	PASSED	0.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		
4	And user click the User screen in system parameters	PASSED	0.570 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
5	And user click the update after approve screen	PASSED	0.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
6	And user update test data set id for CHB_186	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.956 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And user click and send the values in user id under update after approve screen	PASSED	1.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
8	And user double click the user id	PASSED	31.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
9	And user select the logged in branch	PASSED	2.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
10	And user click the update after approve button	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
11	And user click the save ok button	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
	+		
12	And user click the ok	PASSED	1.820 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
	+		
13	And user click the approve in user screen	PASSED	0.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
	+		
14	And user update test data set id for CHB_186	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
15	And user click and send the values in user id under Approve screen	FAILED	1 m 0.041 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (8396e385925b03403c3251841bf7b490)] -> id: tellerParamList_GridTbl_Id_E000MA_gs_ctstellerVO.USER_ID] (tried for 60 second(s) with 1 milliseconds interval) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: unknown
	  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	  at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)
	  at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_user_id_in_approve_screen(CSM_Chequebookrequest_step.java:151)
	  at ?.user click and send the values in user id under Approve screen(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_feature_Chequebook_Request.feature:23)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	+		
16	And user double click the user id	SKIPPED	0.001 s
17	And user click the approve box	SKIPPED	0.000 s
18	And user click the save ok button	SKIPPED	0.000 s
19	And user click the ok	SKIPPED	0.000 s
20	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
21	And user click the chequebook request in csmcore	SKIPPED	0.000 s
22	And user click the send to receive from provider	SKIPPED	0.000 s
23	And user click the send to provider screen	SKIPPED	0.003 s
24	And user click the retrive button in send to provider	SKIPPED	0.001 s
25	And user update test data set id for CHB_186_D3	SKIPPED	0.000 s
26	And user click the receive from provider screen	SKIPPED	0.001 s
27	And user update test data set id for CHB_186_D3	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

(F) To verify the functionality of Chequebook request module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

(F) To verify the functionality of Chequebook request module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

(F) To verify the functionality of Chequebook request module

User Code	User Id	User Type	Privilege Level	Division Code	Department	Role	Brief Name	Long Name	الاسم المختصر	long_name_arab_ke
280476	280476	9	1	18	4		LOF	Line Of Finance	.Line Of Finance	.
260089	260089	9	1	20	5		DID	Direct Investment		.
270161	270161	9	3	20	5		DID	Direct Investment	.1	
320046	320046	9	1	8	2	19	Br. Mamadou	Br. Mamadou Barro		.
250484	250484	9	1	20	5	35	DID	Direct Investment	.	.