

Cucumber Report

6 Jul 2023, 10:55:15 AM

Start : Jul 06, 10:52:20.057 AM

End : Jul 06, 10:55:09.466 AM

Duration : 2 m 49.409 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>To check the functionalites of TransactionStaffAccounts request</u>	1	0	1	0	2 m 49.409 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the functionalites of TransactionStaffAccounts request</u>	<u>Creating batch record when Ranking exception is defined/ From GL to GL</u>	7	4	1	2	2 m 49.400 s



(F)- To check the functionalitites of TransactionStaffAccounts request

FAILED	DURATION - 2 m 49.409 s	Scenarios		Steps	
/ 10:52:20.057 AM // 10:55:09.466 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	


(S)- Creating batch record when Ranking exception is defined/ From GL to GL

<div>FAILED</div> <div>DURATION - 2 m 49.400 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:52:20.066 AM // 10:55:09.466 AM /</div>			
<div>To check the functionalitites of TransactionStaffAccounts request</div>			
<div>@TRS_037</div>			

#	Step / Hook Details	Status	Duration
1	Given User_613 login to Csm Param application	PASSED	22.706 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
	screenshot		
			
2	Then User_613 Click the Parameters	PASSED	0.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_613 Click the System Parameters	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
	screenshot		
			
4	Then User_613 Click the Control Record	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
			
5	And User_613 Click the Update After Approve in control record	FAILED	2 m 0.062 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //label[@id='accControlRecordMaintFormId_ANC001MA_update_key']' (tried for 120 second(s) with 1 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)</p> <p>at stepdefinitions.TransactionStaffAccs_Steps.user_613_click_the_update_after_approve_in_control_record(TransactionStaffAccs_Steps.java:1410)</p> <p>at ?.User_613 Click the Update After Approve in control record(file:///C:/Users/inindc00613/git/repository/CSM_AK/CSM_Akthar/src/test/java/features/TransactionsStaffAcc.feature:1246)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[@id='accControlRecordMaintFormId_ANC001MA_update_key']"} (Session info: chrome=114.0.5735.199)</p> <p>For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d824170565b06718bb955394410d2717, findElement {using=xpath, value=//label[@id='accControlRecordMaintFormId_ANC001MA_update_key']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:53502}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53502/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d824170565b06718bb955394410d2717</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor39.newInstance(Unknown Source)</p> <p>atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.TransactionStaffAccs_Steps.user_613_click_the_update_after_approve_in_control_record(TransactionStaffAccs_Steps.java:1410) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:132) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:599) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:174) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:822) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:147) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:764) at org.testng.TestRunner.run(TestRunner.java:585) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1218) at org.testng.TestNG.runSuitesLocally(TestNG.java:1140) at org.testng.TestNG.runSuites(TestNG.java:1069) at org.testng.TestNG.run(TestNG.java:1037) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.298 s
6	Then User_613 Select The Alert Activation	SKIPPED	0.003 s
7	And User_613 click the No Access privilege	SKIPPED	0.004 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating batch record when Ranking
exception is defined/ From GL to GL


(F) To check the functionalites of
TransactionStaffAccounts request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating batch record when Ranking
exception is defined/ From GL to GL


(F) To check the functionalites of
TransactionStaffAccounts request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating batch record when Ranking
exception is defined/ From GL to GL


(F) To check the functionalites of
TransactionStaffAccounts request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating batch record when Ranking
exception is defined/ From GL to GL

(F) To check the functionalites of
TransactionStaffAccounts request



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating batch record when Ranking
exception is defined/ From GL to GL

(F) To check the functionalites of
TransactionStaffAccounts request

Azentio

User: AKTHARIJO
Company: BSAJ
Branch: Head Office
01 December 2022

Full Screen | Options | Advanced Options | Home | Log Out | Help
Language:

Menu Options

- Parameters
 - CIF Parameters
 - Accounts Parameters
 - System Parameters
 - Blacklist Source
 - ACD Parameters
 - Control Record
 - Maintenance
 - Approve
 - Update After Approve
 - Reject
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
 - User
 - ACD Categories
 - Status
 - Vault
 - Charges
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Clearing House
 - Bill Type
 - Reasons
 - Memo
 - Request Type
 - Safebox Parameters
 - Blacklist Type
 - HISCI
 - Report Arguments
 - Specific Points
 - Swift Info
 - Merchant Category
 - Remittance Type
 - Files Format

Copyright ©2023 Azentio All Rights Reserved Inet Parametrisation 14.7.0.0 Build 244
Powered by