

Cucumber Report

18-May-2023, 4:21:44 pm

Start : May 18, 4:19:13.404 pm

End : May 18, 4:21:42.793 pm

Duration : 2 m 29.389 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 24







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	2 m 29.389 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	25	0	1	24	2 m 29.385 s

(F)- To verify the functionality of transaction on staff account


FAILED	DURATION - 2 m 29.389 s	Scenarios		Steps	
/ 4:19:13.404 pm // 4:21:42.793 pm /		Total - 1		Total - 25	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating

<div>FAILED</div> <div>DURATION - 2 m 29.385 s</div>		<div>Steps</div> <div>Total - 25</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 24</div>	
<div>/ 4:19:13.408 pm // 4:21:42.793 pm /</div>			
<div>To verify the functionality of transaction on staff account</div>			
<div>@TSA_016</div>			

#	Step / Hook Details	Status	Duration
1	<p>Given user login as csm params application</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //label[contains(text(),'User')]' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) at stepdefinitions.CSMLogin.loginIntoCSMPParamApplication(CSMLogin.java:84) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_login_as_csm_params_application(CSM_TransactionOnStaffAccount_Steps.java:33) at ?.user login as csm params application(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:4) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[contains(text(),'User')]} (Session info: chrome=113.0.5672.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36489ed83fb43b35588cfbc497da8ed7, findElement {using=xpath, value=//label[contains(text(),'User')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:/Users/ININDC~1/AppData/L..., goog:chromeOptions: {debuggerAddress: localhost:58308}, networkConnectionEnabled: false,</pre>	FAILED	2 m 25.127 s

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58308/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36489ed83fb43b35588cfbc497da8ed7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSMLogin.loginIntoCSMPParamApplication(CSMLogin.java:84) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_login_as_csm_params_application(CSM_TransactionOnStaffAccount_Steps.java:33) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.231 s
2	And user click parameters menu	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	And user click system parameters submenu	SKIPPED	0.000 s
4	And user click user submenu	SKIPPED	0.000 s
5	And user click populate user submenu	SKIPPED	0.001 s
6	And user click maintenance under populate user submenu	SKIPPED	0.000 s
7	And user click and enter the value in code under maintenance screen	SKIPPED	0.000 s
8	And user click and enter the value in brief description field under maintenance screen	SKIPPED	0.001 s
9	And user click and enter the value in long description field under maintenance screen	SKIPPED	0.000 s
10	And user click and enter the value in brief description arabic field under maintenance screen	SKIPPED	0.000 s
11	And user click and enter the value in long description arabic field under maintenance screen	SKIPPED	0.001 s
12	And user click and enter the value in user code field	SKIPPED	0.000 s
13	And user click add icon in destination branches	SKIPPED	0.000 s
14	And user click and enter the value in branch code field	SKIPPED	0.000 s
15	And user click and enter the value in new user template field	SKIPPED	0.000 s
16	And user click save button under populate user	SKIPPED	0.000 s
17	And user click confirm message ok button	SKIPPED	0.000 s
18	And user click success message ok button	SKIPPED	0.001 s
19	And user click approve screen under populate user	SKIPPED	0.000 s
20	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
21	And user click approve button	SKIPPED	0.000 s
22	And user click populate screen	SKIPPED	0.001 s
23	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
24	And user click populate button	SKIPPED	0.000 s
25	And user logout from the csm params application	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

Security Error, Please contact Administrator

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account