

Cucumber Report

14 Jun 2023, 6:47:43 PM

Start : Jun 14, 6:46:38.789 PM

End : Jun 14, 6:47:41.333 PM

Duration : 1 m 2.544 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	1	0	1	0	1 m 2.544 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	To check whether transfer is possible with particular amount lower than limit	19	10	1	8	1 m 2.538 s


(F)- Checking Cash Withdrawal Transaction Amount Lower than Limit


FAILED	DURATION - 1 m 2.544 s	Scenarios		Steps	
/ 6:46:38.789 PM // 6:47:41.333 PM /		Total - 1		Total - 19	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- To check whether transfer is possible with particular amount lower than limit

<div>FAILED</div> <div>DURATION - 1 m 2.538 s</div>			<div>Steps</div> <div>Total - 19</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 6:46:38.795 PM // 6:47:41.333 PM /				
Checking Cash Withdrawal Transaction Amount Lower than Limit				
@TRS_097				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	30.509 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
	screenshot		
			
2	And User update test data for test case number Param_097	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Click the Parameters Flag	PASSED	0.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
4	Then Click the System Parameters Flag	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
			
5	And User_604 Click the User Flag	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.506 s
	screenshot		
			
6	Then User_604 Click the update after approve option	PASSED	0.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
			
7	And User_604 Click the User ID grid in Update after approve	PASSED	8.776 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	Then User_604 Select the searched user id	PASSED	0.588 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.440 s
	screenshot		
			
9	And User_604 Click the CIF type flag	PASSED	1.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
			
10	Then User_604 Select the code type	PASSED	1.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		
			
11	And User_604 Click the checkbox icon	FAILED	0.256 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33dffb12ba4395e5867be7e855a8e025, actions {actions=[org.openqa.selenium.interactions.Sequence@44e4cf8a]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\scoped_dir1140_1140...}, goog:chromeOptions: {debuggerAddress: localhost:51102}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51102/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33dffb12ba4395e5867be7e855a8e025</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.CheckingCashDepositAmountLowerLimit.user_click_the_checkbox_icon(CheckingCashDepositAmountLowerLimit.java:98) at ?.User_604 Click the checkbox icon(file:///C:/Users/inindc00604/git/BharaniCSM/CSM_Bharani/src/test/java/features/CheckingCashDepositAmountLowerLimit.feature:15)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.</p>		

#	Step / Hook Details	Status	Duration
	<p> selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service. DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service. DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver. execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org. openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions. java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions. CheckingCashDepositAmountLowerLimit.user_click_the_checkbox_icon(CheckingCashDepositAmountLowerLimit.java:98) at java.base/ jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl. invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java. Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner. lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:567) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent. invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal. TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker. java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng. SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng. SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG. java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG. initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect. InvocationTargetException at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) </p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1801) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:259) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:122) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.perform(Actions.java:536) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.CheckingCashDepositAmountLowerLimit.user_click_the_checkbox_icon(CheckingCashDepositAmountLowerLimit.java:98) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </p> <p> Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='22_ctstellercitypedetVO.WARN_USER_LIMIT_EXCEED_tab5_C_GridTbl_Id_E000MA']"} (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33dffb12ba4395e5867be7e855a8e025, findElement {using=xpath, value=//input[@id='22_ctstellercitypedetVO.WARN_USER_LIMIT_EXCEED_tab5_C_GridTbl_Id_E000MA']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:51102}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51102/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </p>		


#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 33dffb12ba4395e5867be7e855a8e025</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:269) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:218) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.633 s
12	Then User_604 Click the Ok button	SKIPPED	0.001 s
13	And User_604 Click the Update after approve button to save the record	SKIPPED	0.003 s
14	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.000 s
15	And User_604 Click the approve flag	SKIPPED	0.000 s
16	Then User_604 Click the User ID grid approve	SKIPPED	0.000 s
17	And User_604 Click the Approve button to save the record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.000 s
19	Then User_604 Click the Ok button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit


(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit


(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit


(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit


(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit


(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

The screenshot shows the AZENTIO system interface. The top navigation bar includes the user 'BHARANI', company 'BIAJ', and branch 'Head Office'. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, and 'Update after Approve' selected under the 'User' section. The main content area displays a table of users with columns: User Code, User Id, User Type, Privilege Level, Division Code, Department, Role, Brief Name, Long Name, الاسم الشخصي, and long_name_arab.ke. The table is filtered for 'E0009A'. The first row shows a user with User Code 320106 and User Id 320106. The second row shows a user with User Code 320452 and User Id 320452. The third row shows a user with User Code 320050 and User Id 320050. The fourth row shows a user with User Code 320513 and User Id 320513. The fifth row shows a user with User Code 900997 and User Id 900997. The table is paginated to show Page 1 of 29. The bottom of the interface shows the copyright notice 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'Inet Parametrisation 14.7.0.0 Build 222'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

The screenshot shows the AZENTIO system interface. The top navigation bar includes the user 'BHARANI', company 'BIAJ', and branch 'Head Office'. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, and 'Update after Approve' selected under the 'User' section. The main content area displays a table of users with columns: User Code, User Id, User Type, Privilege Level, Division Code, Department, Role, Brief Name, Long Name, الاسم الشخصي, and long_name_arab.ke. The table is filtered for 'E0009A'. The first row shows a user with User Code 71120 and User Id BHARANI. The second row shows a user with User Code 7047 and User Id BHARANI. The table is paginated to show Page 1 of 1. The bottom of the interface shows the copyright notice 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'Inet Parametrisation 14.7.0.0 Build 222'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

Parameters / System Parameters / User / Update after Approve

User Code: 071120 Template Code: 000001 Status: Active

Brief Name: B.M. Long Name: Branch Manager

User Type: 002 Asst. MGR User Id: BHARANI Branch Manager

Division Code: 001 FUND DIVISION Department: 102

Role: 007 Admin Asst-Record Mng Check Role: No Yes

Privilege Level: Branch Management Alert Limit: 999,999,999,999,000,000 USD Refund Limit: 5,220,000,000,000 USD

Acc & CIP Forms Printer: 15451 Transaction Advice Printer:

Show CIP in: All Branches CIP: Show Memo

Show ACC in: Logged in Branch

Both: Allow Authorized Alert on Overdraft Account Alert only

Create CIP as approved Show All Trx Exchange Rate: 2.000

Front Office Management Param:

- ☒ Allow to Create CIP without Civil ID
- ☒ Allow to create CIP without Account
- ☒ Get CIP No From Reserved List
- ☐ Allow Modify PEP Manually on Creation
- ☐ Allow to Create CIP with Minimum Info

Other permissions: Show Today TRX, Allow To Modify CIP, Allow to Change Penalty Amount, Allow to Recover Full PCS Profit and Edit Related GL At 800, Trx on his/ Other Teller Accounts, Mask Card Number, Enable multi branch option for.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

Parameters / System Parameters / User / Update after Approve

User Code: 071120 Template Code: 000001 Status: Active

Brief Name: B.M. Long Name: Branch Manager

User Type: 002 Asst. MGR User Id: BHARANI Branch Manager

Division Code: 001 FUND DIVISION Department: 102

Role: 007 Admin Asst-Record Mng Check Role: No Yes

Privilege Level: Branch Management Alert Limit: 999,999,999,999,000,000 USD Refund Limit: 5,220,000,000,000 USD

Acc & CIP Forms Printer: 15451 Transaction Advice Printer:

Show CIP in: All Branches CIP: Show Memo

Show ACC in: Logged in Branch

Both: Allow Authorized Alert on Overdraft Account Alert only

Create CIP as approved Show All Trx Exchange Rate: 2.000

Front Office Management Param:

- ☒ Allow to Create CIP without Civil ID
- ☒ Allow to create CIP without Account
- ☒ Get CIP No From Reserved List
- ☐ Allow Modify PEP Manually on Creation
- ☐ Allow to Create CIP with Minimum Info

Other permissions: Show Today TRX, Allow To Modify CIP, Allow to Change Penalty Amount, Allow to Recover Full PCS Profit and Edit Related GL At 800, Trx on his/ Other Teller Accounts, Mask Card Number, Enable multi branch option for.

Code	Brief Name	Transaction	acc_desc_key	W/D Limit	Deposit Limit
11 12	Comp bank	000	All Transactions	.000	.000
12 14	Corporate	000	All Transactions	.000	.000
13 15	Charity	000	All Transactions	.000	.000
14 16	NORMAL CIP	000	All Transactions	.000	.000
15 17	VIP Corporate	000	All Transactions	.000	.000
16 18	RelatPartyIndiv	000	All Transactions	.000	.000
17 19	RelatParty Inst	000	All Transactions	.000	.000
18 20		000	All Transactions	.000	.000
19 21		000	All Transactions	.000	.000
20 215	TRS_999	000	All Transactions	.000	.000
21	Test9234	000	All Transactions		

View 1 - 23 of 23

Cancel Ok grant_all_key Delete All

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

[illegible]