

Cucumber Report

19-May-2023, 10:22:42 am

Start : May 19, 10:22:06.122 am

End : May 19, 10:22:40.846 am

Duration : 34.724 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 13
FAILED - 1
SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	34.724 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	29	13	1	15	34.715 s


(F)- To verify the functionality of transaction on staff account

FAILED	DURATION - 34.724 s	Scenarios		Steps	
/ 10:22:06.122 am // 10:22:40.846 am /		Total - 1		Total - 29	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	


(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating

<div>FAILED</div> <div>DURATION - 34.715 s</div>			<div>Steps</div> <div>Total - 29</div> <div>Pass - 13</div> <div>Fail - 1</div> <div>Skip - 15</div>	
/ 10:22:06.131 am // 10:22:40.846 am /				
To verify the functionality of transaction on staff account				
@TSA_016				


#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	15.523 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
4	And user click user submenu	PASSED	0.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
5	And user click populate user submenu	PASSED	0.399 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	5.062 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
14	And user click and enter the value in branch code field	FAILED	1.329 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input role="livesearch" type="text" id="new_1684471958594_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt_tab2_GridTbl_Id_E000POMT" class="liveSearchText liveSearchCompSize ui-widget-content liveSearchInputCorner" name="lookupTxt_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE" prevvalue="" value="" dependency="branchesvo.BRANCH_CODE:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt,branchesvo.BRIEF_DESC_ENG:hiddenBranch,BRANCH_STATUS:B_STATUS" dependencysrc="/imal_csm_params_imal145_qc_o18/path/param/populateTeller/PopulateTellerDependencyAction_dependencyForCtstellerPopulate4" params="USER_ID:hiddenUserId,destinationBranchCode:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt,criteria.		


#	Step / Hook Details	Status	Duration
	<p>branchCode:ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE_lookuptxt" afterdepevent="" leadzeros="" mode="number" nbformat="#" colmodel="[object Object]" maxlength="4" gridid="tab2_GridTbl_Id_E000POMT" editrowid="new_1684471958594" required="required"> is not clickable at point (368, 433). Other element would receive the click: <div class="progBarContent" style="left: 0px;">...</div> (Session info: chrome=113.0.5672.126) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd55fc800fb3bb42dd899f359666fdf3, clickElement {id=0FEB5A61255E3A0EAC228F2E2E991CE7_element_251}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62979}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62979/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dd55fc800fb3bb42dd899f359666fdf3)] -> xpath: //input[@name='lookupTxt_ctstellerPopulateBranchesVO.DESTINATION_BRANCH_CODE']] Session ID: dd55fc800fb3bb42dd899f359666fdf3</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.CSM_TransactionOnStaffAccount_Steps. user_click_and_enter_the_value_in_branch_code_field(CSM_TransactionOnStaffAccount_Steps.java:137) at ?.user click and enter the value in branch code field(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:17) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user click and enter the value in new user template field	SKIPPED	0.000 s
16	And user click save button under populate user	SKIPPED	0.000 s
17	And user click confirm message ok button	SKIPPED	0.000 s
18	And user click success message ok button	SKIPPED	0.000 s
19	And user click approve screen under populate user	SKIPPED	0.000 s
20	And user click and enter the value in cheque code under approve screen	SKIPPED	0.000 s
21	And user click approve button	SKIPPED	0.000 s
22	And user click confirm message ok button	SKIPPED	0.000 s
23	And user click success message ok button	SKIPPED	0.000 s
24	And user click populate screen	SKIPPED	0.001 s
25	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
26	And user click populate button	SKIPPED	0.000 s
27	And user click confirm message ok button	SKIPPED	0.000 s
28	And user click success message ok button	SKIPPED	0.000 s
29	And user logout from the csm params application	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating


(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO system interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The main area displays the 'Populate User' form. The form has several input fields: 'Code' (157), 'Status', 'Brief Description' (test157), 'Long Description' (test), 'User Code' (1), 'User ID', and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns for 'Branch Code', 'Branch Name', and 'New User Template'. The table is empty, and a message 'No records to view' is displayed at the bottom. The footer of the interface shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO system interface with the 'Populate User' form. The form fields and the empty 'Destination Branches' table are the same. The footer of the interface shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, User, and Maintenance. The main area displays the 'Populate User' form for user '157'. The form includes fields for Code, Status, Brief Description, Long Description, User Code, User ID, and a checkbox for 'Suspend user in logged in bran'. Below the form is a 'Destination Branches' table with columns for Branch Code, Branch Name, and New User Template. The table is currently empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' form for user '157' is displayed. The 'User Code' field is now populated with the value '226963'. The 'Destination Branches' table remains empty, showing 'No records to view'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - System Parameters
 - Backlist Source
 - ADD Parameters
 - Control Record
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
- User
 - Maintenance
 - Approve
 - Update after Approve
 - Suspend
 - Reactivate
 - List
 - TELLER AXIS LIST
 - Populate User
 - Maintenance
 - Approve
 - Update after Approve
 - Populate
 - Reject
 - List
 - ADD Categories
 - Status
 - Changes
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Cleaning House
 - Bill Type
 - Reasons
 - Memo

Parameters / System Parameters / User / Populate User / Maintenance

E000P0MT

Code * 157 Status

Brief Description * test157

Long Description * test

User Code * 20561

User ID 320561

Brief Description

Destination Branches

Branch Code	Branch Name	New User Template
1		

View 1 - 1 of 1

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametization 14.7.0.0 Build 198 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if all the new profiles are
created as "Active" in the branches set in
the "Destination Branch" after populating

(F) To verify the functionality of
transaction on staff account

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - System Parameters
 - Backlist Source
 - ADD Parameters
 - Control Record
 - Statement Control Record
 - ATM Services
 - ATM Service Type
 - User Type
 - User Level
 - Transaction Hunting
 - Passbook Type
 - User Template
- User
 - Maintenance
 - Approve
 - Update after Approve
 - Suspend
 - Reactivate
 - List
 - TELLER AXIS LIST
 - Populate User
 - Maintenance
 - Approve
 - Update after Approve
 - Populate
 - Reject
 - List
 - ADD Categories
 - Status
 - Changes
 - Transaction Type
 - Swift Rule
 - Lost Documents
 - Cards
 - Evaluation Recommendation
 - Cards Status Reason
 - Template Entries
 - Cleaning House
 - Bill Type
 - Reasons
 - Memo

Parameters / System Parameters / User / Populate User / Maintenance

E000P0MT

Code * 157 Status

Brief Description * test157

Long Description * test

User Code * 20561

User ID 320561

Brief Description

Destination Branches

Branch Code	Branch Name	New User Template
1		

View 1 - 1 of 1

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametization 14.7.0.0 Build 198 Powered By