

# Cucumber Report

22-May-2023, 5:57:27 pm

Start : May 22, 5:52:35.071 pm

End : May 22, 5:57:25.903 pm

Duration : 4 m 50.832 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 12  
FAILED - 1  
SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	4 m 50.832 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of chequebook under receive from provider</u>	<u>Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *</u>	28	12	1	15	4 m 50.821 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

**(F)- To verify the functionality of chequebook under receive from provider**

<b>FAILED</b>	<b>DURATION - 4 m 50.832 s</b>	Scenarios		Steps	
/ 5:52:35.071 pm // 5:57:25.903 pm /		Total - 1		Total - 28	
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	




**(S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type**


<div>FAILED</div> <div>DURATION - 4 m 50.821 s</div>		Steps	
<div>/ 5:52:35.082 pm // 5:57:25.903 pm /</div>		Total - 28	
<div>To verify the functionality of chequebook under receive from provider</div>		Pass - 12	
<div>@CHB_179</div>		Fail - 1	
		Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	19.957 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
			
2	And user update test data set id for CHB_179	PASSED	0.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click parameters menu	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
			
4	And user click the Account parameters submenu	PASSED	0.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
5	And user click the General Ledger submenu	PASSED	0.560 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
			
6	And user click the update after approve screen under general ledger	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click code under update after approve screen	PASSED	4.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
8	And user enter the value in code	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
9	And user retrieve the record under update approve screen	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
10	And user click on additional details	PASSED	1.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
11	Then user select the required dropdown field under additional details	PASSED	0.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
	 +		
12	And user click on update button	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	 +		
13	And user click on approve screen	FAILED	4 m 13.330 s
	<p>java.lang.AssertionError: element click intercepted: Element &lt;span&gt;...&lt;/span&gt; is not clickable at point (75, 349). Other element would receive the click: &lt;div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"&gt;&lt;/div&gt; (Session info: chrome=113.0.5672.127) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ce309dd612e20c4d676011cbb2f501c, clickElement {id=0BF9433F02F5AD4DA24224DD3D72F4CA_element_283}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:63295}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63295/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1ce309dd612e20c4d676011cbb2f501c)] -&gt; xpath: //span[text()='Approve']] Session ID: 1ce309dd612e20c4d676011cbb2f501c</p> <p>at org.testng.Assert.fail(Assert.java:99)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_on_approve_screen(CSM_ChequeBookRequest_Screen.java:1390)</p> <p>at ?.user click on approve screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:576)</p> <p>* Not displayable characters are replaced by '?'. </p>		


#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
14	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
15	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
16	And user click on additional details	SKIPPED	0.000 s
17	Then user click on approve button	SKIPPED	0.000 s
18	And user navigate to system parameters	SKIPPED	0.000 s
19	And user click on transaction type submenu	SKIPPED	0.000 s
20	And user click on update after approve	SKIPPED	0.000 s
21	And user click and enter the value in code under transaction type	SKIPPED	0.000 s
22	And user retrieve the record under transaction type	SKIPPED	0.000 s
23	Then user verify required flag is checked or not	SKIPPED	0.000 s
24	And user click on update after approve button	SKIPPED	0.000 s
25	And user click on approve screen	SKIPPED	0.001 s
26	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
27	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
28	Then user click on approve button	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type


(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot shows the AZENTIO system interface. The user is GOWRI, Company is BAJ, and the branch is Head Office. The date is 01 December 2022. The interface displays the 'Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE' form. The form includes fields for Code (400402), Type (Internal), and Additional Reference (400402). The 'Parent' field is empty. The 'Status' is set to 'Approved'. The 'Name' field is empty. The 'GL Category' is set to 'Revenues'. The 'Point Indicator' is set to 'Yes'. The 'Limit' is set to 'USD'. The 'Include in Revaluation' is set to 'Yes'. The 'GL Usage' is set to 'No Specific Usage'. The 'Allow Overdraw' is set to 'Notify and Don't Proceed'. The 'Account sign' is set to 'Credit'. The 'Print Advice' is set to 'Yes'. The 'Print Statement' is set to 'Yes'. The 'Group' is set to 'CY Group 2'. The 'Term' is set to 'Not Applicable'. The 'Liquidation' checkbox is unchecked. The 'Update' button is visible at the bottom.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Cheque book - GL type field is 'Notify  
and Don't Proceed', 'Proceed on  
insufficient funds' flag unchecked at  
Transaction type

(F) To verify the functionality of  
chequebook under receive from provider

The screenshot shows the AZENTIO system interface. The user is GOWRI, Company is BAJ, and the branch is Head Office. The date is 01 December 2022. The interface displays the 'Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE' form. The form includes fields for Code (400402), Type (Internal), and Additional Reference (400402). The 'Parent' field is empty. The 'Status' is set to 'Approved'. The 'Name' field is empty. The 'GL Category' is set to 'Revenues'. The 'Point Indicator' is set to 'Yes'. The 'Limit' is set to 'USD'. The 'Include in Revaluation' is set to 'Yes'. The 'GL Usage' is set to 'No Specific Usage'. The 'Allow Overdraw' is set to 'Notify and Don't Proceed'. The 'Account sign' is set to 'Credit'. The 'Print Advice' is set to 'Yes'. The 'Print Statement' is set to 'Yes'. The 'Group' is set to 'CY Group 2'. The 'Term' is set to 'Not Applicable'. The 'Liquidation' checkbox is unchecked. The 'Update' button is visible at the bottom.

(Step) AFTER\_STEP - stepdefinitions.  
 HooksClass.addScreenshot(io.cucumber.  
 java.Scenario)

(S) Cheque book - GL type field is 'Notify  
 and Don't Proceed', 'Proceed on  
 insufficient funds' flag unchecked at  
 Transaction type

(F) To verify the functionality of  
 chequebook under receive from provider

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, a user profile (User: GOWRI, ID: 184, Head Office), the date (01 December 2022), and various utility links (Full Screen, Options, Advanced Options, Home, Log Out, Help). The left sidebar contains a 'Menu Options' tree with categories like Parameters, Accounts Parameters, General Ledger, and System Parameters. The main content area displays a table of parameters under the breadcrumb 'Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE'. The table has columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and Status Key. It lists several entries, including 'HOP suspension TPA' and 'Test2184'. An 'ERROR' dialog box is overlaid on the table, displaying the message 'Security Error. Please contact Administrator' and an 'Ok' button. The footer of the application shows the copyright notice 'Copyright ©2023 Azentio Sdn Bhd. All Rights Reserved' and the version 'AZENTIO 14.7.0.0 Build 01'.

Code	Additional Reference	Brief Desc Eng	Long Name	Type	Status Key
797	797	xxxx	xx	Header	Active
1089	1089	HOP suspension TPA	HOP suspension TPA	Non-Internal	Active
2184	2184	Test2184	Test2184	Internal	Active
9611	9611	Test9611	Test9611	Non-Internal	Active
9612	9612	Test9611	Test9611	Non-Internal	Active