


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	1	0	0	2 m 21.325 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	18	18	0	0	2 m 21.319 s
	Transaction on staff account in CSM *	Prerequisites (Enable Multi Branch flag - Check)					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Testing the functionalities of Transaction on staff account in CSM Application

PASSED	DURATION - 2 m 21.325 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 9:33:00.736 8	am // 9:35:22.061 am /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

PASSED DURATION - 2 m 21.319 s		Steps
/ 9:33:00.742 am // 9:35:22.061 am /	0	Total - 18
Testing the functionalities of Transaction on staff	o - -	Pass - 18
account in CSM Application		
@TRS_052_01	1 2 3 4 5 6 7 8 9 10 11 12	Skip - 0


#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	22.876 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.316 s
	screenshot		
2	And User Click on Parameters under CSMParam Application	PASSED	0.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
	screenshot		
	# ************************************		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen PASSED 0.347 s And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	0.442 s
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.397 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAND User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAND User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s 0.440 s 0.545 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.477 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.347 s To And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.347 s PASSED O.347 s PASSED O.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.397 s O.326 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.347 s To And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.347 s PASSED O.347 s PASSED O.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.397 s O.326 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	0.418 s
screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.347 s And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.326 s				
And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.212 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Use Double Click on the Searched Code in Update After Approve Screen PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s			7	
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.440 s 0.440 s 0.440 s		Table Tabl		
screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.545 s
And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.396 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.440 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.347 s 0.347 s PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.347 s 0.347 s PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s				
Screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s 0.326 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	5.212 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s 0.326 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.397 s 0.326 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.326 s				
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	0.397 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	2.029 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	2.944 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshot		
10	And User Click Ok Button in information PopUp menu in Update After Approve Screen	PASSED	0.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.442 s
	screenshot		
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	PASSED	44.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.620 s
	screenshot		

# Step / Hook Details	Status	Duration
Displaying the second state of the second stat		
12 And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	PASSED	5.635 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
screenshot		
13 And User Click on Approve under Transaction Type	PASSED	0.339 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.469 s
screenshot		
14 And User Enter the Trx Type in Code under Approve Screen	PASSED	1.349 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
screenshot		
15 And User Double Click on the Searched Code in Approve Screen	PASSED	0.455 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
screenshot		


#	Step / Hook Details	Status	Duration
16	And User Click on Approve Button in Approve Screen under System Parameters	PASSED	5.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot	7	
18	And User Click on Ok Button in Success PopUp under Approve Screen	PASSED	4.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION --- 13 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. NA Options
Parameters

CIF Parameters

CIF Parameters

System Financiers

System Financiers

Stylem Parameters

Elacidus Source

ADO Parameters

Control Record

ATM Services

ATM Service Type

User Lype

User Lype

User Type

User Template

User User

User User

User User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

User

Us java.Scenario) Link To Drawdown (S) Checking Cash Deposit Transaction -■ INFORMATIÖN[®] Reverse Transaction × □ Reverse only today tox Interbranch - Prerequisites (Enable Multi Alert Flow on Overdrawn A/C Branch flag - Check) Allow Cancel on Creation Date Only Enable Card Reader Do not allow creating transactions when ID is expired (F) Testing the functionalities of Transaction on staff account in CSM Consolidate Same Reference Entries in SOA by Request Type
 Safebox Parameters
 BlackList Type **Application** BlackList Type

MICR

Report Arguments

Specific Points

Swift Info


Merchant Categor

Remittance Type

Files Format Transfer from Vault to Clearing Sub-Status (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java. Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)


(F) Testing the functionalities of Transaction on staff account in CSM Application




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)


(F) Testing the functionalities of Transaction on staff account in CSM Application



EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

(F) Testing the functionalities of Transaction on staff account in CSM Application

