Cucumber Report

| Start : May 22, 5:42:10.591 PM	End : May 22, 5:44:22.285 PM	Duration : 2 m 11.694 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 19

Features: 1

Scenarios: 1

Steps: 26

Features Pass % : 0 %

Scenarios Pass % : 0 %

Steps Pass % : 23 %

#	Feature Name	T	P	F	S	Duration
1	To test the funcnalities of Transaction module	1	0	1	0	2 m 11.694 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the funcnalities of Transaction module	Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag *	26	6	1	19	2 m 11.687 s

The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- To test the funcnalities of Transaction module

FAILED	DURATION - 2 m 11.694 s	Scenarios		Steps	
		Total - 1		Total - 26	
/ 5:42:10.591 PM // 5:44:22.285 PM /		Pass - 0	1	Pass - 6	26
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

(S)- Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked

FAILED	DURATION - 2 m 11.687 s		Steps	
/ 5:42:10.598 PM // 5:44:22.285 PM /			Total - 26	
To test the funcnalities of Transaction module			Pass - 6	26
@TSA_023			Fail - 1	
			Skip - 19	

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	34.862 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
2	And user click the parameters menu	PASSED	1.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click the system parameters submenu	PASSED	0.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot 		
4	And user click the transationtype submenu under systemparameters	PASSED	0.724 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot 		
5	And user click the UPAA field under TransactionType	PASSED	1.728 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot 		
6	And user Enter the code in UPAA field	PASSED	9.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user double click the code on UPAA field	FAILED	1 m 0.057 s

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //td[@id='td_transactionTypesList_GridTbl_Id_P024MA_1_ctstrxtypeVO.CODE']' (tried for 60 second(s) with 1 milliseconds interval)
  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
  at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)
  at stepdefinitions.CSM_Transaction_Steps.user_double_click_the_code_on_upaa_field(CSM_Transaction_Steps.java:64)
  at ?.user double click the code on UPAA field(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_Transaction.feature:12)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@id='td_transactionTypesList_GridTbl_Id_P024MA_1_ctstrxtypeVO.CODE']"}   (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [95ff465d98fd35f630ab627f090a43ba, findElement {using=xpath, value=//td[@id='td_transactionTypesList_GridTbl_Id_P024MA_1_ctstrxtypeVO.CODE']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56843}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56843/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 95ff465d98fd35f630ab627f090a43ba
  at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)		
	at stepdefinitions.CSM_Transaction_Steps.user_double_click_the_code_on_upaa_field(CSM_Transaction_Steps.java:64)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.287 s
8	And user check the status of the AllowInternalGLAccount CheckBox	SKIPPED	0.000 s
9	And user click UpdateAfterApprove Button	SKIPPED	0.000 s
10	And user click the save ok button	SKIPPED	0.001 s
11	And user click the ok	SKIPPED	0.000 s
12	And user click Approve field under TransactionType	SKIPPED	0.000 s
13	And user Enter the code in Approve field	SKIPPED	0.000 s
14	And user double click the code on Approve field	SKIPPED	0.000 s
15	And user click Approve Button	SKIPPED	0.000 s
16	And user click the save ok button	SKIPPED	0.001 s
17	And user click the ok	SKIPPED	0.000 s
18	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
19	And user click Transaction submenu on CSMCore	SKIPPED	0.000 s
20	And user click Maintance screen under Transaction submenu	SKIPPED	0.001 s
21	And user Enter the TRXType on maintance screen	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	And user Enter the BranchCode under TRXType	SKIPPED	0.003 s
23	And user Enter the CurrencyCode under TRXType	SKIPPED	0.001 s
24	And user Enter the GLCode under TRXType	SKIPPED	0.000 s
25	And user Enter the CifCode under TRXType	SKIPPED	0.001 s
26	And user Enter the SerialNo under TRXType	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked

(F) To test the funcnalities of Transaction module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked

(F) To test the funcnalities of Transaction module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked	
(F) To test the funcnalities of Transaction module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked	
(F) To test the funcnalities of Transaction module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked	
(F) To test the funcnalities of Transaction module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked	
(F) To test the funcnalities of Transaction module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked

(F) To test the funcnalities of Transaction module