

Cucumber Report

13-May-2023, 11:42:19 am

Start : May 13, 11:41:04.213 am

End : May 13, 11:42:17.911 am

Duration : 1 m 13.698 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 17







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of CSM passbooks</u>	1	0	1	0	1 m 13.698 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of CSM passbooks</u>	<u>Checking on the "OR" restriction for CIF Type "X" and GL "Y" under Passbooks</u>	18	0	1	17	1 m 13.691 s

(F)- To verify the functionality of CSM passbooks


FAILED	DURATION - 1 m 13.698 s	Scenarios		Steps	
/ 11:41:04.213 am // 11:42:17.911 am /		Total - 1	1	Total - 18	18
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- Checking on the "OR" restriction for CIF Type "X" and GL "Y" under Passbooks

<div>FAILED</div> <div>DURATION - 1 m 13.691 s</div>			Steps		
/ 11:41:04.220 am // 11:42:17.911 am /			Total - 18		
To verify the functionality of CSM passbooks			Pass - 0		
@TC_SAD_0074			Fail - 1		
			Skip - 17		

#	Step / Hook Details	Status	Duration
1	<p>Given user login as csm core application</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.id: continueWelcBtn' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSMLogin.loginIntoCSMAApplication(CSMLogin.java:127)</p> <p>at stepdefinitions.CSM_Transactions_Restriction.user_login_as_csm_core_application(CSM_Transactions_Restriction.java:38)</p> <p>at ?.user login as csm core application(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Passbooks.feature:4)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#continueWelcBtn"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d55a2de0aac05b37cc417bf11ce730c5, findElement {using=id, value=continueWelcBtn}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57370}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57370/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,</p>	FAILED	1 m 9.035 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d55a2de0aac05b37cc417bf11ce730c5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSMLogin.loginIntoCSMAApplication(CSMLogin.java:127) at stepdefinitions.CSM_Transactions_Restriction.user_login_as_csm_core_application(CSM_Transactions_Restriction.java:38) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.246 s
2	And user update test data set id for TC_SAD_0074	SKIPPED	0.001 s
3	And user click the passbooks in menu options	SKIPPED	0.001 s
4	And user click the maintenance under passbooks	SKIPPED	0.000 s
5	Then user enter the value for passbook type	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And user click the passbooks maintenance icon	SKIPPED	0.000 s
7	And user enter the branch code value under passbook type	SKIPPED	0.000 s
8	And user click the passbooks maintenance icon	SKIPPED	0.001 s
9	And user enter the currency code value under passbook type	SKIPPED	0.001 s
10	And user click the passbooks maintenance icon	SKIPPED	0.001 s
11	And user enter the GL code value under passbook type	SKIPPED	0.000 s
12	And user click the passbooks maintenance icon	SKIPPED	0.000 s
13	And user enter the CIF code value under passbook type	SKIPPED	0.000 s
14	And user click the passbooks maintenance icon	SKIPPED	0.000 s
15	And user enter the serial no value under passbook type	SKIPPED	0.000 s
16	And user click the passbooks maintenance icon	SKIPPED	0.001 s
17	Then user verify the popup message	SKIPPED	0.001 s
18	And user logout from this application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking on the "OR" restriction for
CIF Type "X" and GL "Y" under
Passbooks

(F) To verify the functionality of CSM
passbooks

AZENTIO™ User: GOWRI Full Screen Home Log Out Help Language

Company and Branch Login

Company Code 1 543
Branch Code 1 Head Office

Continue

Copyright ©2023 Azentio ©All Rights Reserved azentioCustomer Service Management 14.7.0.0 Build 291 Powered By AZENTIO