

# Cucumber Report

19-May-2023, 4:12:40 pm

Start : May 19, 4:11:59.049 pm

End : May 19, 4:12:39.301 pm

Duration : 40.252 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 13  
FAILED - 1  
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	1	0	1	0	40.252 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of transaction on staff account</u>	<u>Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating</u>	30	13	1	16	40.244 s

**(F)- To verify the functionality of transaction on staff account**

<b>FAILED</b>	<b>DURATION - 40.252 s</b>	Scenarios		Steps	
/ 4:11:59.049 pm // 4:12:39.301 pm /		Total - 1		Total - 30	
		Pass - 0		Pass - 13	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	




**(S)- Checking if all the new profiles are created as “Active” in the branches set in the “Destination Branch” after populating**


<div>FAILED</div> <div>DURATION - 40.244 s</div>			Steps		
/ 4:11:59.057 pm // 4:12:39.301 pm /			Total - 30		
To verify the functionality of transaction on staff account			Pass - 13		
@TSA_016			Fail - 1		
				Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	15.780 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
2	And user click parameters menu	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click system parameters submenu	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
4	And user click user submenu	PASSED	2.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
			
5	And user click populate user submenu	PASSED	1.885 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
			
6	And user click maintenance under populate user submenu	PASSED	1.903 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click and enter the value in code under maintenance screen	PASSED	6.528 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
8	And user click and enter the value in brief description field under maintenance screen	PASSED	0.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
9	And user click and enter the value in long description field under maintenance screen	PASSED	0.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
10	And user click and enter the value in brief description arabic field under maintenance screen	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user click and enter the value in long description arabic field under maintenance screen	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
12	And user click and enter the value in user code field	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
			
13	And user click add icon in destination branches	PASSED	0.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
			
14	And user randomly click in destination branches	FAILED	1.304 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a href="#populateTeller_tab-1_E000POMT" id="populateTeller_tab_1_E000POMT">...</a> is not clickable at point (319, 378). Other element would receive the click: <div class="ui-widget-shadow progBarBackGound"></div> (Session info: chrome=113.0.5672.126) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a898c5d22f744e8f4a61193835b2d3fb, clickElement {id=4AD396EFC9577E28478D6A9F05026C2B_element_256}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.126, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\NINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55195},		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55195/devtoo..., se:cdpVersion: 113.0.5672.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a898c5d22f744e8f4a61193835b2d3fb)] -&gt; id: populateTeller_tab_1_E000POMT] Session ID: a898c5d22f744e8f4a61193835b2d3fb</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)  at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22)  at stepdefinitions.CSM_TransactionOnStaffAccount_Steps.  user_randomly_click_in_destination_branches(CSM_TransactionOnStaffAccount_Steps.java:138)  at ?.user randomly click in destination branches(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/  AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_Transaction_On_Staff_Account.feature:17)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.283 s
15	And user click and enter the value in branch field	SKIPPED	0.000 s
16	And user click and enter the value in new user template field	SKIPPED	0.000 s
17	And user click save button under populate user	SKIPPED	0.000 s
18	And user click confirm message ok button	SKIPPED	0.001 s
19	And user click success message ok button	SKIPPED	0.000 s




#	Step / Hook Details	Status	Duration
20	And user click approve screen under populate user	SKIPPED	0.000 s
21	And user click and enter the value in cheque code under approve screen	SKIPPED	0.001 s
22	And user click approve button	SKIPPED	0.000 s
23	And user click confirm message ok button	SKIPPED	0.000 s
24	And user click success message ok button	SKIPPED	0.000 s
25	And user click populate screen	SKIPPED	0.001 s
26	And user click and enter the value in cheque code under populate screen	SKIPPED	0.000 s
27	And user click populate button	SKIPPED	0.000 s
28	And user click confirm message ok button	SKIPPED	0.000 s
29	And user click success message ok button	SKIPPED	0.000 s
30	And user logout from the csm params application	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating


(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

Menu Options

- Parameters
  - CIP Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ADD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
- User
  - Maintenance
    - Approve
    - Update after Approve
    - Suspend
    - Reactivate
    - List
    - TELLER AYS LIST
    - Populate User
  - Maintenance
    - Approve
    - Update after Approve
    - Populate
    - Reject
    - List
  - ADD Categories
  - Status
  - Changes
  - Transaction Type
  - Swift Rule
  - Lost Documents
  - Cards
  - Evaluation Recommendation
  - Cards Status Reason
  - Template Entries
  - Cleaning House
  - Bill Type
  - Reasons
  - Memo

Parameters / System Parameters / User / Populate User / Maintenance

Code \* 157 Status

Brief Description \* test157

Long Description \* test

User Code \* 1

User ID

Brief Description

Suspend user in logged in bran

Destination Branches

Branch Code	Branch Name	New User Template
No records to view		

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametization 14.7.0.0 Build 199 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

Menu Options

- Parameters
  - CIP Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ADD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
- User
  - Maintenance
    - Approve
    - Update after Approve
    - Suspend
    - Reactivate
    - List
    - TELLER AYS LIST
    - Populate User
  - Maintenance
    - Approve
    - Update after Approve
    - Populate
    - Reject
    - List
  - ADD Categories
  - Status
  - Changes
  - Transaction Type
  - Swift Rule
  - Lost Documents
  - Cards
  - Evaluation Recommendation
  - Cards Status Reason
  - Template Entries
  - Cleaning House
  - Bill Type
  - Reasons
  - Memo

Parameters / System Parameters / User / Populate User / Maintenance

Code \* 157 Status

Brief Description \* test157

Long Description \* test

User Code \* 1

User ID

Brief Description

Suspend user in logged in bran

Destination Branches

Branch Code	Branch Name	New User Template
No records to view		

Save

Copyright ©2023 Azentio ©All Rights Reserved Intel Parametization 14.7.0.0 Build 199 Powered By

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is for user '157' with a brief description 'test157' and long description 'test'. The user code is 'longArabic' and the user ID is '226963'. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with 'Parameters' expanded, showing 'System Parameters' and 'User'. The 'User' section is selected, and the 'Populate User' option is highlighted. The main form is for user '157' with a brief description 'test157' and long description 'test'. The user code is 'longArabic' and the user ID is '226963'. The 'Destination Branches' table is empty, showing 'No records to view'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

The screenshot shows the AZENTIO user management interface. The left sidebar contains a 'Menu Options' tree with categories like Parameters, System Parameters, User, and Maintenance. The 'User' category is selected, and the 'Populate User' option is highlighted. The main area displays a form for creating a new user. The form includes fields for Code (157), Status, Brief Description (test157), Long Description (test), User Code (20561), User ID (320561), and a checkbox for 'Suspend user in logged in bran'. The 'Destination Branches' table is empty, showing columns for Branch Code, Branch Name, and New User Template. The bottom of the screen shows the copyright notice: 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking if all the new profiles are  
created as "Active" in the branches set in  
the "Destination Branch" after populating

(F) To verify the functionality of  
transaction on staff account

This screenshot is identical to the one above, showing the AZENTIO user management interface. The 'Populate User' option is highlighted in the sidebar. The main form contains the same fields as the previous screenshot. The 'Destination Branches' table is empty. A blue loading spinner is visible in the center of the table area, indicating that the system is processing the request. The bottom of the screen shows the copyright notice: 'Copyright ©2023 Azentio @All Rights Reserved' and 'Powered By'.