Cucumber Report

Start : May 30, 3:56:59.625 pm	End : May 30, 3:59:03.359 pm	Duration : 2 m 3.734 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 16

#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	0	1	0	2 m 3.734 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM *	Checking Cash Deposit Transaction - Interbranch - Prerequisites	17	0	1	16	2 m 3.701 s

(F)- Testing the functionalities of Transaction on staff account in CSM Application

FAILED	DURATION - 2 m 3.734 s	Scenarios		Steps	
/ 3:56:59.625 pm // 3:59:03.359 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 17 Pass - 0 Fail - 1 Skip - 16	17

(S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites

FAILED	DURATION - 2 m 3.701 s		Steps	
/ 3:56:59.658 pm // 3:59:03.359 pm /			Total - 17	
Testing the functionalities of Transaction on staff account in CSM Application			Pass - 0 Fail - 1	17
@TRS_052_01			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	FAILED	1 m 23.606 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[contains(text(),' Continue')]' (tried for 70 second(s) with 800 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93)
	    at stepdefinitions.CSMLogin.loginIntoCSMParamApplication(CSMLogin.java:72)
	    at stepdefinitions.CSM_TransactionSA.user_navigate_to_csmparam_application_and_login_with_valid_credentials(CSM_TransactionSA.java:1281)
	    at ?.User Navigate to CSMParam application and login with valid credentials(file:///C:/Users/inindc00605/git/CSM/AzentioAutomationFramework_CSM_Kiruthiga2/src/test/java/features/CSM_TransactionSA.feature:379)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),' Continue')]"} (Session info: chrome=112.0.5615.140) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a2abf87e9e8fa74585baa916361e1a0, findElement {using=xpath, value=//span[contains(text(),' Continue')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.140, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55619}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55619/devtoo..., se:cdpVersion: 112.0.5615.140, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2a2abf87e9e8fa74585baa916361e1a0		
	at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93)		
	at stepdefinitions.CSMLogin.loginIntoCSMParamApplication(CSMLogin.java:72)		
	at stepdefinitions.CSM_TransactionSA.user_navigate_to_csmparam_application_and_login_with_valid_credentials(CSM_TransactionSA.java:1281)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
	screenshot		

#	Step / Hook Details	Status	Duration
2	And User Click on Parameters under CSMParam Application	SKIPPED	0.000 s
3	And User Click on System Parameters under Parameters Main Menu	SKIPPED	0.000 s
4	And User Click on Transaction Type under System Parameters Sub Menu	SKIPPED	0.001 s
5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	SKIPPED	0.000 s
6	And User Enter the Trx Type in Code under Update After Approve Screen	SKIPPED	0.001 s
7	And Use Double Click on the Searched Code in Update After Approve Screen	SKIPPED	0.000 s
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	SKIPPED	0.000 s
9	And User Click on Update After Approve button in Update After Approve Screen	SKIPPED	0.001 s
10	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	SKIPPED	0.001 s
11	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	SKIPPED	0.001 s
12	And User Click on Approve under Transaction Type	SKIPPED	0.000 s
13	And User Enter the Trx Type in Code under Approve Screen	SKIPPED	0.000 s
14	And User Double Click on the Searched Code in Approve Screen	SKIPPED	0.000 s
15	And User Click on Approve Button in Approve Screen under System Parameters	SKIPPED	0.000 s
16	And User Click on Ok Button in Confirm PopUp under Approve Screen	SKIPPED	0.000 s
17	And User Click on Ok Button in Success PopUp under Approve Screen	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking Cash Deposit Transaction -
Interbranch - Prerequisites

(F) Testing the functionalities of
Transaction on staff account in CSM
Application

AZENTIO™   User : CHRISAG   Full Screen | Home | Log Out | Help

Language

Force logout

⚠ User already logged in with different session, force other session logout?

Yes   No