Cucumber Report

| Start : Jun 28, 12:27:50.327 PM	End : Jun 28, 12:29:06.257 PM	Duration : 1 m 15.930 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 40

Features: 1

Scenarios: 1

Steps: 47

Pass %: 0 %

Pass %: 0 %

Pass %: 12 %

| #	Feature Name	T	P	F	S	Duration
1	Checking functionality of transaction	1	0	1	0	1 m 15.930 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking functionality of transaction	Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C	47	6	1	40	1 m 15.907 s

(F)- Checking functionality of transaction

FAILED	DURATION - 1 m 15.930 s	Scenarios		Steps	
/ 12:27:50.327 PM // 12:29:06.257 PM /		Total - 1		Total - 47	
		Pass - 0	1	Pass - 6	47
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 40	

(S)- Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C

FAILED	DURATION - 1 m 15.907 s		Steps	
/ 12:27:50.350 PM // 12:29:06.257 PM /			Total - 47	
Checking functionality of transaction			Pass - 6	47
			Fail - 1	
@TRS_393			Skip - 40	

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	38.602 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.880 s
	screenshot		
2	And user update test data set id for TRS_393	PASSED	3.382 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.872 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click the parameters menu	PASSED	0.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.905 s
4	And user click the system parameters submenu	PASSED	0.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.957 s
5	And user click on the transaction type under the system parameters	PASSED	1.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.581 s
6	And user click on the update after approve field under the transaction type	PASSED	1.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.619 s

#	Step / Hook Details	Status	Duration
7	And user enters the transaction type code in the code column under the update after approve	FAILED	5.985 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98)
	    at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source)
	    at stepdefinitions.CSM_Transactions_Steps.
	UserEntersTheTransactionTypeCodeInTheCodeColumnUnderTheUpdateAfterApprove(CSM_Transactions_Steps.java:202)
	    at ?.user enters the transaction type code in the code column under the update after approve(file:///C:/Users/inindc00606/git/AZENTIO-CSM/CSM_Azentio/src/test/java/features/CSM_TranactionFEATURE.feature:848)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.620 s
	screenshot		
8	And user double clicks on the entered transaction type code from the list to view the transaction type details	SKIPPED	0.000 s
9	And user check the MultipleTransfer check Box	SKIPPED	0.000 s
10	And user click on the update after approve button to save the changes	SKIPPED	0.000 s
11	And user click on the approve field under the transaction type menu	SKIPPED	0.012 s
12	And user enters the transaction type code in the code column under the approve menu	SKIPPED	0.001 s
13	And user double clicks on the entered transaction type code from the list to view the transaction type details in approve screen	SKIPPED	0.000 s
14	And user click on the approve button to approve the changes	SKIPPED	0.001 s
15	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
16	And user update test data set id for TRS_256	SKIPPED	0.000 s
17	And user click on Date to Change the Current Date in the CSM core application	SKIPPED	0.000 s
18	And user Enters the Date in user Running Date in the CSM core application	SKIPPED	0.000 s
19	And user click on Use Button in Change Running Date Popup in the CSM core application	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	And User Click Ok Button for confirmation PopUp for Company Holiday	SKIPPED	0.000 s
21	And user click Ok Button in Information PopUp menu in the CSM core application	SKIPPED	0.000 s
22	And user click on Close Button in Change Running Date Popup in the CSM core application	SKIPPED	0.000 s
23	And user click on Technical Details Icon in the CSM core application	SKIPPED	0.020 s
24	And user click Clear Cache in Technical Details Icon in the CSM core application	SKIPPED	0.000 s
25	And user click Ok Button Under Information PopUp Menu in the CSM core application	SKIPPED	0.000 s
26	And user click on Transactions under CSM application in the CSM core application	SKIPPED	0.001 s
27	And user click on Maintenance under Transactions in the CSM core application	SKIPPED	0.000 s
28	And user enters the transaction type	SKIPPED	0.000 s
29	And user change the mode of payment to Account	SKIPPED	0.000 s
30	And user Enter the Branch Code for AC1 in Maintenance Screen	SKIPPED	0.000 s
31	And user click random click	SKIPPED	0.000 s
32	And user Enter Currency Code for AC1 in Maintenance Screen	SKIPPED	0.000 s
33	And user click random click	SKIPPED	0.000 s
34	And user Enter GL Code for AC1 in Maintenance Screen	SKIPPED	0.000 s
35	And user click random click	SKIPPED	0.000 s
36	And user Enter CIF Code for AC1 in Maintenance Screen	SKIPPED	0.000 s
37	And user click random click	SKIPPED	0.000 s
38	And user Enter Serial for AC1 in Maintenance Screen	SKIPPED	0.000 s
39	And user click random click	SKIPPED	0.000 s
40	And user click Ok Button in Warning PopUp Menu	SKIPPED	0.004 s
41	And user Enter the Currency in Maintenance Screen	SKIPPED	0.000 s
42	And user Enter the Amount in Maintenance Screen	SKIPPED	0.002 s
43	And user click the AccountDetails button under maintenance screen	SKIPPED	0.001 s
44	And user click the Add button on AccountDetails button	SKIPPED	0.001 s
45	And user Enter the GL on AccountDetails button	SKIPPED	0.000 s
46	And user Enter the Cif on AccountDetails button	SKIPPED	0.000 s
47	And user Enter the SerialNo on AccountDetails button	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C	
(F) Checking functionality of transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C	
(F) Checking functionality of transaction	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C	
(F) Checking functionality of transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C	
(F) Checking functionality of transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C (F) Checking functionality of transaction	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C (F) Checking functionality of transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the system accept multiple CIF whenever creating Transfer Trx - Local - Multi Transfer - Mode of Payment A/C

(F) Checking functionality of transaction