



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	0	1	0	1 m 1.621 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	18	7	1	10	1 m 1.614 s
	Transaction on staff account in CSM *	Prerequisites ( Enable Multi Branch flag - Check )					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- Testing the functionalities of Transaction on staff account in CSM Application

FAILED	DURATION - 1 m 1.621 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:19:01.54.	1 pm // 12:20:03.162 pm /	Pass - 0	1	Pass - 7	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

## (S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

FAILED DURATION - 1 m 1.614 s			-													;	Steps		
/ 12:19:01.548 pm // 12:20:03.162 pm /	15	-		-	-1 -		-!	-	-		-	-1	- + -	-!	- + -	-	Total - 18		
Testing the functionalities of Transaction on staff	10 -		ļ .		1							1					Pass - 7	18	
account in CSM Application	0 -	<b>.</b>		_								1.					Skip - 10		
@TRS_052_01		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			


#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	18.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
	**************************************		
2	And User Click on Parameters under CSMParam Application	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
	**************************************		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And User Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And User Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.554 s  0.352 s  0.308 s	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.352 s  0.398 s  PASSED  O.597 s  PASSED  O.627 s  O.627 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	1.131 s
4 And User Click on Transaction Type under System Parameters Sub Menu PASSED 0.352 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu PASSED 0.597 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGUSE Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAND User Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.444 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.444 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAND User Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.352 s  PASSED  0.444 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  5.425 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.308 s  PASSED  0.427 s  5.425 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.444 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.444 s  PASSED  0.444 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  5.425 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.308 s  PASSED  0.427 s  5.425 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.444 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.444 s  PASSED  0.444 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	0.352 s
screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.316 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.444 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.464 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.467 s	ļ .			
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 And Use Double Click on the Searched Code in Update After Approve Screen  PASSED  O.444 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.444 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.367 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.444 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s				
screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.444 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.597 s
And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.444 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.627 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s  0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.316 s  0.316 s				
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	5.425 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.444 s  0.367 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.367 s				
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	0.444 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
		screenshot		

Step / Hook Details	Status	Duration
And User Check the Enable Multi Branch flag in Update After Approve Screen	FAILED	0.073 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method": "path": "selector": //imputt@id="multi-branch. P024MAT]"} (Session info: chrome=112.0.5615.140) For documentation on this error, please visit https://selenium.dev/exceptions/#no_such_element Build info: version: "4.8.1", revision: "8ebccac989" System info: os.name: Windows 10", os.arch: 'amd64', os.version: '10.0", java.version: '17.0.7" Driver info: org.openqa.selenium.chrome.ChromeDriver Command: (6c8b7994464533dc0793ce6798781318, indElement (using=xpath, value=//inputtigid=multi-branch_P024MA]) [Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.140, chrome: (chromedriverVersion: 112.0.5615.49 (bd/2a7bcb816, userDataDrir: C.\UbersiNiNiNDC-1\phopbatall), goog.chromeOptions: (debuggerAddress) iocalnosts49783/devtoo, secdpversion: 112.0.5615.140, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, scrpt: 30000), unhandledPromptBehavior: dismiss and notify, webauthriexetersion: redBlob: true, webauthriexetersion:alrageBlob: true,		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
9	And User Click on Update After Approve button in Update After Approve Screen	SKIPPED	0.000 s
10	And User Click Ok Button in information PopUp menu in Update After Approve Screen	SKIPPED	0.000 s
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	SKIPPED	0.001 s
12	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	SKIPPED	0.000 s
13	And User Click on Approve under Transaction Type	SKIPPED	0.000 s
14	And User Enter the Trx Type in Code under Approve Screen	SKIPPED	0.000 s
15	And User Double Click on the Searched Code in Approve Screen	SKIPPED	0.000 s
16	And User Click on Approve Button in Approve Screen under System Parameters	SKIPPED	0.000 s
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	SKIPPED	0.000 s
18	And User Click on Ok Button in Success PopUp under Approve Screen	SKIPPED	0.000 s





EXPANDED SECTION -- 10 --

