

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Greater than Limit	1	0	1	0	38.587 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction	To check whether transfer is possible with particular amount	15	1	1	13	38.569 s
	Amount Greater than Limit	greater than limit					

(F)- Checking Cash Withdrawal Transaction Amount Greater than Limit

FAILED	DURATION - 38.587 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 6:07:41.018 PM	M // 6:08:19.605 PM /	Pass - 0	1	Pass - 1	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- To check whether transfer is possible with particular amount greater than limit



#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	26.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	screenshot		
			2.000
2	And User update test data for test case number TRS_096	FAILED	0.009 s
	io.cucumber.core.exception.CucumberException: Could not convert arguments for step [User update test data for test case number TRS_{int}]		
	defined at 'stepdefinitions.CSM_CheckingMultiTransferStep.user_update_test_data_for_test_case_number_trs(java.lang.Integer)'.		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotConvertArguments(PickleStepDefinitionMatch.java:112)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:56)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:567)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: io.cucumber.cucumberexpressions.CucumberExpressionException: ParameterType {int} failed to transform [096] to class java.lang. Integer		
	at io.cucumber.cucumberexpressions.ParameterType.transform(ParameterType.java:237)		
	at io.cucumber.cucumberexpressions.Argument.getValue(Argument.java:64)		
	at io.cucumber.core.stepexpression.ExpressionArgument.getValue(ExpressionArgument.java:17)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:47)		
	38 more Caused by: java.lang.NumberFormatException: For input string: "96" under radix 8		
	at java.base/java.lang.NumberFormatException.forInputString(NumberFormatException.java:67)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.Integer.parseInt(Integer.java:660) at java.base/java.lang.Integer.valueOf(Integer.java:965) at java.base/java.lang.Integer.decode(Integer.java:1450) at io.cucumber.cucumberexpressions.BuiltInParameterTransformer.doTransform(BuiltInParameterTransformer.java:62) at io.cucumber.cucumberexpressions.BuiltInParameterTransformer.transform(BuiltInParameterTransformer.java:22) at io.cucumber.cucumberexpressions.ParameterTypeRegistry\$5.transform(ParameterTypeRegistry.java:96) at io.cucumber.cucumberexpressions.ParameterTypeRegistry\$5.transform(ParameterTypeRegistry.java:93) at io.cucumber.cucumberexpressions.ParameterType\$TransformerAdaptor.transform(ParameterType.java:268) at io.cucumber.cucumberexpressions.ParameterType.transform(ParameterType.java:233)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
3	And Click the Transactions flag	SKIPPED	0.000 s
4	Then Click the Maintenance flag on the Transaction	SKIPPED	0.001 s
5	And Enter the code in TRXTypeBox in Maintenance flag	SKIPPED	0.001 s
6	Then Enter the Branch code in Branch code Maintenance flag	SKIPPED	0.000 s
7	And Enter the Currency code in Maintenance flag	SKIPPED	0.000 s
8	Then Enter the GI code in Maintenance flag	SKIPPED	0.000 s
9	And Enter the Cif code in Maintenance flag	SKIPPED	0.000 s
10	Then Click the Ok popup	SKIPPED	0.005 s
11	And Click the Close popup	SKIPPED	0.000 s
12	Then Enter the serial number in Maintenance flag	SKIPPED	0.000 s
13	Then Click the Ok popup	SKIPPED	0.000 s
14	And Click the Close popup	SKIPPED	0.000 s
15	And Enter the currency code flag	SKIPPED	0.000 s

EXPANDED SECTION -- 7

