


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	1	0	0	1 m 23.422 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	18	18	0	0	1 m 23.416 s
	Transaction on staff account in CSM *	Prerequisites (Enable Multi Branch flag - Check)					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- Testing the functionalities of Transaction on staff account in CSM Application

PASSED	DURATION - 1 m 23.422 s	Scenarios		Steps	
		Total - 1		Total - 18	
ر 5:28:06.400 إ	om // 5:29:29.822 pm /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

PASSED DURATION - 1 m 23.416 s	20 -	-										-,					Steps			
/ 5:28:06.406 pm // 5:29:29.822 pm /	15 -	-		-			- -		-					-			Total - 18			
Testing the functionalities of Transaction on staff	10 -	-						-			-		-				Pass - 18		18	
account in CSM Application	5 -					_				_		1		_	_		Skip - 0	N		
@TRS_052_01		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				


#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	21.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
2	And User Click on Parameters under CSMParam Application	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  6 And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  7 And User Double Click on the Searched Code in Update After Approve Screen  PASSED  0.289 s  1.149 s  1.49 s	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	1.161 s
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksCl		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AA And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AA And User Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.348 s  0.474 s  0.317 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.348 s  0.474 s  0.317 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	1.149 s
screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s				
And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.268 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Double Click on the Searched Code in Update After Approve Screen  PASSED  0.391 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s			7	
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AND Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s				
screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.474 s
And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.498 s  0.498 s  0.391 s  PASSED  0.365 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.498 s  0.498 s  0.391 s  PASSED  0.365 s				
Screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  0.365 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	7.268 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  0.365 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.391 s  0.365 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s		With the control of t		
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	0.391 s
corporated		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
Screenshot		screenshot		


#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	7.770 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.477 s
	screenshot		
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	1.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot		
10	And User Click Ok Button in information PopUp menu in Update After Approve Screen	PASSED	2.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
	The state of the s		
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	PASSED	5.430 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		
13	And User Click on Approve under Transaction Type	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
14	And User Enter the Trx Type in Code under Approve Screen	PASSED	2.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
15	And User Double Click on the Searched Code in Approve Screen	PASSED	0.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		


#	Step / Hook Details	Status	Duration
16	And User Click on Approve Button in Approve Screen under System Parameters	PASSED	5.709 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot		
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
18	And User Click on Ok Button in Success PopUp under Approve Screen	PASSED	4.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application




(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )

(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )

(F) Testing the functionalities of Transaction on staff account in CSM Application

