# Cucumber Report

| Start : Jun 13, 2:40:06.053 pm | End : Jun 13, 2:41:38.834 pm | Duration : 1 m 32.781 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 5<br>FAILED - 1<br>SKIPPED - 5 |

**Features**

1

0 %

**Scenarios**

1

0 %

**Steps**

11

45 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To verify the functionality of amend cheque card retrieve | 1 | 0 | 1 | 0 | 1 m 32.781 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the functionality of amend cheque card retrieve | checking if the system is retrieving the card if the account has a status different than active/inactive | 11 | 5 | 1 | 5 | 1 m 32.772 s |

## (F)- To verify the functionality of amend cheque card retrieve

| FAILED | DURATION - 1 m 32.781 s | Scenarios | | Steps | |
|--------|------------------------|-----------|---|-------|---|
| / 2:40:06.053 pm // 2:41:38.834 pm / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 11<br>Pass - 5<br>Fail - 1<br>Skip - 5 | 11 |

## (S)- checking if the system is retrieving the card if the account has a status different than active/inactive

| FAILED | DURATION - 1 m 32.772 s | | Steps | |
|--------|------------------------|---|-------|---|
| / 2:40:06.062 pm // 2:41:38.834 pm / | | | Total - 11 | |
| To verify the functionality of amend cheque card retrieve | | | Pass - 5<br>Fail - 1 | 11 |
| @ACSD_015 | | | Skip - 5 | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given user login as csm core application | PASSED | 19.175 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.318 s |
| | screenshot | | |
| |  + | | |
| 2 | And user update test data set id for ACSD_015 | PASSED | 0.455 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.248 s |
| | screenshot | | |
| |  + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And user click the amend cheque card status icon | PASSED | 0.113 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.260 s |
| | screenshot | | |
| |  + | | |
| 4 | And user click the maintenance under amend cheque card status | PASSED | 0.195 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.314 s |
| | screenshot | | |
| |  + | | |
| 5 | And user select the product type under maintenance | PASSED | 6.236 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.285 s |
| | screenshot | | |
| |  + | | |
| 6 | Then user enter the card type value under maintenance | FAILED | 1 m 0.036 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//label[text()='Card Type '])[1]//parent::td//following-sibling::td[1]//input' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_AmendChequeCard_Retrieve. user_enter_the_card_type_value_under_maintenance(CSM_AmendChequeCard_Retrieve.java:47) at ?.user enter the card type value under maintenance(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/ AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_AmendChequeCard_Retrieve.feature:9) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//label[text()='Card Type '])[1]//parent::td//following-sibling::td[1]//input"}   (Session info: chrome=114.0.5735.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium. | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | chrome.ChromeDriver Command: [1d8af9e9a616582156a8fcebf8126767, findElement {using=xpath, value=(///label[text()='Card Type '])[1]//parent::td//following-sibling::td[1]//input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56803}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56803/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1d8af9e9a616582156a8fcebf8126767<br>  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>  at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source)<br>  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)<br>  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)<br>  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)<br>  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)<br>  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)<br>  at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)<br>  at stepdefinitions.CSM_AmendChequeCard_Retrieve.<br>user_enter_the_card_type_value_under_maintenance(CSM_AmendChequeCard_Retrieve.java:47)<br>  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>  at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.263 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And user select the status under maintenance | SKIPPED | 0.001 s |
| 8 | And user enter the card number value under maintenance | SKIPPED | 0.000 s |
| 9 | And user click the retrieve button | SKIPPED | 0.000 s |
| 10 | Then user verify the pop message | SKIPPED | 0.000 s |
| 11 | And user click the ok button under maintenance | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) checking if the system is retrieving the card if the account has a status different than active/inactive

(F) To verify the functionality of amend cheque card retrieve



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) checking if the system is retrieving the card if the account has a status different than active/inactive

(F) To verify the functionality of amend cheque card retrieve

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) checking if the system is retrieving the card if the account has a status different than active/inactive | |
| (F) To verify the functionality of amend cheque card retrieve | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) checking if the system is retrieving the card if the account has a status different than active/inactive | |
| (F) To verify the functionality of amend cheque card retrieve | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) checking if the system is retrieving the card if the account has a status different than active/inactive

(F) To verify the functionality of amend cheque card retrieve

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) checking if the system is retrieving the card if the account has a status different than active/inactive

(F) To verify the functionality of amend cheque card retrieve