


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	1	0	0	1 m 24.829 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	18	18	0	0	1 m 24.827 s
	Transaction on staff account in CSM *	Prerequisites ( Enable Multi Branch flag - Check )					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- Testing the functionalities of Transaction on staff account in CSM Application

PASSED	DURATION - 1 m 24.829 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 6:28:32.236 pm	// 6:29:57.065 pm /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

PASSED DURATION - 1 m 24.827 s	25	1																Steps			
/ 6:28:32.238 pm // 6:29:57.065 pm /	20 15				-		- + -	-1-	- + -	-  -		-	-1	- + -	- -	- + - - + -	-     -	Total - 18			
Testing the functionalities of Transaction on staff	10		1		-				-	-  -		-		-	- -	-	-	Pass - 18		18	
account in CSM Application	5	╬	•	1-	-	1	- <u>+</u> -		- + -			i			-!-	_		Fail - U Skip - 0	N		7
@TRS_052_01	0		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0	'		


#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	24.778 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
2	And User Click on Parameters under CSMParam Application	PASSED	1.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And User Double Click on the Searched Code in Update After Approve Screen  PASSED  O.271 s  0.271 s  0.271 s	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.312 s  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.328 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	1.199 s
4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAN Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.312 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.312 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  6.368 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  7. And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.31 s  0.31 s  0.31 s  0.31 s  0.31 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  6.368 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  7. And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.31 s  0.31 s  0.31 s  0.31 s  0.31 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	1.126 s
screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.413 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.428 s	<u> </u>			
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 And Use Double Click on the Searched Code in Update After Approve Screen  PASSED  O.413 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.413 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.328 s				0.0.2
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.331 s  0.331 s		Table   Tabl		
screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.328 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	1.619 s
And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.328 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.312 s  0.312 s  0.312 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.312 s  0.312 s  0.312 s				
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  0.328 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	6.368 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  0.328 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.413 s  0.328 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.328 s				
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	0.413 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	5.989 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	0.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		
10	And User Click Ok Button in information PopUp menu in Update After Approve Screen	PASSED	0.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
11	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	PASSED	4.748 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
13	And User Click on Approve under Transaction Type	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
14	And User Enter the Trx Type in Code under Approve Screen	PASSED	2.042 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
15	And User Double Click on the Searched Code in Approve Screen	PASSED	0.406 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		


#	Step / Hook Details	Status	Duration
16	And User Click on Approve Button in Approve Screen under System Parameters	PASSED	5.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
17	And User Click on Ok Button in Confirm PopUp under Approve Screen	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		
18	And User Click on Ok Button in Success PopUp under Approve Screen	PASSED	4.644 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --




EXPANDED SECTION --- 13 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application




(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )

(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )

(F) Testing the functionalities of Transaction on staff account in CSM Application

