


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	1	0	0	1 m 37.663 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	17	17	0	0	1 m 37.657 s
	Transaction on staff account in CSM *	Prerequisites					

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Testing the functionalities of Transaction on staff account in CSM Application

PASSED	DURATION - 1 m 37.663 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 4:19:07.853 pm	// 4:20:45.516 pm /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites



#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	20.651 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
	# # # # # # # # # # # # # # # # # # #		
2	And User Click on Parameters under CSMParam Application	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And User Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And User Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1 268 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0 294 s 1 25 s 1 25 s 1 26 s 1 26 s 2 2 s 2 2 s 3 2 s 4 5 1 2 5 s 4	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND User Duble Click on the Searched Code in Update After Approve Screen PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s	3	And User Click on System Parameters under Parameters Main Menu	PASSED	1.087 s
4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAN User Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
4 And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAND User Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 6.382 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 7. And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.335 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 6.382 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 7. And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.335 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	1.125 s
screenshot And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And Use Double Click on the Searched Code in Update After Approve Screen PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s			7	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s				
screenshot And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.650 s
And User Enter the Trx Type in Code under Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.268 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s				
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	6.382 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
7 And Use Double Click on the Searched Code in Update After Approve Screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s		With the control of t		
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	1.268 s
agraphet		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
Screenshot		screenshot		


#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	8.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	0.736 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.724 s
	screenshot		
10	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	PASSED	1.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
11	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	PASSED	4.876 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And User Click on Approve under Transaction Type	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
13	And User Enter the Trx Type in Code under Approve Screen	PASSED	2.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
14	And User Double Click on the Searched Code in Approve Screen	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot		
15	And User Click on Approve Button in Approve Screen under System Parameters	PASSED	4.583 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
16	And User Click on Ok Button in Confirm PopUp under Approve Screen	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
17	And User Click on Ok Button in Success PopUp under Approve Screen	PASSED	4.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		


EXPANDED SECTION




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION --- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --




EXPANDED SECTION --- 16 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites

(F) Testing the functionalities of Transaction on staff account in CSM Application



EXPANDED SECTION -- 17 --

