Cucumber Report

| Start : May 22, 5:42:41.552 pm	End : May 22, 5:43:34.918 pm	Duration : 53.366 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 15

Features: 1

Scenarios: 1

Steps: 28

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 42 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	53.366 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *	28	12	1	15	53.355 s

(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 53.366 s	Scenarios		Steps	
	/ 5:42:41.552 pm // 5:43:34.918 pm /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 28 Pass - 12 Fail - 1 Skip - 15	28

## (S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

| FAILED	DURATION - 53.355 s		Steps	
	/ 5:42:41.563 pm // 5:43:34.918 pm /		Total - 28 Pass - 12 Fail - 1 Skip - 15	28
	To verify the functionality of chequebook under receive from provider			
	@CHB_179			

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	31.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
2	And user update test data set id for CHB_179	PASSED	0.632 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click parameters menu	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
4	And user click the Account parameters submenu	PASSED	0.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
5	And user click the General Ledger submenu	PASSED	0.609 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
6	And user click the update after approve screen under general ledger	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
7	And user click code under update after approve screen	PASSED	7.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
	+		
8	And user enter the value in code	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
	+		
9	And user retrieve the record under update approve screen	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
	+		
10	And user click on additional details	PASSED	1.438 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
11	Then user select the required dropdown field under additonal details	PASSED	0.623 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
	+		
12	And user click on update button	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
	+		
13	And user click on approve screen	FAILED	1.302 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (72, 349). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=113.0.5672.127) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [987102e63db5a5daac610f82874ad8e1, clickElement {id=0AC2AFAAD93AE99B13E8EFA48C4F915F_element_328}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62924}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62924/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (987102e63db5a5daac610f82874ad8e1)] -> xpath: //span[text()='Approve']] Session ID: 987102e63db5a5daac610f82874ad8e1
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_on_approve_screen(CSM_ChequeBookRequest_Screen.java:1385) at ?.user click on approve screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:576) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.272 s
14	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
15	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
16	And user click on additional details	SKIPPED	0.000 s
17	Then user click on approve button	SKIPPED	0.000 s
18	And user navigate to system parameters	SKIPPED	0.000 s
19	And user click on transaction type submenu	SKIPPED	0.000 s
20	And user click on update after approve	SKIPPED	0.000 s
21	And user click and enter the value in code under transaction type	SKIPPED	0.000 s
22	And user retrieve the record under transaction type	SKIPPED	0.000 s
23	Then user verify required flag is checked or not	SKIPPED	0.000 s
24	And user click on update after approve button	SKIPPED	0.000 s
25	And user click on approve screen	SKIPPED	0.000 s
26	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
27	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
28	Then user click on approve button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type	
(F) To verify the functionality of chequebook under receive from provider	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type	
(F) To verify the functionality of chequebook under receive from provider	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type	
(F) To verify the functionality of chequebook under receive from provider	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type	
(F) To verify the functionality of chequebook under receive from provider	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type	
(F) To verify the functionality of chequebook under receive from provider	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type	
(F) To verify the functionality of chequebook under receive from provider	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

(F) To verify the functionality of chequebook under receive from provider