

Cucumber Report

23-May-2023, 5:51:38 pm

Start : May 23, 5:49:53.890 pm

End : May 23, 5:51:36.591 pm

Duration : 1 m 42.701 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 42.701 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of chequebook under receive from provider</u>	<u>Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *</u>	28	11	1	16	1 m 42.686 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of chequebook under receive from provider

FAILED	DURATION - 1 m 42.701 s	Scenarios		Steps	
/ 5:49:53.890 pm // 5:51:36.591 pm /		Total - 1		Total - 28	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	



(S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type

<div>FAILED</div> <div>DURATION - 1 m 42.686 s</div>			<div>Steps</div> <div>Total - 28</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 16</div>	
/ 5:49:53.905 pm // 5:51:36.591 pm /				
To verify the functionality of chequebook under receive from provider				
@CHB_179				


#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	19.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
			
2	And user update test data set id for CHB_179	PASSED	0.609 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click parameters menu	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
			
4	And user click the Account parameters submenu	PASSED	0.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
5	And user click the General Ledger submenu	PASSED	0.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
6	And user click the update after approve screen under general ledger	PASSED	0.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click code under update after approve screen	PASSED	6.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.614 s
	screenshot		
			
8	And user enter the value in code	PASSED	0.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
			
9	And user retrieve the record under update approve screen	PASSED	0.531 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
			
10	And user click on additional details	PASSED	1.474 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then user select the required dropdown field under additional details	PASSED	1.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
12	And user click on update button	FAILED	1 m 0.557 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='_popup_path_sol_confirm_ok']' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_on_update_button(CSM_ChequeBookRequest_Screen.java:1386)</p> <p>at ?.user click on update button(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:575)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='_popup_path_sol_confirm_ok']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e5086a5c4324c5e0002b7216399d8e63, findElement {using=xpath, value=//input[@id='_popup_path_sol_confirm_ok']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:58595}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58595/devtoo..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5086a5c4324c5e0002b7216399d8e63</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBookRequest_Screen.user_click_on_update_button(CSM_ChequeBookRequest_Screen.java:1386) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.618 s
13	And user click on approve screen	SKIPPED	0.001 s
14	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
15	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
16	And user click on additional details	SKIPPED	0.000 s
17	Then user click on approve button	SKIPPED	0.001 s
18	And user click system parameters submenu	SKIPPED	0.000 s
19	And user click on transaction type submenu	SKIPPED	0.001 s
20	And user click on update after approve	SKIPPED	0.001 s
21	And user click and enter the value in code under transaction type	SKIPPED	0.001 s
22	And user retrieve the record under transaction type	SKIPPED	0.001 s
23	Then user verify required flag is checked or not	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
24	And user click on update after approve button	SKIPPED	0.000 s
25	And user click on approve screen under transaction type	SKIPPED	0.000 s
26	And user click and enter the value in code in approve screen under transaction type	SKIPPED	0.000 s
27	And user retrieve the internal account record in approve screen under transaction type	SKIPPED	0.000 s
28	Then user click on approve button under transaction type	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - Acc Control Record
 - High Fiscal Year
 - ACCOUNTS CLOSURE
 - Accounts Rates
 - Currencies
 - CIF & Account Opening Restrictions
 - Book Exchange Rate
 - Fiscal Year
 - CIF & Account limits
 - General Ledger
 - Maintenance
 - Approve
 - UPDATE AFTER APPROVE
 - Reject
 - List
 - Contra Chapters
 - Custom Exchange Rate
 - Account Class
 - Divisions
 - Account Type
 - Labour Rate
 - CLIMBING
 - Currency Exchange Limits
 - JV Type
 - Units
 - Transaction Label
 - Internal General Ledger
 - Accounts Suspend Reason
 - Departments
 - System Parameters
 - Black List Management
 - Charges And Fees Policy
 - Utilities
 - Sms Subscription Template
 - Journal Voucher
 - Memo Detail

Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE

Code	Additional Reference	Brief Desc Eng	Long Name	Type	status_Key
143002	14023010	Ijara Rentals due	Ijara Rentals due	Non-Internal	Approved
143022	16001030	Accru Dep Ijarah	Accru Dep Ijarah	Non-Internal	Approved
143031	22065020	Imp Prov Leasing	Imp Prov Leasing	Internal	Approved
143041	17068500	Accru Dep Ijara Asset	Accru Dep Ijara Asset	Non-Internal	Approved
143099	14023990	Ijara Rev Adj A/C	Ijara Revaluation Adjustment A/ Internal	Internal	Approved

Page 1 of 323

Copyright ©2023 Azentio @All Rights Reserved

Powered by AZENTIO

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - Acc Control Record
 - High Fiscal Year
 - ACCOUNTS CLOSURE
 - Accounts Rates
 - Currencies
 - CIF & Account Opening Restrictions
 - Book Exchange Rate
 - Fiscal Year
 - CIF & Account limits
 - General Ledger
 - Maintenance
 - Approve
 - UPDATE AFTER APPROVE
 - Reject
 - List
 - Contra Chapters
 - Custom Exchange Rate
 - Account Class
 - Divisions
 - Account Type
 - Labour Rate
 - CLIMBING
 - Currency Exchange Limits
 - JV Type
 - Units
 - Transaction Label
 - Internal General Ledger
 - Accounts Suspend Reason
 - Departments
 - System Parameters
 - Black List Management
 - Charges And Fees Policy
 - Utilities
 - Sms Subscription Template
 - Journal Voucher
 - Memo Detail

Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE

Code	Additional Reference	Brief Desc Eng	Long Name	Type	status_Key
143002	14023010	Ijara Rentals due	Ijara Rentals due	Non-Internal	Approved
143022	16001030	Accru Dep Ijarah	Accru Dep Ijarah	Non-Internal	Approved
143031	22065020	Imp Prov Leasing	Imp Prov Leasing	Internal	Loading...
143041	17068500	Accru Dep Ijara Asset	Accru Dep Ijara Asset	Non-Internal	Approved
143099	14023990	Ijara Rev Adj A/C	Ijara Revaluation Adjustment A/ Internal	Internal	Approved

Page 1 of 323

Copyright ©2023 Azentio @All Rights Reserved

Powered by AZENTIO

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO system interface. The user is GOWRI, Company is BAJ, and the branch is Head Office. The date is 01 December 2022. The menu on the left includes Parameters, CIP Parameters, Accounts Parameters, and General Ledger. The 'UPDATE AFTER APPROVE' form is displayed, showing details for a General Ledger account with Code 400402 and Type Internal. The form includes fields for GL Category (Revenues), Point Indicator (Yes/No), Limit (USD), Include in Revaluation (Yes/No), GL Usage (No Specific Usage), Account sign (Credit), Print Advice (Yes/No), Print Statement (Yes/No), Group (CY Group 2), Term (Not Applicable), and Liquidation (unchecked). The 'Allow Overdraw' dropdown is set to 'Notify and Don't Proceed'. The 'Update' button is at the bottom.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the AZENTIO system interface. The user is GOWRI, Company is BAJ, and the branch is Head Office. The date is 01 December 2022. The menu on the left includes Parameters, CIP Parameters, Accounts Parameters, and General Ledger. The table displays a list of General Ledger accounts with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and status_Key. The table shows 6 rows of data.

Code	Additional Reference	Brief Desc Eng	Long Name	Type	status_Key
143002	14023010	Ijara Rentals due	Ijara Rentals due	Non-Internal	Approved
143022	16001030	Accru Dep Ijarah	Accru Dep Ijarah	Non-Internal	Approved
143031	22065020	Imp Prov Leasing	Imp Prov Leasing	Internal	Approved
143041	17068500	Accru Dep Ijara Asset	Accru Dep Ijara Asset	Non-Internal	Approved
143099	14023990	Ijara Rev Adj A/C	Ijara Revaluation Adjustment A/C	Internal	Approved

The table is displayed on page 1 of 323. The 'Toggle' and 'Clear' buttons are visible at the bottom of the table.