Cucumber Report

| *Start : Jun 15, 9:38:26.288 AM*	*End : Jun 15, 9:39:33.351 AM*	*Duration : 1 m 7.063 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 4

Features: 1

Scenarios: 1

Steps: 19

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 73 %

#	Feature Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	1	0	1	0	1 m 7.063 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Checking Cash Withdrawal Transaction Amount Lower than Limit*	*To check whether transfer is possible with particular amount lower than limit*	*19*	*14*	*1*	*4*	*1 m 7.056 s*

(F)- Checking Cash Withdrawal Transaction Amount Lower than Limit

FAILED	DURATION - 1 m 7.063 s	Scenarios		Steps	
/ 9:38:26.288 AM // 9:39:33.351 AM /		Total - 1		Total - 19	
		Pass - 0		Pass - 14	
		Fail - 1	1	Fail - 1	19
		Skip - 0		Skip - 4	

(S)- To check whether transfer is possible with particular amount lower than limit

FAILED	DURATION - 1 m 7.056 s		Steps	
/ 9:38:26.295 AM // 9:39:33.351 AM /			Total - 19	
Checking Cash Withdrawal Transaction Amount Lower than Limit			Pass - 14	19
			Fail - 1	
@TRS_097			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	21.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
2	And User update test data for test case number Param_097	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click the Parameters Flag	PASSED	0.609 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
4	Then Click the System Parameters Flag	PASSED	0.783 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
5	And User_604 Click the User Flag	PASSED	0.883 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
6	Then User_604 Click the update after approve option	PASSED	0.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		
7	And User_604 Click the User ID grid in Update after approve	PASSED	5.032 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then User_604 Select the searched user id	PASSED	0.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot 		
9	And User_604 Click the CIF type flag	PASSED	1.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	screenshot 		
10	Then User_604 Select the code type	PASSED	1.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot 		
11	And User_604 Click the checkbox icon	PASSED	0.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
12	Then User_604 Click the Ok button	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
	+		
13	And User_604 Click the Update after approve button to save the record	PASSED	0.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
	+		
14	Then User_604 Click the Ok Popup to confirm the record	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
	+		
15	And User_604 Click the approve flag	FAILED	1.549 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (72, 403). Other element would receive the click: <div class="ui-widget-shadow progBarBackGound"></div> (Session info: chrome=114.0.5735.110) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d805042d12cb792692de7489ea9fb60c, clickElement {id=564438F35CCC60F05CF71B45D7DA0E83_element_369}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61340}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration

	WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61340/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d805042d12cb792692de7489ea9fb60c)] -> xpath: //span[text()='Approve']] Session ID: d805042d12cb792692de7489ea9fb60c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	  at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:567)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	  at stepdefinitions.CheckingCashDepositAmountLowerLimit.user_click_the_approve_flag(CheckingCashDepositAmountLowerLimit.java:134)
	  at ?.User_604 Click the approve flag(file:///C:/Users/inindc00604/git/BharaniCSM/CSM_Bharani/src/test/java/features/CheckingCashDepositAmountLowerLimit.feature:19)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.397 s
16	Then User_604 Click the User ID grid approve	SKIPPED	0.001 s
17	And User_604 Click the Approve button to save the record	SKIPPED	0.000 s
18	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.000 s
19	Then User_604 Click the Ok button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit