Cucumber Report

Start : May 15, 12:25:10.859 PM	End : May 15, 12:25:59.856 PM	Duration : 48.997 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 20

Features: 1

Scenarios: 1

Steps: 27

Pass %: 0 %

Pass %: 0 %

Pass %: 22 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	1	0	1	0	48.997 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to *	27	6	1	20	48.975 s

The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- To verify the functionality of Chequebook request module

FAILED	DURATION - 48.997 s	Scenarios		Steps	
		Total - 1		Total - 27	
/ 12:25:10.859 PM // 12:25:59.856 PM /		Pass - 0	1	Pass - 6	27
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

(S)- Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

FAILED	DURATION - 48.975 s		Steps	
/ 12:25:10.881 PM // 12:25:59.856 PM /			Total - 27	
To verify the functionality of Chequebook request module			Pass - 6	27
			Fail - 1	
@CHB_186			Skip - 20	

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	25.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
2	And user click the parameters menu	PASSED	1.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click the system parameters submenu	PASSED	0.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
4	And user click the User screen in system parameters	PASSED	0.530 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
5	And user click the update after approve screen	PASSED	0.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
6	And user update test data set id for CHB_186	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.284 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
7	And user click and send the values in user id under update after approve screen	FAILED	0.656 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98)
	    at jdk.internal.reflect.GeneratedMethodAccessor2.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source)
	    at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_user_id_in_update_after_approve_screen(CSM_Chequebookrequest_step.java:82)
	    at ?.user click and send the values in user id under update after approve screen(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_feature_Chequebook_Request.feature:14)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
	+		
8	And user double click the user id	SKIPPED	0.000 s
9	And user select the logged in branch	SKIPPED	0.000 s
10	And user click the update after approve button	SKIPPED	0.000 s
11	And user click the save ok button	SKIPPED	0.002 s
12	And user click the ok	SKIPPED	0.001 s
13	And user click the approve in user screen	SKIPPED	0.000 s
14	And user update test data set id for CHB_186	SKIPPED	0.000 s
15	And user click and send the values in user id under Approve screen	SKIPPED	0.000 s
16	And user double click the user id	SKIPPED	0.000 s
17	And user click the approve box	SKIPPED	0.000 s
18	And user click the save ok button	SKIPPED	0.000 s
19	And user click the ok	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
21	And user click the chequebook request in csmcore	SKIPPED	0.000 s
22	And user click the send to receive from provider	SKIPPED	0.001 s
23	And user click the send to provider screen	SKIPPED	0.000 s
24	And user click the retrive button in send to provider	SKIPPED	0.003 s
25	And user update test data set id for CHB_186_D3	SKIPPED	0.000 s
26	And user click the receive from provider screen	SKIPPED	0.000 s
27	And user update test data set id for CHB_186_D3	SKIPPED	0.001 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

(F) To verify the functionality of Chequebook request module