Cucumber Report

15 Jun 2023, 11:17:46 AM

Start : Jun 15, 11:16:47.036 AM	End : Jun 15, 11:17:43.993 AM	Duration : 56.957 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 1 SKIPPED - 4









#	Feature Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	1	0	1	0	56.957 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	To check whether transfer is possible with particular amount lower than limit	21	16	1	4	56.950 s

(F)- Checking Cash Withdrawal Transaction Amount Lower than Limit

FAILED	DURATION - 56.957 s	Scenarios		Steps	
/ 11:16:47.036 AM // 11:17:43.993 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 21 Pass - 16 Fail - 1 Skip - 4	

(S)- To check whether transfer is possible with particular amount lower than limit

FAILED	DURATION - 56.950 s		Steps	
/ 11:16:47.043 AM // 11:17:43.993 AM /			Total - 21 Pass - 16 Fail - 1 Skip - 4	
Checking Cash Withdrawal Transaction Amount Lower than Limit				
@TRS_097				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	20.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
	 +		
2	And User update test data for test case number Param_097	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	And Click the Parameters Flag	PASSED	0.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	+		
4	Then Click the System Parameters Flag	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
	 +		
5	And User_604 Click the User Flag	PASSED	0.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		
	+		
6	Then User_604 Click the update after approve option	PASSED	0.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
	 +		
7	And User_604 Click the User ID grid in Update after approve	PASSED	5.784 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
8	Then User_604 Select the searched user id	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
	 +		
9	And User_604 Click the CIF type flag	PASSED	1.571 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
	 +		
10	Then User_604 Select the code type	PASSED	2.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.533 s
	screenshot		
	 +		
11	And User_604 Click the checkbox icon	PASSED	0.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
12	Then User_604 Click the Ok button	PASSED	0.445 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
	 +		
13	And User_604 Click the Update after approve button to save the record	PASSED	0.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
	 +		
14	Then User_604 Click the Ok Popup to confirm the record	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		
	 +		
15	Then User_604 Click the Ok button finally	PASSED	1.859 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
16	And User_604 Click the approve flag	PASSED	1.817 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.308 s
17	Then User_604 Click the User ID grid approve	FAILED	1.377 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input type="text" style="width:95%;padding:0px;" name="USER_ID" id="tellerParamList_GridTbl_Id_E000P_gs_ctstellerVO.USER_ID" value=""> is not clickable at point (472, 171). Other element would receive the click: (Session info: chrome=114.0.5735.110) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ba910e2681cc3a86769d49d05d420252, clickElement {id=4B465B62976FEAEE08A5E06465F851EA_element_420}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57909}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57909/devtoo..., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ba910e2681cc3a86769d49d05d420252)] -> xpath: //input[@id='tellerParamList_GridTbl_Id_E000P_gs_ctstellerVO.USER_ID']] Session ID: ba910e2681cc3a86769d49d05d420252 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at stepdefinitions.CheckingCashDepositAmountLowerLimit.user_click_the_user_id_grid_approve(CheckingCashDepositAmountLowerLimit.java:160) at ?.User_604 Click the User ID grid approve(file:///C:/Users/inindc00604/git/BharaniCSM/CSM_Bharani/src/test/java/features/CheckingCashDepositAmountLowerLimit.feature:21) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.362 s
18	Then User_604 Select the searched user id	SKIPPED	0.000 s
19	And User_604 Click the Approve button to save the record	SKIPPED	0.000 s
20	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.000 s
21	Then User_604 Click the Ok button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit