Cucumber Report

| Start : Jun 15, 9:55:25.653 AM	End : Jun 15, 9:56:13.140 AM	Duration : 47.487 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	1	0	1	0	47.487 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking Cash Withdrawal Transaction Amount Lower than Limit	To check whether transfer is possible with particular amount lower than limit	20	14	1	5	47.482 s

(F)- Checking Cash Withdrawal Transaction Amount Lower than Limit

FAILED	DURATION - 47.487 s	Scenarios		Steps	
/ 9:55:25.653 AM // 9:56:13.140 AM /		Total - 1		Total - 20	
		Pass - 0	1	Pass - 14	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- To check whether transfer is possible with particular amount lower than limit

FAILED	DURATION - 47.482 s		Steps	
/ 9:55:25.658 AM // 9:56:13.140 AM /			Total - 20	
Checking Cash Withdrawal Transaction Amount Lower than Limit			Pass - 14	20
			Fail - 1	
@TRS_097			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	18.875 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
	+		
2	And User update test data for test case number Param_097	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And Click the Parameters Flag	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot 		
4	Then Click the System Parameters Flag	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot 		
5	And User_604 Click the User Flag	PASSED	0.515 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot 		
6	Then User_604 Click the update after approve option	PASSED	0.516 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot 		
7	And User_604 Click the User ID grid in Update after approve	PASSED	4.905 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then User_604 Select the searched user id	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
9	And User_604 Click the CIF type flag	PASSED	1.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
	screenshot		
10	Then User_604 Select the code type	PASSED	0.979 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
11	And User_604 Click the checkbox icon	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	Then User_604 Click the Ok button	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
13	And User_604 Click the Update after approve button to save the record	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
14	Then User_604 Click the Ok Popup to confirm the record	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		
15	And User_604 Click the approve flag	FAILED	1.468 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (72, 403). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1920px; height: 924px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=114.0.5735.110) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [30347bfa1630e4c0eb807ebf181d2dca, clickElement {id=533E355A37CBD3C6DB76664CE8A2182F_element_420}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61715},		

#	Step / Hook Details	Status	Duration

	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61715/devtoo...., se:cdpVersion: 114.0.5735.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (30347bfa1630e4c0eb807ebf181d2dca)] -> xpath: //span[text()='Approve']] Session ID: 30347bfa1630e4c0eb807ebf181d2dca
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:78)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)
	  at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:567)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
	  at stepdefinitions.CheckingCashDepositAmountLowerLimit.user_click_the_approve_flag(CheckingCashDepositAmountLowerLimit.java:134)
	  at ?.User_604 Click the approve flag(file:///C:/Users/inindc00604/git/BharaniCSM/CSM_Bharani/src/test/java/features/CheckingCashDepositAmountLowerLimit.feature:19)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.324 s
16	Then User_604 Click the User ID grid approve	SKIPPED	0.000 s
17	Then User_604 Select the searched user id	SKIPPED	0.000 s
18	And User_604 Click the Approve button to save the record	SKIPPED	0.001 s
19	Then User_604 Click the Ok Popup to confirm the record	SKIPPED	0.000 s
20	Then User_604 Click the Ok button	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check whether transfer is possible with particular amount lower than limit

(F) Checking Cash Withdrawal Transaction Amount Lower than Limit

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To check whether transfer is possible with particular amount lower than limit	
(F) Checking Cash Withdrawal Transaction Amount Lower than Limit	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check whether transfer is possible
with particular amount lower than limit

(F) Checking Cash Withdrawal
Transaction Amount Lower than Limit