Cucumber Report

Start : May 10, 11:14:20.330 AM	End : May 10, 11:15:16.587 AM	Duration : 56.257 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	To check the functionality of chequebook Request	1	1	0	0	56.257 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the functionality of chequebook Request	Checking if the user is able to select any row and click "Destroy" under Approve/Reject Destroy	4	4	0	0	56.248 s

(F)- To check the functionality of chequebook Request

PASSED	*DURATION - 56.257 s*	Scenarios		Steps	
/ 11:14:20.330 AM // 11:15:16.587 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 4 Pass - 4 Fail - 0 Skip - 0	4

(S)- Checking if the user is able to select any row and click "Destroy" under Approve/Reject Destroy

PASSED	*DURATION - 56.248 s*		Steps	
/ 11:14:20.339 AM // 11:15:16.587 AM /			Total - 4	
To check the functionality of chequebook Request			Pass - 4	4
@CHB_161			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM application and login with valid credentials	PASSED	26.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.344 s
	screenshot		
	+		
2	And Click the Chequebook Request flag	PASSED	0.616 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And Click the Bulk Destroy under Chequebook Request	PASSED	0.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
	+		
4	Then Click the retrieve button under Bulk Destroy	PASSED	5.528 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	+		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy

(F) To check the functionality of
chequebook Request

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking if the user is able to select
any row and click "Destroy" under
Approve/Reject Destroy

(F) To check the functionality of
chequebook Request

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if the user is able to select any row and click "Destroy" under Approve/Reject Destroy	
(F) To check the functionality of chequebook Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking if the user is able to select any row and click "Destroy" under Approve/Reject Destroy	
(F) To check the functionality of chequebook Request	