

# Cucumber Report

22 May 2023, 4:39:28 PM

Start : May 22, 4:36:13.819 PM

End : May 22, 4:39:23.171 PM

Duration : 3 m 9.352 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	<u>To test the funcnalties of Transaction module</u>	1	0	1	0	3 m 9.352 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the functionalities of Transaction module</u>	<u>Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag *</u>	26	10	1	15	3 m 9.347 s


\* The feature name and/or scenario name has been cropped to fit in the available space.

**(F)- To test the functionalities of Transaction module**

<b>FAILED</b>	<b>DURATION - 3 m 9.352 s</b>	Scenarios		Steps	
/ 4:36:13.819 PM // 4:39:23.171 PM /		Total - 1	1	Total - 26	26
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	


**(S)- Checking Multi Transfer (Main Credit) Transaction - Booked Entries + Balance Updates - Allow Internal GL flag unchecked**

<div>FAILED</div> <div>DURATION - 3 m 9.347 s</div>			<div>Steps</div> <div>Total - 26</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 15</div>	
/ 4:36:13.824 PM // 4:39:23.171 PM /				
To test the funcnalities of Transaction module				
@TSA_023				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	29.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
	screenshot		
			
2	And user click the parameters menu	PASSED	1.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click the system parameters submenu	PASSED	0.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
4	And user click the transationtype submenu under systemparameters	PASSED	0.724 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
			
5	And user click the UPAA field under TransactionType	PASSED	1.820 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
			
6	And user Enter the code in UPAA field	PASSED	8.038 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user double click the code on UPAA field	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		
			
8	And user check the status of the AllowInternalGLAccount CheckBox	PASSED	5.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
			
9	And user click UpdateAfterApprove Button	PASSED	0.577 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
			
10	And user click the save ok button	PASSED	1 m 0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>And user click the ok</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='_popup_path_sol_ok']' (tried for 60 second(s) with 1 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)   at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)   at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_ok(CSM_Chequebookrequest_step.java:145)   at ?.user click the ok(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_Transaction.feature:16) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='_popup_path_sol_ok']"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a12f546acc34136dd092310b6585940d, findElement {using=xpath, value=//input[@id='_popup_path_sol_ok']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:54024}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54024/devtoo. ..., se:cdpVersion: 113.0.5672.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a12f546acc34136dd092310b6585940d   at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) </pre>	FAILED	1 m 0.234 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_ok(CSM_Chequebookrequest_step.java:145) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794)		




#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.553 s
12	And user click Approve field under TransactionType	SKIPPED	0.006 s
13	And user Enter the code in Approve field	SKIPPED	0.001 s
14	And user double click the code on Approve field	SKIPPED	0.000 s
15	And user click Approve Button	SKIPPED	0.000 s
16	And user click the save ok button	SKIPPED	0.001 s
17	And user click the ok	SKIPPED	0.001 s
18	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
19	And user click Transaction submenu on CSMCore	SKIPPED	0.000 s
20	And user click Maintance screen under Transaction submenu	SKIPPED	0.000 s
21	And user Enter the TRXType on maintance screen	SKIPPED	0.000 s
22	And user Enter the BranchCode under TRXType	SKIPPED	0.000 s
23	And user Enter the CurrencyCode under TRXType	SKIPPED	0.000 s
24	And user Enter the GLCode under TRXType	SKIPPED	0.000 s
25	And user Enter the CifCode under TRXType	SKIPPED	0.001 s
26	And user Enter the SerialNo under TRXType	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked


(F) To test the funcnalities of Transaction  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked


(F) To test the funcnalities of Transaction  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked


(F) To test the funcnalities of Transaction  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked


(F) To test the funcnalities of Transaction  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked


(F) To test the funcnalities of Transaction  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked

(F) To test the funcnalities of Transaction  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked

(F) To test the functionalities of Transaction  
module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked

(F) To test the functionalities of Transaction  
module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked

(F) To test the funcnalities of Transaction  
module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked

(F) To test the funcnalities of Transaction  
module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Checking Multi Transfer (Main Credit)  
Transaction - Booked Entries + Balance  
Updates - Allow Internal GL flag  
unchecked

(F) To test the functionalities of Transaction  
module

**AZENTIO** User: KARTHIK Company: IDAJ Branch: Head Office 01 December 2022

Full Screen | Options | Advanced Options | Home | Log Out | Help Language:

**Menu Options**

- Parameters
  - CIF Parameters
  - Accounts Parameters
  - System Parameters
    - Backlist Source
    - ACD Parameters
    - Control Record
    - Statement Control Record
    - ATM Services
    - ATM Service Type
    - User Type
    - User Level
    - Transaction Hunting
    - Passbook Type
    - User Template
    - User
    - ACD Categories
    - Status
    - Vault
    - Charges
  - Transaction Type
    - Maintenance
    - Approve
    - Update After Approve**
    - List
    - Swift Rule
    - Lost Documents
    - Cards
    - Evaluation Recommendation
    - Cards Status Reason
    - Template Entries
    - Clearing House
    - Bill Type
    - Reasons
    - Memo
    - Request Type
    - Safebox Parameters
    - Backlist Type
    - HOCR
    - Report Arguments
    - Specific Points
    - Swift Info
    - Merchant Category
    - Remittance Type
    - Files Format

**Parameters**

☐ Enable MICR

☐ Save Cheque Image

☐ Allow to proceed on backdated cheques

☐ Allow To Proceed On Postdated Cheques

☐ Void When Insufficient Balance

☐ Allow to Issue Certified Cheques

From Date:  To Date:

☐ Apply System Date for Future Entries When Voiding Cheque

☐ Restrict Cheque Deposit for CIF with no BVN

MICR Code Line:

☐ Execute Custom Validation on Cheque Digits

☐ MICR Serial Port

☐ OBC Trx

☐ Default Cheque Date

☐ No Acc Entries When Voiding Active Transactions

☐ Backdated period:

☐ Replace Transaction Date By Cheque/Value Date

☐ Show void button in alert window

☐ Ignore Holidays For Transaction Date

☐ Apply Charges on Voiding

☐ Enable Manual Void Upon Cheque Trx Creation

**House Cheque**

Value Date Based On:

Value Date After:  days

**Clearing/Inward Cheque**

Value Date Based On:

Value Date After:  days

Value date balance available:

Holiday Flag:

☐ Show clearing House

Clearinghouse:

☐ Allow To Change Clearing Account

☐ Automatic Batching

☐ Maintain Batch

☐ Show International Cheque No

☐ Reverse Charges On Voiding

☐ Apply HOF

HOF Trx Type:

HOF Reason:

☐ Set Value Date equal to Void Date

☐ Bank CIF is Mandatory

Copyright ©2023 Azentio All Rights Reserved Inal Parametrisation 14.7.0.0 Build 201 Powered By: