

Cucumber Report

24-May-2023, 12:19:37 pm

Start : May 24, 12:17:57.674 pm

End : May 24, 12:19:35.664 pm

Duration : 1 m 37.990 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 8


FAILED - 1

SKIPPED - 21







#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of chequebook under receive from provider	1	0	1	0	1 m 37.990 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of chequebook under receive from provider</u>	<u>Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at *</u>	30	8	1	21	1 m 37.981 s


* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of chequebook under receive from provider




FAILED	DURATION - 1 m 37.990 s	Scenarios		Steps	
/ 12:17:57.674 pm // 12:19:35.664 pm /		Total - 1		Total - 30	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 21	

(S)- Cheque book - GL type field is 'Notify and Don't Proceed', 'Proceed on insufficient funds' flag unchecked at Transaction type


<div>FAILED</div> <div>DURATION - 1 m 37.981 s</div>			<div>Steps</div> <div>Total - 30</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 21</div>	
/ 12:17:57.683 pm // 12:19:35.664 pm /				
To verify the functionality of chequebook under receive from provider				
@CHB_179				

#	Step / Hook Details	Status	Duration
1	Given user login as csm params application	PASSED	23.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
			
2	And user update test data set id for CHB_179	PASSED	0.473 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click parameters menu	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
4	And user click the Account parameters submenu	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
			
5	And user click the General Ledger submenu	PASSED	0.492 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
6	And user click the update after approve screen under general ledger	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user click code under update after approve screen	PASSED	4.897 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
8	And user enter the value in code	PASSED	0.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
			
9	And user retrieve the record under update approve screen org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//td[text()='400402'])[1]' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBookRequest_Screen. user_retrieve_the_record_under_update_approve_screen(CSM_ChequeBookRequest_Screen.java:1369) at ?user retrieve the record under update approve screen(file:///C:/Users/ININDC00071/git/CSM_Application_Gowri/AzentioAutomationFramework_CSM_Gowri/src/test/java/features/CSM_ChequeBook_Request.feature:572) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//td[text()='400402'])[1]"} (Session info: chrome=113.0.5672.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02e09bdc6683551d58f7a58133a4a991, findElement {using=xpath, value=(//td[text()='400402'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.127, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gcmh...), goog:chromeOptions: {debuggerAddress: localhost:53818}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53818/devtoo..., se:cdpVersion: 113.0.5672.127,	FAILED	1 m 0.039 s

#	Step / Hook Details	Status	Duration
	<p>setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02e09bdc6683551d58f7a58133a4a991</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.CSM_ChequeBookRequest_Screen. user_retrieve_the_record_under_update_approve_screen(CSM_ChequeBookRequest_Screen.java:1369) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.268 s
10	And user click on additional details	SKIPPED	0.000 s
11	Then user select the required dropdown field under additonal details	SKIPPED	0.001 s
12	And user click on update button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
13	And user click on ok button	SKIPPED	0.000 s
14	And user click on approve screen	SKIPPED	0.000 s
15	And user click and enter the value in code under approve screen	SKIPPED	0.000 s
16	And user retrieve the internal account record in approve screen	SKIPPED	0.000 s
17	And user click on additional details	SKIPPED	0.000 s
18	Then user click on approve button	SKIPPED	0.001 s
19	And user click on ok button	SKIPPED	0.000 s
20	And user click system parameters submenu	SKIPPED	0.000 s
21	And user click on transaction type submenu	SKIPPED	0.000 s
22	And user click on update after approve	SKIPPED	0.000 s
23	And user click and enter the value in code under transaction type	SKIPPED	0.000 s
24	And user retrieve the record under transaction type	SKIPPED	0.000 s
25	Then user verify required flag is checked or not	SKIPPED	0.000 s
26	And user click on update after approve button	SKIPPED	0.000 s
27	And user click on approve screen under transaction type	SKIPPED	0.001 s
28	And user click and enter the value in code in approve screen under transaction type	SKIPPED	0.000 s
29	And user retrieve the internal account record in approve screen under transaction type	SKIPPED	0.000 s
30	Then user click on approve button under transaction type	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type


(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - Acc Control Record
 - High Fiscal Year
 - ACCOUNTS CLOSURE
 - Accounts Rates
 - Currencies
 - CIF & Account Opening Restrictions
 - Book Exchange Rate
 - Fiscal Year
 - CIF & Account limits
 - General Ledger
 - Maintenance
 - Approve
 - UPDATE AFTER APPROVE
 - Reject
 - List
 - Contra Chapters
 - Custom Exchange Rate
 - Account Class
 - Divisions
 - Account Type
 - Labour Rate
 - CLIMBING
 - Currency Exchange Limits
 - JV Type
 - Units
 - Transaction Label
 - Internal General Ledger
 - Accounts Suspend Reason
 - Departments
 - System Parameters
- Black List Management
- Charges And Fees Policy
- Utilities
- Sms Subscription Template
- Journal Voucher
- Memo Detail

Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE

Code	Additional Reference	Brief Desc Eng	Long Name	Type	status_Key
143002	14023010	Ijara Rentals due	Ijara Rentals due	Non-Internal	Approved
143022	16001030	Accru Dep Ijarah	Accru Dep Ijarah	Non-Internal	Approved
143031	22065020	Imp Prov Leasing	Imp Prov Leasing	Internal	Approved
143041	17068500	Accru Dep Ijara Asset	Accru Dep Ijara Asset	Non-Internal	Approved
143099	14023990	Ijara Rev Adj A/C	Ijara Revaluation Adjustment A/ Internal	Internal	Approved

Page 1 of 323

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

Menu Options

- Parameters
 - CIP Parameters
 - Accounts Parameters
 - Acc Control Record
 - High Fiscal Year
 - ACCOUNTS CLOSURE
 - Accounts Rates
 - Currencies
 - CIF & Account Opening Restrictions
 - Book Exchange Rate
 - Fiscal Year
 - CIF & Account limits
 - General Ledger
 - Maintenance
 - Approve
 - UPDATE AFTER APPROVE
 - Reject
 - List
 - Contra Chapters
 - Custom Exchange Rate
 - Account Class
 - Divisions
 - Account Type
 - Labour Rate
 - CLIMBING
 - Currency Exchange Limits
 - JV Type
 - Units
 - Transaction Label
 - Internal General Ledger
 - Accounts Suspend Reason
 - Departments
 - System Parameters
- Black List Management
- Charges And Fees Policy
- Utilities
- Sms Subscription Template
- Journal Voucher
- Memo Detail

Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE

Code	Additional Reference	Brief Desc Eng	Long Name	Type	status_Key
143002	14023010	Ijara Rentals due	Ijara Rentals due	Non-Internal	Approved
143022	16001030	Accru Dep Ijarah	Accru Dep Ijarah	Non-Internal	Approved
143031	22065020	Imp Prov Leasing	Imp Prov Leasing	Internal	Loading...
143041	17068500	Accru Dep Ijara Asset	Accru Dep Ijara Asset	Non-Internal	Approved
143099	14023990	Ijara Rev Adj A/C	Ijara Revaluation Adjustment A/ Internal	Internal	Approved

Page 1 of 323

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cheque book - GL type field is 'Notify
and Don't Proceed', 'Proceed on
insufficient funds' flag unchecked at
Transaction type

(F) To verify the functionality of
chequebook under receive from provider

The screenshot shows the Azentio software interface. The top bar displays the user 'GOWRI', company 'BAJ', and date '01 December 2022'. The sidebar menu on the left lists various options, including 'Parameters', 'Accounts Parameters', 'General Ledger', and 'System Parameters'. The main area is titled 'Parameters / Accounts Parameters / General Ledger / UPDATE AFTER APPROVE'. It features a table with columns: Code, Additional Reference, Brief Desc Eng, Long Name, Type, and status_Key. The table is currently empty, showing 'No records to view'. The bottom of the screen displays copyright information: 'Copyright ©2023 Azentio All Rights Reserved' and 'Powered by Azentio'.