


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Testing the functionalities of Transaction on staff account in CSM Application	1	1	0	0	1 m 41.663 s



-- 3 --

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the functionalities of	Checking Cash Deposit Transaction - Interbranch -	17	17	0	0	1 m 41.558 s
	Transaction on staff account in CSM *	Prerequisites (Enable Multi Branch flag - Check)					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## (F)- Testing the functionalities of Transaction on staff account in CSM Application

PASSED	DURATION - 1 m 41.663 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 5:51:36.789 pi	m // 5:53:18.452 pm /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Checking Cash Deposit Transaction - Interbranch - Prerequisites (Enable Multi Branch flag - Check)

																		_		
PASSED DURATION - 1 m 41.558 s	[																Steps			
/ 5:51:36.894 pm // 5:53:18.452 pm /	15 -	ı			-							7.	 				Total - 17			
Testing the functionalities of Transaction on staff	10 -	ı		-		- + -	-		-				- + -	-	- + -	-	Pass - 17		17	
account in CSM Application	5 -	ı		-			İ	<u> </u>						<u>-i-</u> :		-	Fail - 0			
@TRS 052 01	0 1	-	-	<u>+</u>	-		 	7	- I	+	10	11	12	13	14	15	Skip - 0	<b>\</b>		
		- 1	-	٥	*		U	,	0	a	10	"	14	13	14	10				

#	Step / Hook Details	Status	Duration
1	Given User Navigate to CSMParam application and login with valid credentials	PASSED	23.612 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.584 s
	screenshot		
2	And User Click on Parameters under CSMParam Application	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
	# ***		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.30 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.41 s	#	Step / Hook Details	Status	Duration
And User Click on Transaction Type under System Parameters Sub Menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addS	3	And User Click on System Parameters under Parameters Main Menu	PASSED	0.317 s
And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
4 And User Click on Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.408 s  PASSED  O.408 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  PASSED  O.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.408 s  PASSED  O.408 s	4	And User Click on Transaction Type under System Parameters Sub Menu	PASSED	1.140 s
screenshot  And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  PASSED  0.441 s				
And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  PASSED  0.441 s		Table   Tabl		
screenshot  And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s	5	And User Click on Update After Approve in Transaction Type under System Parameters Sub Menu	PASSED	0.408 s
And User Enter the Trx Type in Code under Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  PASSED  0.441 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.730 s  PASSED  0.441 s				
Screenshot  7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s	6	And User Enter the Trx Type in Code under Update After Approve Screen	PASSED	6.599 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.455 s
7 And Use Double Click on the Searched Code in Update After Approve Screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.441 s				
	7	And Use Double Click on the Searched Code in Update After Approve Screen	PASSED	1.730 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
		screenshot		

#	Step / Hook Details	Status	Duration
8	And User Check the Enable Multi Branch flag in Update After Approve Screen	PASSED	6.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
9	And User Click on Update After Approve button in Update After Approve Screen	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.519 s
	screenshot		
10	And User Click Ok Button in Confirm PopUp Menu in Update After Approve Screen	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
11	And User Click Ok Button in Success PopUp Menu in Update After Approve Screen	PASSED	4.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		


#	Step / Hook Details	Status	Duration
12	And User Click on Approve under Transaction Type	PASSED	0.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
13	And User Enter the Trx Type in Code under Approve Screen	PASSED	2.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
14	And User Double Click on the Searched Code in Approve Screen	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
15	And User Click on Approve Button in Approve Screen under System Parameters	PASSED	4.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
	screenshot		

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
16	And User Click on Ok Button in Confirm PopUp under Approve Screen	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
17	And User Click on Ok Button in Success PopUp under Approve Screen	PASSED	5.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION --- 13 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. Parameters

- CIF Parameters

- CIF Parameters

- CIF Parameters

- Accounts Parameters

- Stylem Parameters

- Stylem Parameters

- Stylem Parameters

- ADD Parameters

- Control Record

- ADD Seameters

- Control Record

- ADD Seameters

- Control Record

- ADD Seameters

- Control Record

- ADD Service Type

- User Type

- User Level

- Transaction Hunting

- Passbook Type

- User Template

- User

java.Scenario) Link To Drawdown (S) Checking Cash Deposit Transaction -Confirm Save Process
Check Closing Transfer
HOF Days
Control Clinical Process
Control Interbranch - Prerequisites (Enable Multi Alert Flow on Overdrawn A/C Renew Commission
Allow Cancel on Creation Date Only
CEFT'S Transaction
Reverse Reason Branch flag - Check ) Periodicity Type Allow Cancel on Creation Date Only Do not allow creating transactions when ID is expired (F) Testing the functionalities of Transaction on staff account in CSM Consolidate Same Reference Entries in SOA by Request Type
 Safebox Parameters
 BlackList Type **Application** BlackList Type

MICR

Report Arguments

Specific Points

Swift Info


Merchant Categor

Remittance Type

Files Format Transfer from Vault to Clearing Sub-Status (Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java. Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )

(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. Parameters

CIP Parameters

CIP Parameters

CIP Parameters

CIP Parameters

System Parameters

Eladdet Sonders

Liber Level

Transaction Huntin

Passbook IVP

Tamasction Fuet

Eladdet Sonders

Eladdet Sonders

Eladdet Sonders

Liber Level

Eladdet Sonders

Eladdet Sonders

Eladdet Type

Blook Parameters

Eladdet Type

Blook Sonders

Eladdet Type

Blook Sonders HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Checking Cash Deposit Transaction -Interbranch - Prerequisites (Enable Multi Branch flag - Check ) (F) Testing the functionalities of Transaction on staff account in CSM **Application** (Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. Parameters

> CIF Parameters

> Accounts Parameters

System Parameters

> Blacklist Source

> ADD Parameters

> Control Record

> Statement Control Record java.Scenario) ATM Services
 ATM Service Type User Type
User Level
Transaction Hunting
Passbook Type (S) Checking Cash Deposit Transaction -Validade

User

ADD Categories

Status

Vault

Charges


Transaction Type

Maintenance Interbranch - Prerequisites (Enable Multi Branch flag - Check ) Approve
Update After Approve
List
Swift Rule Lost Documents Cards
Evaluation Re Cards Status Reason
Template Entries
Clearing House
Bill Type (F) Testing the functionalities of Reasons

Memo

Request Type Transaction on staff account in CSM Request Type
Safebox Parameters
BlackList Type
MICR
Report Arguments **Application** Specific Points
Swift Info
Merchant Category Remittance Type Files Format


EXPANDED SECTION -- 15 --



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )


(F) Testing the functionalities of Transaction on staff account in CSM Application



(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking Cash Deposit Transaction - Interbranch - Prerequisites ( Enable Multi Branch flag - Check )

(F) Testing the functionalities of Transaction on staff account in CSM Application



EXPANDED SECTION -- 17 --

