Cucumber Report

Start : May 15, 12:37:58.553 PM

End : May 15, 12:39:47.998 PM

Duration : 1 m 49.445 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 12
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 14

1

1

27

Pass %

0 %

Pass %

0 %

Pass %

44 %

#	Feature Name	T	P	F	S	Duration
1	*To verify the functionality of Chequebook request module*	*1*	*0*	*1*	*0*	*1 m 49.445 s*

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Chequebook request module	Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to *	27	12	1	14	1 m 49.439 s

* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- To verify the functionality of Chequebook request module

| FAILED	DURATION - 1 m 49.445 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 27 Pass - 12 Fail - 1 Skip - 14	27
/ 12:37:58.553 PM // 12:39:47.998 PM /					

(S)- Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

FAILED	DURATION - 1 m 49.439 s		Steps Total - 27 Pass - 12 Fail - 1 Skip - 14	27
/ 12:37:58.559 PM // 12:39:47.998 PM /				
To verify the functionality of Chequebook request module				
@CHB_186				

#	Step / Hook Details	Status	Duration
1	Given navigate to CSM param application and login with valid credentials	PASSED	18.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
2	And user click the parameters menu	PASSED	1.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click the system parameters submenu	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
4	And user click the User screen in system parameters	PASSED	0.702 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
5	And user click the update after approve screen	PASSED	0.628 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
6	And user update test data set id for CHB_186	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click and send the values in user id under update after approve screen	PASSED	1.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
8	And user double click the user id	PASSED	0.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
9	And user select the logged in branch	PASSED	2.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
10	And user click the update after approve button	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
11	And user click the save ok button	PASSED	0.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot +		
12	And user click the ok	PASSED	2.827 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
	screenshot +		
13	And user click the approve in user screen	FAILED	1 m 0.045 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //td[text()='General Ledger']//ancestor::a//following-sibling::ul//span[contains(text(),'Approve')]' (tried for 60 second(s) with 1 milliseconds interval)
	    at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)
	    at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_approve_in_user_screen(CSM_Chequebookrequest_step.java:144)
	    at ?.user click the approve in user screen(file:///C:/Users/inindc00606/git/Karthik_CSM/CSM_Karthi/src/test/java/features/CSM_feature_Chequebook_Request.feature:21)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[text()='General Ledger']//ancestor::a//following-sibling::ul//span[contains(text(),'Approve')]"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4716f230fb6e843db311a57cae26358d, findElement {using=xpath, value=//td[text()='General Ledger']//ancestor::a//following-sibling::ul//span[contains(text(),'Approve')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57987}, networkConnectionEnabled: false,		

| #	Step / Hook Details	Status	Duration
	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57987/devtoo..., se:cdpVersion: 113.0.5672.93, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4716f230fb6e843db311a57cae26358d at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.CSM_Chequebookrequest_step.user_click_the_approve_in_user_screen(CSM_Chequebookrequest_step.java:144) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
14	And user update test data set id for CHB_186	SKIPPED	0.000 s
15	And user click and send the values in user id under Approve screen	SKIPPED	0.000 s
16	And user double click the user id	SKIPPED	0.001 s
17	And user click the approve box	SKIPPED	0.000 s
18	And user click the save ok button	SKIPPED	0.000 s
19	And user click the ok	SKIPPED	0.000 s
20	Given navigate to CSM application and login with valid credentials	SKIPPED	0.000 s
21	And user click the chequebook request in csmcore	SKIPPED	0.000 s
22	And user click the send to receive from provider	SKIPPED	0.001 s
23	And user click the send to provider screen	SKIPPED	0.000 s
24	And user click the retrive button in send to provider	SKIPPED	0.000 s
25	And user update test data set id for CHB_186_D3	SKIPPED	0.006 s
26	And user click the receive from provider screen	SKIPPED	0.000 s
27	And user update test data set id for CHB_186_D3	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

(F) To verify the functionality of Chequebook request module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch

(F) To verify the functionality of Chequebook request module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Functional testing -Testing "Chequebook Request - Send To/Receive From Provider" Screen If the DDL is set to logged-in branch	
(F) To verify the functionality of Chequebook request module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Functional testing -Testing
"Chequebook Request - Send To/Receive
From Provider" Screen If the DDL is set to
logged-in branch

(F) To verify the functionality of
Chequebook request module