Duration: 1 m 22.650 s Start: Nov 03, 1:17:38.943 PM End: Nov 03, 1:19:01.593 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 8 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 22.650 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down	TC to check the new section added in the Corporate	8	7	1	0	1 m 22.645 s
	Request	Package screen					

DETAILED SECTION

(F)- Test the Functionality of Draw Down Request

FAILED	DURATION - 1 m 22.650 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 1:17:38.943 P	M // 1:19:01.593 PM /	Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- TC to check the new section added in the Corporate Package screen

FAILED	DURATION - 1 m 22.645 s	60 -		-			-	-				Steps		
/ 1:17:38.94	8 PM // 1:19:01.593 PM /	40 -										Total - 8		
Test the Fund	ctionality of Draw Down Request	20 -										Pass - 7 Fail - 1	8	
@AT DDR (013	0 -	L				<u> </u>				_	Skip - 0		<u> </u>
				1	2	3	4	5	6	7	8			

PASSED PASSED	7.617 s 0.285 s
PASSED	0.285 s
PASSED	5.072 s
PASSED	0.242 s

A And User_013 click on amintanance AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_013 click on corporate packages AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED	#	Step / Hook Details	Status	Duration
screenshot And User_013 click on corporate packages AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksCla	3	And User_013 click parameter Menu	PASSED	0.201 s
4 And User_013 click on corporate packages AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(lo.cucumber.java.Scenario) Screenshot 5 And User_013 click on maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(lo.cucumber.java.Scenario) Screenshot 6 And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(lo.cucumber.java.Scenario) Screenshot 6 And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(lo.cucumber.java.Scenario) Screenshot 6 And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(lo.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(lo.cucumber.java.		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
4 And User_013 click on corporate packages PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s The step of the st		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot APTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) APTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s				
screenshot Ad User_013 click on maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s	4	And User_013 click on corporate packages	PASSED	0.397 s
Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.203 s PASSED O.203 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s O.203 s		screenshot	_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.294 s 0.294 s 0.294 s 0.295 s 0.187 s 0.187 s				
screenshot And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s PASSED 0.173 s	5	And User_013 click on maintanance	PASSED	0.455 s
And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 0.173 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
And User_013 group limit tab unser maintanance AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.203 s O.173 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s 0.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s				
screenshot 7 And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 0.173 s	6	And User_013 group limit tab unser maintanance	PASSED	2.059 s
7 And User_013 Click on Add new Row Under Yeild Detail AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 0.173 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
7 And User_013 Click on Add new Row Under Yeild Detail PASSED 0.203 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s				
	7	And User_013 Click on Add new Row Under Yeild Detail	PASSED	0.203 s
screenshot		-		0.173 s
		screenshot		


#	Step / Hook Details	Status	Duration
8	And User_013 Check for the new section Group Limit added in this screen with the below features	FAILED	1 m 0.110 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath': //*i@i@id='new_1699006386646_fmsCorpGroupVO_GROUP_ID'T (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.untuf(FluentWait.java.230) at lepter. WaitHelper.waitForElementwithFluentwait(WaitHelper.java.230) at helper. WaitHelper.waitForElementwithFluentwait(WaitHelper.java.250) at stepdefinitions. DDRcorporatescreen_0.13.User_0.13_Check_for_the_new_section_Group_Limit_added_in_this_screen_with_the_below_features(DDRcorporat escreen_0.13.java.80) at ? User_0.13_Check for the new section Group Limit added in this screen with the below features(file:///i/Cylers/ININDC00629/git/ AZENTIO-FMSIJAzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature.29) Caused by org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: */"method"**xpath**/selector***/!/*i@id='new_169906386646_fmsCorpGroupVO_GROUP_ID'T). (Session into: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleoning/errors/mo-such-element-exception Build into: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [194a35546atf4658452458ee89dd42d, findElement**. Cultures/WaitNDC-1Appabations.corpdocati		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)		
	at stepdefinitions.		
	DDRcorporatescreen_013.User_013_Check_for_the_new_section_Group_Limit_added_in_this_screen_with_the_below_features(DDRcorporat escreen_013.java:80)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		


EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

