Cucumber Report

| Start : Nov 09, 9:39:31.676 AM	End : Nov 09, 9:40:16.319 AM	Duration : 44.643 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 22 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	Testing the Functionality of Financial facility Application	1	0	1	0	44.643 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the Functionality of Financial facility Application	Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	26	22	1	3	44.640 s

## (F)- Testing the Functionality of Financial facility Application

FAILED	DURATION - 44.643 s	Scenarios		Steps	
/ 9:39:31.676 AM // 9:40:16.319 AM /		Total - 1		Total - 26	
		Pass - 0	1	Pass - 22	26
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

FAILED	DURATION - 44.640 s		Steps	
/ 9:39:31.679 AM // 9:40:16.319 AM /			Total - 26	
Testing the Functionality of Financial facility Application			Pass - 22	26
			Fail - 1	
@AT_SL_014			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given navigate to FMS application and login with valid credentials	PASSED	7.727 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
	+		
2	And User_482 click Technical details	PASSED	1.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
	+		
3	And User_482 click clear caches	PASSED	0.235 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		
	+		
4	And User_482 Click on Ok button in Success Pop up Menu	PASSED	2.998 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	+		
5	And User_482 Click on WIFAK Application Main Menu	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
	+		
6	And User_482 Click on WIFAK Application Sub Menu	PASSED	1.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	+		
7	And User_482 Click Application for financial facilities	PASSED	1.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
8	And User_482 Click Maintenance screen in WIFAK Application sub menu	PASSED	1.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot +		
9	And User_482 update test data set for AT_AFF_051	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot +		
10	And User_482 Select Application For field in Maintenace Screen under WIRAK Application	PASSED	7.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot +		
11	And User_482 enter the CIF No in main info tab under WIRAK Application	PASSED	0.776 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot +		

#	Step / Hook Details	Status	Duration
12	And User_482 enter the facility type in main info tab under WIRAK Application	PASSED	0.791 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot +		
13	And User_482 enter the country of financing in main info tab under WIRAK Application	PASSED	0.745 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot +		
14	And User_482 enter facility rating in main info tab under WIRAK Application	PASSED	0.506 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot +		
15	And User_482 clicks on the additional details tab under WIRAK Application	PASSED	0.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot +		
16	And User_482 Enter total value under additional details tab in WIFAK Application	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

| #	Step / Hook Details	Status	Duration
17	And User_482 Enter offer Expiration in Additional details under WIFAK Application	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot 		
18	And User_482 click Limit Details tab in WIFAK Application	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot 		
19	And User_482 click add icon in limit details under WIFAK Application	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot 		
20	And User_482 select the product class in limit details under WIFAK Application	PASSED	3.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot 		

#	Step / Hook Details	Status	Duration
21	And User_482 check clean checkbox options in limit details under WIFAK Application	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	+		
22	And User_482 click add icon in limit details popup under WIFAK Application	PASSED	1.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
	+		
23	And User_482 click save button in Main Info tab under WIFAK Application	FAILED	1.288 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button type="button" id="applicationfacility_save_as_draft_btn_WIFT001MT" value="Submit" class="path-btn-def-access-progref ui-button ui-widget ui-state-default ui-corner-all ui-button-text-icon-primary" freezeonsubmit="true" onclick="applicationFacility_MainSaveAsDraft()" role="button" aria-disabled="false">...</button> is not clickable at point (270, 741). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1874px; height: 816px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=119.0.6045.106) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e9aff185546592ee94d5eba6810d5914, clickElement {id=1BCC41F431052F5AFFD947AD015346FE_element_551}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.106, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57029}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57029/devtoo..., se:cdpVersion: 119.0.6045.106, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (e9aff185546592ee94d5eba6810d5914)] -> xpath: //button[@id='applicationfacility_save_as_draft_btn_WIFT001MT']] Session ID: e9aff185546592ee94d5eba6810d5914
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
		FAILED	1.288 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions. ApplicationForFacility_482.user_482_click_save_button_in_main_info_tab_under_wifak_application(ApplicationForFacility_482.java:2011) at ?.User_482 click save button in Main Info tab under WIFAK Application(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/CostomerGrading_001.feature:43) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.208 s
24	And User_482 Click on Ok button in Confirm Pop up Menu	SKIPPED	0.001 s
25	And User_482 Click on Ok button in Success Pop up Menu	SKIPPED	0.000 s
26	And User_014 Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	SKIPPED	0.000 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	
(F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	
(F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check that the Facility Risk Rating are
reflected at the level of Application for
Financial Facilities

(F) Testing the Functionality of Financial
facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities (F) Testing the Functionality of Financial facility Application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities (F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities (F) Testing the Functionality of Financial facility Application	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities (F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	
(F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	
(F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	
(F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities	
(F) Testing the Functionality of Financial facility Application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check that the Facility Risk Rating are reflected at the level of Application for Financial Facilities

(F) Testing the Functionality of Financial facility Application