

Cucumber Report

28 Sep 2023, 3:52:58 PM

Start : Sep 28, 3:52:20.365 PM

End : Sep 28, 3:52:56.559 PM

Duration : 36.194 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 17
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	1	1	0	0	36.194 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	<u>Penalty -basic Testing</u>	17	17	0	0	36.190 s



(F)- To test the IIS Parameter functionalities

PASSED	DURATION - 36.194 s	Scenarios		Steps	
/ 3:52:20.365 PM // 3:52:56.559 PM /		Total - 1		Total - 17	
		Pass - 1		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Penalty -basic Testing




<div>PASSED</div> <div>DURATION - 36.190 s</div>		<div>Steps</div> <div>Total - 17</div> <div>Pass - 17</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 3:52:20.369 PM // 3:52:56.559 PM /</div>			
<div>To test the IIS Parameter functionalities</div>			
<div>@721477</div>			

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	5.844 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
			
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
6	And User_611 Enter and create a code value under maintenance screen	PASSED	1.687 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
			
10	And User_611 clicks the save button under maintenance screen	PASSED	3.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
11	And User_611 Validate the saving record	PASSED	3.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And User_611 Enter the penalty code under maintenance screen	PASSED	3.872 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
13	And User_611 Edit the brief name eng for updation under maintenance screen	PASSED	0.759 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
14	And User_611 Edit the long discription for updation under maintenance screen	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
15	And User_611 Enter the charges code under maintenance screen	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And User_611 clicks the save button under maintenance screen	PASSED	3.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
17	And User_611 validate the updating record	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot displays the AZENTIO web application interface. The top navigation bar shows the user 'KOUJALYA' and the date '28 September 2023'. The sidebar menu on the left lists various system settings, with 'Penalty / Maintenance' selected. The main content area shows the configuration for a specific penalty type (Code: 0502). The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code', and 'Collect Penalty At'. The status is set to 'Active'. The bottom of the page shows the copyright notice 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'AML 102 Parameter 14.7.0.0 Build 296'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot is identical to the one above, showing the AZENTIO web application interface for the 'Penalty / Maintenance' configuration page. It displays the same sidebar menu, main form fields, and status bar information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUSSALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The main menu on the left lists various system modules, with 'Penalty / Maintenance' selected. The main form area displays the 'Parameters / Penalty / Maintenance' form for a new record (M068HT) with Code '0502'. The form is active, as indicated by the 'Active' status. The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type' (set to 'Profit on Outstanding Principal'), 'Penalty Type After Maturity' (set to 'Annual Percentage on Outstanding Principal Amount'), 'Minimum Amount' (set to '.000'), 'Charges Code' (set to '0003'), and 'Collect Penalty At' (set to 'Next Installment'). The 'Penalty Calculation Based on' is set to 'Actual Days'. A 'Save' button is visible at the bottom of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUSSALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The main menu on the left lists various system modules, with 'Penalty / Maintenance' selected. The main form area displays the 'Parameters / Penalty / Maintenance' form for a new record (M068HT) with Code '0502'. The form is active, as indicated by the 'Active' status. The form includes fields for 'Brief Name Eng', 'Long Description', 'Penalty Type' (set to 'Profit on Outstanding Principal'), 'Penalty Type After Maturity' (set to 'Annual Percentage on Outstanding Principal Amount'), 'Minimum Amount' (set to '.000'), 'Charges Code' (set to '0003'), and 'Collect Penalty At' (set to 'Next Installment'). The 'Penalty Calculation Based on' is set to 'Actual Days'. A 'Save' button is visible at the bottom of the form. A confirmation dialog 'INFORMATION Saved Successfully' is displayed over the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUJALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The application is displaying the 'Parameters / Penalty / Maintenance' form for 'M068HT'. The form has two tabs: 'Main Information' and 'Penalty Details'. The 'Main Information' tab is active, showing fields for 'Code *' (0502), 'Brief Name Eng *' (TestdataTestdata), 'Long Description *' (Testdata), 'Penalty Type' (Profit on Outstanding Principal), 'Penalty Type After Maturity' (Annual Percentage on Outstanding Principal Amount), 'Minimum Amount' (0.00), 'Charges Code *' (0003), 'Insurance type', and 'Collect Penalty At' (Next Installment). The 'Penalty Calculation Based on' is set to 'Actual Days'. The form also includes 'Save' and 'Delete' buttons. The footer of the application shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot is identical to the one above, showing the AZENTIO web application interface for the 'Penalty / Maintenance' form. The user is logged in as KOUJALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The application is displaying the 'Parameters / Penalty / Maintenance' form for 'M068HT'. The form has two tabs: 'Main Information' and 'Penalty Details'. The 'Main Information' tab is active, showing fields for 'Code *' (0502), 'Brief Name Eng *' (TestdataTestdata), 'Long Description *' (Testdata), 'Penalty Type' (Profit on Outstanding Principal), 'Penalty Type After Maturity' (Annual Percentage on Outstanding Principal Amount), 'Minimum Amount' (0.00), 'Charges Code *' (0003), 'Insurance type', and 'Collect Penalty At' (Next Installment). The 'Penalty Calculation Based on' is set to 'Actual Days'. The form also includes 'Save' and 'Delete' buttons. The footer of the application shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUSSALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The application is in Arabic. The main menu on the left includes options like 'An-Rahn Unit Price', 'Product Category Control Record', 'SPOOL DATA', 'JP(BP) Tenure Matrix', 'Product Sub Category', 'Product Type', 'Charges', 'Budget', 'Excessive Profit Rate', 'LIBOR Rate', 'Floating Rate', 'Hudherbah Rate', 'Templates', 'Repayment Plan Template', 'Item', 'Yield', 'Provision Management', 'Product Class', 'Product Class - Fund Accounts', 'Product Class - Portfolio Accounts', 'Vendor Information', 'Target Maintenance', 'Revenues and Expenses Accounts', 'Settlement Policy', 'Swift Currency Settings', 'Vendor Incentive Schemes', 'Forex Multi/Div Indicator', 'Currency Exchange Rate Tolerance Level', 'Report Template', 'Reason Codes', 'Sub Purpose Codes', 'Hiji Setup', 'Unit Codes Setup', 'Security Market Price', 'Deviation', 'Board Members', 'CIF SECRET', 'Insurance Types', 'Insurance Companies', 'Email', 'Third Party Details', 'Desk Management', 'Penalty', and 'Maintenance'. The 'Penalty / Maintenance' form is displayed, showing a new record with Code '0502'. The form fields include: Brief Name Eng (*), Long Description (*), Penalty Type (Profit on Outstanding Principal), Penalty Type After Maturity (Annual Percentage on Outstanding Principal Amount), Minimum Amount (.000), Charges Code (*, 0003), Collect Penalty At (Next Installment), and Penalty Calculation Based on (Actual Days). The form is in Arabic, with labels like 'الإسم المختصر' and 'الوصف الكامل'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The user is logged in as KOUSSALYA, Company: 14.7 Oracle BAJ, Branch: Head Office, on 28 September 2023. The application is in Arabic. The main menu on the left is the same as in the previous screenshot. The 'Penalty / Maintenance' form is displayed, showing a table of records. The table has columns: Penalty Code, Brief name, Long Name, الإسم المختصر, and الإسم الكامل بالعربية. The table contains one record with Code '0502', Brief name 'TestdataTestdata', Long Name 'Testdata', الإسم المختصر 'Testdata', and الإسم الكامل بالعربية 'Testdata'. An 'INFORMATION' dialog box is displayed, stating 'Updated Successfully'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

