

Cucumber Report

28 Oct 2023, 10:21:50 AM

Start : Oct 28, 10:20:53.599 AM

End : Oct 28, 10:21:49.408 AM

Duration : 55.809 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 12


FAILED - 1

SKIPPED - 2







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>To Test the iisparam application</u> | 1 | 0 | 1 | 0 | 55.809 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|----------------|----|----|---|---|----------|
| 1 | To Test the iisparam application | create request | 15 | 12 | 1 | 2 | 55.805 s |





(F)- To Test the iisparam application






| | | | | | |
|--|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 55.809 s | Scenarios |  | Steps |  |
| / 10:20:53.599 AM // 10:21:49.408 AM / | | Total - 1 | 1 | Total - 15 | 15 |
| | | Pass - 0 | | Pass - 12 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |


(S)- create request

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 55.805 s</div> | |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 12</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 10:20:53.603 AM // 10:21:49.408 AM / | | | | |
| To Test the iisparam application | | | | |
| @AT_RF_143 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given navigate to FMS application and login with valid credentials | PASSED | 8.090 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | screenshot | | |
| |  | | |
| 2 | And User_482 Click on REQUEST FOR FINANCIN under FMS application | PASSED | 1.333 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.210 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | And User_482 click the Request For Financing Sub Menu under REQUEST FOR FINANCIN | PASSED | 1.469 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.222 s |
| | screenshot | | |
| |  | | |
| 4 | And User_482 Click on Maintenance under Request For Financing Sub Menu in REQUEST FOR FINANCIN | PASSED | 1.617 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |
| |  | | |
| 5 | And User get the system date | PASSED | 0.055 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.249 s |
| | screenshot | | |
| |  | | |
| 6 | And User_482 Update Test data set for AT_RF_064 | PASSED | 0.023 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.226 s |
| | screenshot | | |
| |  | | |
| 7 | And User Select New Request in Reason For Submission under Maintenance screen in REQUEST FOR FINANCIN | PASSED | 29.525 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.282 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 8 | And User Search the CIF Number in Customer under Maintenance screen in REQUEST FOR FINANCIN | PASSED | 1.767 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.230 s |
| | screenshot | | |
| |  | | |
| 9 | And User Search the Facility Type under Maintenance screen in REQUEST FOR FINANCIN | PASSED | 0.294 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | screenshot | | |
| |  | | |
| 10 | And User Enter the value in Total Limit under Maintenance screen in REQUEST FOR FINANCIN | PASSED | 0.665 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.317 s |
| | screenshot | | |
| |  | | |
| 11 | And User Click on Disbursement or Sublimit | PASSED | 1.127 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.238 s |
| | screenshot | | |
| |  | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 12 | And User Click on Add button in Disbursement or Sublimit | PASSED | 0.221 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.244 s |
| | screenshot | | |
| |  | | |
| 13 | And User Enter productclass | FAILED | 0.059 s |
| | <p>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f0efb717b7905fcb09265daedb9d78d, actions {actions=[org.openqa.selenium.interactions.Sequence@51aafde5]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\L..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64582}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64582/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3f0efb717b7905fcb09265daedb9d78d</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:415) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) at org.openqa.selenium.json.Json.toJson(Json.java:47) at org.openqa.selenium.json.Json.toJson(Json.java:41)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.AT_IISRF_143.user_Enter_productclass(AT_IISRF_143.java:150) at ?.User Enter productclass(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/AT_RF_143%20REQUEST%20FOR%20FINANCING.feature:26)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:357) at org.openqa.selenium.json.Json.toJson(Json.java:45) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.AT_IISRF_143.user_Enter_productclass(AT_IISRF_143.java:150) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p> java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList. forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner. java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng. SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org. testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng. TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG. run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng. remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:411) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:178) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:200) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:200) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:218) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:213) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:341) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:332) at org.openqa.selenium.json.Json.toJson(Json.java:47) at org.openqa.selenium.json.Json.toJson(Json.java:41) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:604) </p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.AT_IISRF_143.user_Enter_productclass(AT_IISRF_143.java:150) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id="lookuptxt_requestFinancingLimitDetailsGeneralFacilityProductClass_CSMRF00MT"]} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f0efb717b7905fcb09265daedb9d78d, findElement {using=xpath, value=//*[@id="lookuptxt_requestFinancingLimitDetailsGeneralFacilityProductClass_CSMRF00MT"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64582}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64582/devtools..., se.cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3f0efb717b7905fcb09265daedb9d78d</p> <pre> at java.lang.reflect.GeneratedConstructorAccessor45.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:275) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:224) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.263 s |
| 14 | And User Click on Add button | SKIPPED | 0.001 s |
| 15 | And User click on feesCharges tab | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request


(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

The screenshot shows the AZENTIO application interface. The top header includes the user profile (User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office), the date (16 January 2021), and the customer information (Customer ID: , Customer Name:). The main menu on the left lists various options, with 'REQUEST FOR FINANCING' and 'Maintenance' highlighted. The main content area displays the 'REQUEST FOR FINANCING / Request For Financing / Maintenance' form. The form has a 'Reason For Submission' dropdown set to 'New Request'. The 'Customer' field is empty, and the 'Request Date' is set to '16/01/2021'. The 'CIF Open Date' is set to '16/01/2021'. The form also includes sections for 'Request Details', 'Facility Type Details', and 'Global Limit'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

The screenshot shows the AZENTIO application interface with the same form as above, but now filled with data. The 'Customer' field is set to '727' and 'Republic of Guinea'. The 'Request Date' is '16/01/2021' and the 'CIF Open Date' is '06/05/2013'. The 'Facility Type' is set to 'Revolving/One-Off'. The 'Global Limit' section shows 'Amounts +/-' and 'Total Limit' fields. The left sidebar remains the same, with 'REQUEST FOR FINANCING' and 'Maintenance' highlighted.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

AZENTIO User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office, 16 January 2021, Customer ID: , Customer Name: .

REQUEST FOR FINANCING / Request For Financing / Maintenance

Code: User ID: AJITH Status: Create

Reason For Submission: New Request

Customer: 727 Republic of Guinea

Review Date: Request Date: 16/01/2021

Country: GIN CIF Open Date: 06/05/2013

Additional Reference:

Request Details: Debursement/Sublimit Customer Credit Memo Document Checklist Customer Grading & Recommendations Credit Committee Recommendations Drawdown Details History Log Exceptions

Customer Name: Republic of Guinea CR/ID Number: 1 Credit Rating: Blacklist Reason:

Arabic Name: Expiry Date: PO Box: Contact Number:

CIF Location:

Facility Type Details: Owners/Shareholders Management/Director Group Limit One Obligor/Group Exposure Facility With Other Banks

Facility Type: 221 Requesting/One-Off

Global Limit: Amounts +/-: New Global Limit: Total Limit: 100,000,000 CY Down Payment: Down Payment to Vendor:

Copyright ©2023 Azentio. All Rights Reserved. iMML Facility Management System 14.7.0.0 Build 262 Powered By: 14.7.0.0

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

AZENTIO User: AJITH, Company: 14.7 Oracle BAJ, branch: Head Office, 16 January 2021, Customer ID: , Customer Name: .

REQUEST FOR FINANCING / Request For Financing / Maintenance

Code: User ID: AJITH Status: Create

Reason For Submission: New Request

Customer: 727 Republic of Guinea

Review Date: 26/04/2021 Request Date: 16/01/2021

Country: GIN CIF Open Date: 06/05/2013

Additional Reference:

Request Details: Debursement/Sublimit Customer Credit Memo Document Checklist Customer Grading & Recommendations Credit Committee Recommendations Drawdown Details History Log Exceptions

Customer Name: Republic of Guinea CR/ID Number: 1 Credit Rating: Blacklist Reason:

Arabic Name: Expiry Date: PO Box: Contact Number:

CIF Location:

Facility Type Details: Owners/Shareholders Management/Director Group Limit One Obligor/Group Exposure Facility With Other Banks

Facility Type: 221 REQUEST

Global Limit: Amounts +/-: New Global Limit: Total Limit: 100,000,000 CY Down Payment: Down Payment to Vendor:

Copyright ©2023 Azentio. All Rights Reserved. iMML Facility Management System 14.7.0.0 Build 262 Powered By: 14.7.0.0

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

REQUEST FOR FINANCING / Request For Financing / Maintenance

Code: [] User ID: AJITH Status: Create

Reason For Submission: New Request

Customer: 727 Review Date: 26/04/2021

Request Date: 16/01/2021

Country: GIN CIF Open Date: 06/05/2013

| Item | Code | Brief Name | Utilized Limit | Outstanding limit | Class Type | Brief Name | Total Limit | Group ID | Funded/Non-Funded | Rev |
|--------------------|------|------------|----------------|-------------------|------------|------------|-------------|----------|-------------------|-----|
| No records to view | | | | | | | | | | |

Copyright ©2023 Azentio B.V. All Rights Reserved. iMIL Facility Management System 14.7.0.0 Build 262

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

REQUEST FOR FINANCING / Request For Financing / Maintenance

Code: [] User ID: AJITH Status: Create

Reason For Submission: New Request

Customer: 727 Review Date: 26/04/2021

Request Date: 16/01/2021

Country: GIN CIF Open Date: 06/05/2013

| Item | Code | Brief Name | Utilized Limit | Outstanding limit | Class Type | Brief Name | Total Limit | Group ID | Funded/Non-Funded | Rev |
|--------------------|------|------------|----------------|-------------------|------------|------------|-------------|----------|-------------------|-----|
| No records to view | | | | | | | | | | |

Copyright ©2023 Azentio B.V. All Rights Reserved. iMIL Facility Management System 14.7.0.0 Build 262

(Step) AFTER_STEP - stepdefinitions.
 HooksClass.addScreenshot(io.cucumber.
 java.Scenario)

(S) create request

(F) To Test the iisparam application

AZENTIO User: AJITH, Company: 14.7 Oracle BAJ, Branch: Head Office, 16 January 2021, Customer ID: , Customer Name: , New Session, Full Screen, Options, Advanced Options, Switch View, Home, Log Out, Help, Language:

REQUEST FOR FINANCING / Request For Financing / Maintenance

CSMRFO0MT

Code: User ID: AJITH Status: Create Status Details Journal Voucher Details

Reason For Submission * New Request

Customer * 727 CIF Details Review Date: 26/04/2021

Republic of Guinea

Request Date: 16/01/2021

Country: GIN CIF Open Date: 08/05/2013

Additional Reference

Request Details Disbursement Customer Credit Memo Document Checklist Customer Grading & Recommendations Credit Committee Recommendations Drawdown Details History Log Exceptions

Disbursement: Min Amount: Max Amount: Max Number:

| Item | Code | Brief Name | Utilized Limit | Outstanding limit | Class Type | Brief Name | Total Limit | Group ID | Funded/Non-Funded | Rev |
|--------------------|------|------------|----------------|-------------------|------------|------------|-------------|----------|-------------------|-----|
| No records to view | | | | | | | | | | |

Copyright ©2023 Azentio ©All Rights Reserved JML Facility Management System 14.7.0.0 Build 262 Powered By: