Cucumber Report

9 Oct 2023, 10:20:13 AM

Start : Oct 09, 10:19:52.888 AM	End : Oct 09, 10:20:12.567 AM	Duration : 19.679 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	To Test the FMS application login	1	1	0	0	19.679 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMS application login	To Test the login functionality of IIS s application	4	4	0	0	19.674 s

(F)- To Test the FMS application login

PASSED	DURATION - 19.679 s	Scenarios		Steps	
/ 10:19:52.888 AM // 10:20:12.567 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 4 Pass - 4 Fail - 0 Skip - 0	

(S)- To Test the login functionality of IIS s application

PASSED	DURATION - 19.674 s		Steps	
/ 10:19:52.893 AM // 10:20:12.567 AM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	
To Test the FMS application login				
@AT_IISPRM_027				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS application and login with valid credentials	PASSED	8.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
	 +		
2	And user click on early settlement tab	PASSED	3.793 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	And user click on batch early settlement under early settlement tab	PASSED	2.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
	 +		
4	And user Check the new menu option Batch Create under early settlement	PASSED	0.042 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
	 +		

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To Test the login functionality of IIS s application	
(F) To Test the FMS application login	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To Test the login functionality of IIS s application	
(F) To Test the FMS application login	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Test the login functionality of IIS s application

(F) To Test the FMS application login



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Test the login functionality of IIS s application

(F) To Test the FMS application login