Cucumber Report

6 Oct 2023, 9:07:51 AM

Start : Oct 06, 9:07:18.402 AM	End : Oct 06, 9:07:49.791 AM	Duration : 31.389 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 11 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	To Test the FMSiis application	1	1	0	0	31.389 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the FMSiis application	Check basic functionality of product class module	11	11	0	0	31.385 s

(F)- To Test the FMSiis application

PASSED	DURATION - 31.389 s	Scenarios	Steps
/ 9:07:18.402 AM // 9:07:49.791 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	Total - 11 Pass - 11 Fail - 0 Skip - 0



(S)- Check basic functionality of product class module

PASSED	DURATION - 31.385 s	Steps
/ 9:07:18.406 AM // 9:07:49.791 AM /		Total - 11 Pass - 11 Fail - 0 Skip - 0
To Test the FMSiis application		
@AT_IISPRM_111		



#	Step / Hook Details	Status	Duration
1	Given user_111 navigate to the IISParam application and login with the valid credentials	PASSED	7.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
	+		
2	And user_111 click on parameters tab	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	+		
3	And user_111 click on product class under parameter tab	PASSED	0.323 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
	+		
4	And user_111 click on maintenance under product class tab	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
	 +		
5	And user_111 click on search button under product class	PASSED	1.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.353 s
	screenshot		
	 +		
6	And user_111 click on the first option under search button	PASSED	3.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	 +		
7	And user_111 click on profit calculation under maintainance tab	PASSED	3.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
8	And user_111 check flag under profit calculation tab	PASSED	4.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
	+		
9	And user_111 click on additional information	PASSED	3.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
	+		
10	And user_111 click on repayement plan under the additional information	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
	+		
11	And user_111 validates for the Accural Entry At Revaluation	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	+		

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check basic functionality of product class module	
(F) To Test the FMSiis application	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check basic functionality of product class module

(F) To Test the FMSiis application