Cucumber Report

Start : Oct 28, 10:26:11.517 AM	*End : Oct 28, 10:27:07.105 AM*	*Duration : 55.588 s*
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 14
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

1

1

15

Pass % — 0 %

Pass % — 0 %

Pass % — 93 %

#	Feature Name	T	P	F	S	Duration
1	To Test the iisparam application	1	0	1	0	55.588 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Test the iisparam application	create request	15	14	1	0	55.585 s

(F)- To Test the iisparam application

FAILED	DURATION - 55.588 s		Scenarios		Steps	
			Total - 1		Total - 15	
/ 10:26:11.517 AM // 10:27:07.105 AM /			Pass - 0		Pass - 14	
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 0	

(S)- create request

FAILED	DURATION - 55.585 s		Steps	
/ 10:26:11.520 AM // 10:27:07.105 AM /			Total - 15	
To Test the iisparam application			Pass - 14	
@AT_RF_143			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given navigate to FMS application and login with valid credentials	PASSED	8.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
	+		
2	And User_482 Click on REQUEST FOR FINANCIN under FMS application	PASSED	1.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.323 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And User_482 click the Request For Financing Sub Menu under REQUEST FOR FINANCIN	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
4	And User_482 Click on Maintenance under Request For Financing Sub Menu in REQUEST FOR FINANCIN	PASSED	1.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
5	And User get the system date	PASSED	0.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
6	And User_482 Update Test data set for AT_RF_064	PASSED	0.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
7	And User Select New Request in Reason For Submission under Maintenance screen in REQUEST FOR FINANCIN	PASSED	15.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And User Search the CIF Number in Customer under Maintenance screen in REQUEST FOR FINANCIN	PASSED	1.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
9	And User Search the Facility Type under Maintenance screen in REQUEST FOR FINANCIN	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
10	And User Enter the value in Total Limit under Maintenance screen in REQUEST FOR FINANCIN	PASSED	0.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
11	And User Click on Disbursement or Sublimit	PASSED	0.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		

| #	Step / Hook Details	Status	Duration
12	And User Click on Add button in Disbursement or Sublimit	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	+		
13	And User Enter productclass	PASSED	15.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	+		
14	And User Click on Add button	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
	+		
15	And User click on feesCharges tab	FAILED	1.398 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <label id="requestFinancingFormId_CSMRF00MT_Fees_Charges_Key" labelkey="Fees_Charges_Key" class="path_btn_lbl_theme">...</label> is not clickable at point (1701, 783). Other element would receive the click: <div class="jMsgbox-background" style="position: fixed; width: 1812px; height: 816px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"></div> (Session info: chrome=118.0.5993.118) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [a568eaeef377594ed1a147a2c81b4e0f, clickElement {id=608B32F42E259BC48992300A6669FC05_element_399}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\L. ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64785}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64785/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a568eaeef377594ed1a147a2c81b4e0f)] -> xpath: //*[@id="requestFinancingFormId_CSMRF00MT_Fees_Charges_Key"]] Session ID: a568eaeef377594ed1a147a2c81b4e0f		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)		
	at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22)		
	at stepdefinitions.AT_IISRF_143.user_click_on_feesCharges_tab(AT_IISRF_143.java:171)		
	at ?.User click on feesCharges tab(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/AT_RF_143%20REQUEST%20FOR%20FINANCING.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.196 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) create request	
(F) To Test the iisparam application	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) create request

(F) To Test the iisparam application