

# Cucumber Report

1 Nov 2023, 3:39:18 PM

Start : Nov 01, 3:38:24.141 PM

End : Nov 01, 3:39:17.534 PM

Duration : 53.393 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	53.393 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	In FMS REVERSE THE DDR3	12	8	1	3	53.389 s

**(F)- Test the Functionality of Draw Down Request**



<b>FAILED</b>	<b>DURATION - 53.393 s</b>	Scenarios		Steps	
/ 3:38:24.141 PM // 3:39:17.534 PM /		Total - 1		Total - 12	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	


**(S)- In FMS REVERSE THE DDR3**

<div>FAILED</div> <div>DURATION - 53.389 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:38:24.145 PM // 3:39:17.534 PM /				
Test the Functionality of Draw Down Request				
@AT_DDR_007				

#	Step / Hook Details	Status	Duration
1	Given User_007 navigate to FMS application and login with valid credentials	PASSED	20.804 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
			
2	And User_007 Click on Report menu	PASSED	1.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_007 Click on Availment Ticket sub menu under Report menu	PASSED	1.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
			
4	And User_007 Click on CIF No Tab	PASSED	2.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
5	And User_007 Enter CIF No	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
6	And User_007 click on Without header and footer	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
7	And User_007 Click On Retrive Button	PASSED	3.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And User_007 Click On Availment Ticket sub Report Drawdown	PASSED	12.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
9	And User_007 Click On Branch code and Enter code	FAILED	2.924 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;input type="text" autocomplete="off" name="param~RA_BRANCH_CODE~NUMBER" class="path-theme-cust-input textCompSize ui-state-focus ui-corner-all" value="" id="p_param_RA_BRANCH_CODE_NUMBER_FMSU010S2" style="width:120px;" mode="number" nbformat="0.####" noformat="false" decimalsepa="." groupsepa="," afterdepevent="" initialvalue="" zeronotallowed=""&gt; is not clickable at point (371, 163). Other element would receive the click: &lt;div class="jMsgbox-background" style="position: fixed; width: 1812px; height: 816px; z-index: 999999; opacity: 0.6; top: 0px; left: 0px;"&gt;&lt;/div&gt; (Session info: chrome=118.0.5993.118) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [974b80a69b7e700d60a3b00a8c73c293, clickElement {id=FEBFF8A355F7A44322C4009029AFE729_element_446}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-remote-debugging-profile-118.0.5993.70\Profile 118.0.5993.70}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65464}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65464/devtools, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (974b80a69b7e700d60a3b00a8c73c293)] -&gt; xpath: //*[@id="p_param_RA_BRANCH_CODE_NUMBER_FMSU010S2"]] Session ID: 974b80a69b7e700d60a3b00a8c73c293</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22) at stepdefinitions.ReportAvailment_007.User_007_Click_On_Branch_code_and_Enter_code(ReportAvailment_007.java:139) at ?.User_007 Click On Branch code and Enter code(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.172 s
10	And User_007 Click On Retrive btn	SKIPPED	0.000 s
11	And User_007 Click On Availment Ticket sub Report Facility	SKIPPED	0.000 s
12	And User_007 Check the draw down details are displaying when the user specify the particular facility	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down  
Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the AZENTIO logo, user information (User: AJUTH, Company: 14.7 Oracle BAJ, branch: Head Office), date (16 January 2021), and customer information (Customer ID, Customer Name). The left sidebar lists various reports under the 'Reports' section, with 'Avalment Ticket' selected. The main content area displays the 'Reports / Avalment Ticket' page. It includes a 'Parameters' section with fields for 'CIF No' (77), 'DRAW DOWN' (0), and 'Excludngl'. There are also dropdown menus for 'Language' (English) and 'Format' (Html), and a 'Connection description' field. A checkbox for 'Without header and footer' is checked. Below the parameters are buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export'. The footer of the application shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down  
Request

This screenshot is identical to the one above, showing the AZENTIO web application interface. The top navigation bar, left sidebar, and main content area are the same. The 'Parameters' section shows 'CIF No' (77), 'DRAW DOWN' (0), and 'Excludngl'. The 'Without header and footer' checkbox is checked. The buttons for 'Sort', 'Filter', 'Group', 'Retrieve', 'Reset', 'Arguments Filters', and 'Export' are visible. The footer shows 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3


(F) Test the Functionality of Draw Down Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down Request



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) In FMS REVERSE THE DDR3

(F) Test the Functionality of Draw Down  
Request

