

Cucumber Report

28 Sep 2023, 12:34:26 PM

Start : Sep 28, 12:33:56.169 PM

End : Sep 28, 12:34:24.777 PM

Duration : 28.608 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	1	0	1	0	28.608 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	<u>Penalty -basic Testing</u>	17	11	1	5	28.605 s


(F)- To test the IIS Parameter functionalities


FAILED	DURATION - 28.608 s	Scenarios		Steps	
/ 12:33:56.169 PM // 12:34:24.777 PM /		Total - 1		Total - 17	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


(S)- Penalty -basic Testing


FAILED	DURATION - 28.605 s		Steps	
/ 12:33:56.172 PM // 12:34:24.777 PM /				
To test the IIS Parameter functionalities				
@721477				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	8.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
			
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
			
6	And User_611 Enter and create a code value under maintenance screen	PASSED	2.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
			
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
			
10	And User_611 clicks the save button under maintenance screen	PASSED	3.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
			
11	And User_611 Validate the saving record	PASSED	3.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	<p>And User_611 Enter the penalty code under maintenance screen</p> <p>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f38ab06810bb01b5fe0087e6526da20d, actions {actions=[org.openqa.selenium.interactions.Sequence@18b04526]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60912}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60912/devtools..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f38ab06810bb01b5fe0087e6526da20d</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:605) at org.openqa.selenium.interactions.Actions.perform(Actions.java:574) at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61) at stepdefinitions.IISParameterSteps_611.user_enter_the_penalty_code_under_maintenance_screen(IISParameterSteps_611.java:119) at ?.User_611 Enter the penalty code under maintenance screen(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.232 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.264 s

#	Step / Hook Details	Status	Duration
			
13	And User_611 Edit the brief name eng for updatation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updatation under maintenance screen	SKIPPED	0.000 s
15	And User_611 Enter the charges code under maintenance screen	SKIPPED	0.000 s
16	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
17	And User_611 validate the updating record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

AZENTIO User : KOUSSALYA Company : 14.7 Oracle BAJ Branch : Head Office 28 September 2023 Full Screen Options Advanced Options Switch View Home Log Out Help Language

Parameters / Penalty / Maintenance

M068HT

Code * 0198 Status Active

Main Information Penalty Details

Brief Name Eng * Testdata

Long Description * Testdata

Penalty Type Profit on Outstanding Principal

Penalty Type After Maturity Annual Percentage on Outstanding Principal Amount

☐ Apply Penalty Percentage After Maturity Based on Actual Periodicity(From And To Period)

Minimum Amount .000

Charges Code * 21

Collect Penalty At Next Installment

Penalty Calculation Based on Actual Days

Save

Copyright ©2023 Azentio ©All Rights Reserved AMM, K2 Parameter 14.7.0.0 Build 296 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

AZENTIO User : KOUSSALYA Company : 14.7 Oracle BAJ Branch : Head Office 28 September 2023 Full Screen Options Advanced Options Switch View Home Log Out Help Language

Parameters / Penalty / Maintenance

M068HT

Code * 0198 Status Active

Main Information Penalty Details

Brief Name Eng * Testdata

Long Description * Testdata

Penalty Type Profit on Outstanding Principal

Penalty Type After Maturity Annual Percentage on Outstanding Principal Amount

☐ Apply Penalty Percentage After Maturity Based on Actual Periodicity(From And To Period)

Minimum Amount .000

Charges Code * 21

Collect Penalty At Next Installment

Penalty Calculation Based on Actual Days

Save

Copyright ©2023 Azentio ©All Rights Reserved AMM, K2 Parameter 14.7.0.0 Build 296 Powered By

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO system interface for the 'Penalty / Maintenance' module. The user is KOUSSALYA, Company is 14.7 Oracle BAJ, and the date is 28 September 2023. The form is for a new record (M068HT) with Code 0198. The form is active and ready for data entry. The form includes fields for Brief Name, Long Description, Penalty Type (Profit on Outstanding Principal), and Penalty Type After Maturity (Annual Percentage on Outstanding Principal Amount). The form is active and ready for data entry.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO system interface for the 'Penalty / Maintenance' module. The user is KOUSSALYA, Company is 14.7 Oracle BAJ, and the date is 28 September 2023. The form is for a new record (M068HT) with Code 0198. The form is active and ready for data entry. The form includes fields for Brief Name, Long Description, Penalty Type (Profit on Outstanding Principal), and Penalty Type After Maturity (Annual Percentage on Outstanding Principal Amount). The form is active and ready for data entry.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot shows the AZENTIO web application interface. The top navigation bar includes the user name 'KOUJALYA', company '14.7 Oracle BAJ', and date '28 September 2023'. The left sidebar contains a menu with various system modules, with 'Penalty / Maintenance' selected. The main content area displays the 'Parameters / Penalty / Maintenance' configuration page. It features a table with columns for 'Penalty Code', 'Brief name', 'Long Name', 'الإسم المختصر', and 'الإسم الكامل بالعربية'. Below the table, there is a form for adding or editing a penalty entry. The form includes fields for 'Code *', 'Brief Name Eng *', 'Long Description *', 'Penalty Type', 'Penalty Type After Maturity', 'Minimum Amount', 'Charges Code *', and 'Collect Penalty At'. The 'Status' is set to 'Active'. The footer of the page indicates 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot is similar to the one above, showing the AZENTIO web application interface. The top navigation bar and left sidebar are identical. The main content area displays the 'Parameters / Penalty / Maintenance' configuration page. In this instance, the 'Penalty Code' field in the table is populated with '0198' and the 'Brief name' is 'Testdata'. The form below the table is also visible, showing the same fields as in the previous screenshot. The footer of the page indicates 'Copyright ©2023 Azentio ©All Rights Reserved' and 'Powered By'.