# Cucumber Report

| *Start : Nov 23, 8:14:35.580 AM* | *End : Nov 23, 8:15:54.819 AM* | *Duration : 1 m 19.239 s* |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 3<br>FAILED - 1<br>SKIPPED - 7 |

**Features**

1

**Scenarios**

1

**Steps**

11

Pass % — 0 %

Pass % — 0 %

Pass % — 27 %

| #   | Feature Name                                | T | P | F | S | Duration     |
|-----|---------------------------------------------|---|---|---|---|--------------|
| 1   | *Test the Functionality of Draw Down Request* | 1 | 0 | 1 | 0 | 1 m 19.239 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Test the Functionality of Draw Down Request | In FMS REVERSE THE DDR3 | 11 | 3 | 1 | 7 | 1 m 19.235 s |

## (F)- Test the Functionality of Draw Down Request

| FAILED | DURATION - 1 m 19.239 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 11 | |
| / 8:14:35.580 AM // 8:15:54.819 AM / | | Pass - 0 | 1 | Pass - 3 | 11 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 7 | |

## (S)- In FMS REVERSE THE DDR3

| FAILED | DURATION - 1 m 19.235 s | | Steps | |
|---|---|---|---|---|
| / 8:14:35.584 AM // 8:15:54.819 AM / | | | Total - 11 | |
| Test the Functionality of Draw Down Request | | | Pass - 3 | 11 |
| | | | Fail - 1 | |
| @AT_DDR_007 | | | Skip - 7 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User_007 navigate to FMS application and login with valid credentials | PASSED | 9.058 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| | screenshot | | |
| | + | | |
| 2 | And User_007 Click on Report menu | PASSED | 1.848 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.277 s |
| | screenshot | | |
| | + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And User_007 Click on Availment Ticket sub menu under Report menu | PASSED | 1.385 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.388 s |
| | screenshot <br><br>  + | | |
| 4 | And User_007 Click on CIF No Tab | FAILED | 1 m 0.031 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//input[@class='path-theme-cust-input liveSearchText liveSearchCompSize ui-state-focus liveSearchInputCorner '])[1]' (tried for 60 second(s) with 5 milliseconds interval)<br>   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)<br>   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)<br>   at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)<br>   at stepdefinitions.ReportAvailment_007.User_007_Click_on_CIF_No_Tab(ReportAvailment_007.java:95)<br>   at ?.User_007 Click on CIF No Tab(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:8)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//input[@class='path-theme-cust-input liveSearchText liveSearchCompSize ui-state-focus liveSearchInputCorner '])[1]"}  (Session info: chrome=119.0.6045.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a7753861a3f8a2dd5ebe595e8f9116bd, findElement {using=xpath, value=(//input[@class='path-theme-cust-input liveSearchText liveSearchCompSize ui-state-focus liveSearchInputCorner '])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51632/devtoo..., se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a7753861a3f8a2dd5ebe595e8f9116bd<br>   at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) | | |
| | at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) | | |
| | at stepdefinitions.ReportAvailment_007.User_007_Click_on_CIF_No_Tab(ReportAvailment_007.java:95) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br>at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)<br>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)<br>at org.testng.TestRunner.privateRun(TestRunner.java:848)<br>at org.testng.TestRunner.run(TestRunner.java:621)<br>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br>at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br>at org.testng.TestNG.runSuites(TestNG.java:1114)<br>at org.testng.TestNG.run(TestNG.java:1082)<br>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br>at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br>at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> + | PASSED | 0.199 s |
| 5 | And User_007 Enter CIF No | SKIPPED | 0.002 s |
| 6 | And User_007 click on Without header and footer | SKIPPED | 0.002 s |
| 7 | And User_007 Click On Retrive Button | SKIPPED | 0.001 s |
| 8 | And User_007 Click On Availment Ticket sub Report Drawdown | SKIPPED | 0.006 s |
| 9 | And User_007 Click On Branch code and Enter code | SKIPPED | 0.001 s |
| 10 | And User_007 Click On Retrive btn | SKIPPED | 0.001 s |
| 11 | And User_007 Click On Availment Ticket sub Report Facility | SKIPPED | 0.001 s |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) In FMS REVERSE THE DDR3 | |
| (F) Test the Functionality of Draw Down Request | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |
| (S) In FMS REVERSE THE DDR3 | |
| (F) Test the Functionality of Draw Down Request | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) In FMS REVERSE THE DDR3 | |
| (F) Test the Functionality of Draw Down Request | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) In FMS REVERSE THE DDR3 | |
| (F) Test the Functionality of Draw Down Request | |