

# Cucumber Report

3 Nov 2023, 12:23:49 PM

Start : Nov 03, 12:20:49.893 PM

End : Nov 03, 12:23:47.897 PM

Duration : 2 m 58.004 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	2 m 58.004 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	To check the new button for rates added under the Rates scetion in Corporate Package screen	13	0	1	12	2 m 58.000 s

**(F)- Test the Functionality of Draw Down Request**


<b>FAILED</b>	<b>DURATION - 2 m 58.004 s</b>	Scenarios		Steps	
/ 12:20:49.893 PM // 12:23:47.897 PM /		Total - 1	1	Total - 13	13
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	


**(S)- To check the new button for rates added under the Rates scetion in Corporate Package screen**

<b>FAILED</b>	<b>DURATION - 2 m 58.000 s</b>		Steps	
/ 12:20:49.897 PM // 12:23:47.897 PM /			Total - 13	
Test the Functionality of Draw Down Request			Pass - 0	
@AT_DDR_017			Fail - 1	
			Skip - 12	

#	Step / Hook Details	Status	Duration
1	<p>Given User_016 navigate to FMS param application and login with valid credentials</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[contains(text(), 'Continue')]' (tried for 60 second(s) with 5 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:95)</p> <p>at stepdefinitions.FMSLogin.loginIntoFmsParamApplication(FMSLogin.java:68)</p> <p>at stepdefinitions.CORPORATESCREEN_016.User_016_navigate_to_fms_param_application_and_login_with_valid_credentials(CORPORATESCREEN_016.java:32)</p> <p>at ?.User_016 navigate to FMS param application and login with valid credentials(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:42)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(), 'Continue')]"}</p> <p>(Session info: chrome=118.0.5993.118) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception</a></p> <p>Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48ade9ed5efbff069bf9be1a93c66128, findElement {using=xpath, value=//span[contains(text(), 'Continue')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\ff99b9f1e52f33f30b91..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55254}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),</p>	FAILED	2 m 51.833 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdp: ws://localhost:55254/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 48ade9ed5efbff069bf9be1a93c66128   at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)   at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95)   at stepdefinitions.FMSLogin.loginIntoFmsParamApplication(FMSLogin.java:68)   at stepdefinitions. CORPORATESCREEN_016.User_016_navigate_to_fms_param_application_and_login_with_valid_credentials(CORPORATESCREEN_016.java:32)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
2	And User_016 click parameter Menu	SKIPPED	0.000 s
3	And User_016 click on corporate packages	SKIPPED	0.000 s
4	And User_016 click on maintainance	SKIPPED	0.001 s
5	And User_17 Update test data set id for AT_DDR_017	SKIPPED	0.000 s
6	And User_017 Click on Search button	SKIPPED	0.000 s
7	And User_017 Click on code tab and Enter code No	SKIPPED	0.001 s
8	And User_017 Click on Retrive data	SKIPPED	0.000 s
9	And User_017 Click on add Icon under rates session	SKIPPED	0.000 s
10	And User_017 Click on Product Class and Enter Data	SKIPPED	0.001 s
11	And User_017 Click on Yield Detail	SKIPPED	0.000 s
12	And User_017 Click on Add new Row Under Yeild Detail	SKIPPED	0.000 s
13	And User_017 Check the new button for rates added under the Rates scetion in Corporate Package screen	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the new button for rates  
added under the Rates scetion in  
Corporate Package screen

(F) Test the Functionality of Draw Down  
Request

AZENTIO™ User / AJITH Full Screen Home Log Out Help Language

Company and Branch Login

Company Code

Branch Code

Continue

Copyright ©2023 Azentio ©All Rights Reserved / MAL RM5 PARAMETER 14.7.0.0 Build 267 Powered By AZENTIO