Cucumber Report

| *Start : Nov 02, 3:34:15.367 PM*	*End : Nov 02, 3:36:13.527 PM*	*Duration : 1 m 58.160 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	0	1	0	1 m 58.160 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to *	11	9	1	1	1 m 58.133 s

(F)- Test the Functionality of Draw Down Request

FAILED	DURATION - 1 m 58.160 s	Scenarios		Steps	
/ 3:34:15.367 PM // 3:36:13.527 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 11 Pass - 9 Fail - 1 Skip - 1	11

(S)- Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

FAILED	DURATION - 1 m 58.133 s		Steps	
/ 3:34:15.394 PM // 3:36:13.527 PM /			Total - 11 Pass - 9 Fail - 1 Skip - 1	11
Test the Functionality of Draw Down Request				
@AT_DDR_081				

| #	Step / Hook Details	Status	Duration
1	Given User_081 navigate to FMS param application and login with valid credentials	PASSED	11.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
	+		
2	And User_081 Click Parameter Menu	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And User_081 Click Transaction Template Menu	PASSED	0.716 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot 		
4	And User_081 Click Maintanance Under Transaction Template	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot 		
5	And User_081 Click Add Icon Under Maintanance	PASSED	16.918 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot 		
6	And User_081 Click on LN Under AddIcon	PASSED	18.920 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot 		

#	Step / Hook Details	Status	Duration
7	And User_081 Click on Plus Icon Under Formula in Amount	PASSED	0.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	+		
8	And User_081 Click Add Icon Under Formula in Amount	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
	+		
9	And User_081 Click on List Of Fields	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
	+		
10	And User_081 drawDown Field	FAILED	1 m 0.054 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@id="new_1698925227375_trxTemplateField"]' (tried for 60 second(s) with 5 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) at stepdefinitions.TransactionTemplate_081.User_081_drawDown_Field(TransactionTemplate_081.java:127) at ?.User_081 drawDown Field(file:///C:/Users/ININDC00629/git/AZENTIO-FMS1/AzentioAutomationFramework_FMS_Ajith/src/test/java/features/DrawDownandRequest.feature:104) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="new_1698925227375_trxTemplateField"]"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [eb14b405d07a6f73fc1a9cf5bdbc86b7, findElement {using=xpath, value=//*[@id="new_1698925227375_trxTemplateField"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

| #	Step / Hook Details	Status	Duration
	118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\ININDC~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56928}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56928/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: eb14b405d07a6f73fc1a9cf5bdbc86b7 　　at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) 　　at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source) 　　at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) 　　at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:37) 　　at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) 　　at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:287) 　　at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) 　　at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:95) 　　at stepdefinitions.TransactionTemplate_081.User_081_drawDown_Field(TransactionTemplate_081.java:127) 　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) 　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) 　　at java.base/java.lang.reflect.Method.invoke(Method.java:568) 　　at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) 　　at io.cucumber.java.Invoker.invoke(Invoker.java:24) 　　at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) 　　at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) 　　at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) 　　at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) 　　at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) 　　at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
11	And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount (F) Test the Functionality of Draw Down Request	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount (F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount	
(F) Test the Functionality of Draw Down Request	