

Cucumber Report

28 Sep 2023, 11:40:23 AM

Start : Sep 28, 11:39:44.409 AM

End : Sep 28, 11:40:21.797 AM

Duration : 37.388 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	1	0	1	0	37.388 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To test the IIS Parameter functionalities</u>	<u>Penalty -basic Testing</u>	17	10	1	6	37.385 s

(F)- To test the IIS Parameter functionalities


FAILED	DURATION - 37.388 s	Scenarios		Steps	
/ 11:39:44.409 AM // 11:40:21.797 AM /		Total - 1		Total - 17	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	


(S)- Penalty -basic Testing

FAILED	DURATION - 37.385 s		Steps	
/ 11:39:44.412 AM // 11:40:21.797 AM /				
To test the IIS Parameter functionalities				
@721477				

#	Step / Hook Details	Status	Duration
1	Given navigate to IIS param application and login with valid credentials	PASSED	6.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
2	And User_611 get the test data for test case AT_IISPRM_075	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User_611 clicks on the parameter feature in IIS Param application	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
4	And User_611 clicks the penalty Menu in IIS param application	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
			
5	And User_611 clicks the maintenance menu under penalty screen	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
6	And User_611 Enter and create a code value under maintenance screen	PASSED	1.704 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
			
7	And User_611 Enter the brief name eng under maintenance screen	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And User_611 Enter the long discription under maintenance screen	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			
9	And User_611 Enter the charges code under maintenance screen	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
			
10	And User_611 clicks the save button under maintenance screen	PASSED	18.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
			
11	And User_611 Validate the saving record	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Saved Successfully']"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [456e6b985f4ee129dc86a24d5e7012aa, findElement {using=xpath, value=//div[text()='Saved Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		

#	Step / Hook Details	Status	Duration
	<p>localhost:59104}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59104/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 456e6b985f4ee129dc86a24d5e7012aa</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor61.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at stepdefinitions.IISParameterSteps_611.user_validate_the_saving_record(IISParameterSteps_611.java:102) at ?.User_611 Validate the saving record(file:///C:/Users/inindc00611/git/FMS1/AzentioAutomationFramework_FMS_kowsalyaa/src/test/java/IISfeatures/IISParameter.feature:15) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.282 s
12	And User_611 Enter the penalty code under maintenance screen	SKIPPED	0.000 s
13	And User_611 Edit the brief name eng for updation under maintenance screen	SKIPPED	0.000 s
14	And User_611 Edit the long discription for updation under maintenance screen	SKIPPED	0.000 s
15	And User_611 clicks the save button under maintenance screen	SKIPPED	0.000 s
16	And User_611 Validate the saving record	SKIPPED	0.000 s
17	And User_611 validate the updating record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing


(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

The screenshot displays the AZENTIO web application interface. The top navigation bar shows the user 'KOUJALYA' and the date '28 September 2023'. The sidebar menu on the left lists various system settings, with 'Penalty / Maintenance' selected. The main form area is titled 'Parameters / Penalty / Maintenance' and contains the following fields:

- Code ***: 0536
- Status**: Active
- Brief Name Eng ***: Testdata
- Long Description ***: Testdata
- Penalty Type**: Profit on Outstanding Principal
- Penalty Type After Maturity**: Annual Percentage on Outstanding Principal Amount
- Minimum Amount**: .000
- Charges Code ***: .000
- Collect Penalty At**: Next Installment
- Penalty Calculation Based on**: Actual Days

The bottom of the page shows the copyright notice: 'Copyright ©2023 Azentio @All Rights Reserved' and the version 'AML 101 Parameter 14.7.0.0 Build 296'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

This screenshot is identical to the one above, showing the AZENTIO web application interface for the 'Penalty / Maintenance' configuration page. The fields and layout are the same, including the sidebar menu, main form fields, and the bottom copyright notice.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Penalty -basic Testing

(F) To test the IIS Parameter
functionalities

