


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Test the Functionality of Draw Down Request	1	1	0	0	26.922 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
2	Test the Functionality of Draw Down	Check in Transaction Template screen, new elements	11	11	0	0	26.919 s
	Request	'Down Payment' and 'Down Payment Refund' is added to *					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

**DETAILED SECTION** 

## **(F)- Test the Functionality of Draw Down Request**

PASSED	DURATION - 26.922 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 1:05:50.315 PM	/// 1:06:17.237 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

PASSED	DURATION - 26.919 s	8 -		_		-									Steps		
/ 1:05:50.318	8 PM // 1:06:17.237 PM /	6 -	-				-								Total - 11		
		4 -	-		-		-						- +		Pass - 11	1.	1
Test the Func	tionality of Draw Down Request	2-	-					-							Fail - 0		
@AT_DDR_0	081	0 -		<u>.</u>	<u>+</u>		<del>-</del> -		- <u>-</u>	<u>-</u>	-	<u></u>	40	<u></u>	Skip - 0		
				1	2	3	4	5	6	7	8	9	10	11			

#	Step / Hook Details	Status	Duration
1	Given User_081 navigate to FMS param application and login with valid credentials	PASSED	7.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
	—————————————————————————————————————		
2	And User_081 Click Parameter Menu	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	And User_081 Click Transaction Template Menu	PASSED	0.500 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.222 s
4	And User_081 Click Maintanance Under Transaction Template	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
5	And User_081 Click Add Icon Under Maintanance	PASSED	2.816 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
6	And User_081 Click on LN Under AddIcon	PASSED	7.743 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.269 s	#	Step / Hook Details	Status	Duration
screenshot  And User_081 Click Add Icon Under Formula in Amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And User_081 Click on List Of Fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And User_081 drawDown Field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.233 s  PASSED  0.289 s  0.131 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  PASSED  0.131 s  PASSED  0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s	7	And User_081 Click on Plus Icon Under Formula in Amount	PASSED	0.427 s
8 And User_081 Click Add ton Under Formula in Amount  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And User_081 Click on List Of Fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
8 And User_081 Click Add Icon Under Formula in Amount  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And User_081 Click on List Of Fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And User_081 drawDown Field  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 And User_081 click on List Of Fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  PASSED  0.143 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And User_081 Click on List Of Fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 And User_081 drawDown Field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.213 s  0.214 s				
screenshot  9 And User_081 Click on List Of Fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And User_081 drawDown Field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passeb  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passeb  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.211 s	8	And User_081 Click Add Icon Under Formula in Amount	PASSED	0.362 s
9 And User_081 Click on List Of Fields PASSED 0.233 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 And User_081 drawDown Field PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount PASSED 0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  10 And User_081 drawDown Field PASSED 0.131 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount PASSED 0.143 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.143 s  PASSED 0.143 s  PASSED 0.143 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  10 And User_081 drawDown Field PASSED 0.131 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount PASSED 0.143 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.143 s  PASSED 0.143 s  PASSED 0.143 s				
screenshot  10 And User_081 drawDown Field PASSED 0.131 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount PASSED 0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s	9	And User_081 Click on List Of Fields	PASSED	0.233 s
And User_081 drawDown Field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.211 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.195 s  0.195 s  0.195 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.195 s  0.195 s  0.195 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.195 s  0.195 s  0.195 s	10	And User_081 drawDown Field	PASSED	0.131 s
11 And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount PASSED 0.143 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s			PASSED	0.195 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.211 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.211 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.211 s	11	And User_081 Check new elements Down Payment and Down Payment Refund is added to the amount	PASSED	0.143 s
screenshot		<del>-</del>		0.211 s
		screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --

Apply Formula

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request



(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request



EXPANDED SECTION -- 12 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount


(F) Test the Functionality of Draw Down Request

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check in Transaction Template screen, new elements 'Down Payment' and 'Down Payment Refund' is added to the amount

(F) Test the Functionality of Draw Down Request





EXPANDED SECTION -- 13 --

